

APÉNDICE

Lista de especies de Asteraceae registradas para la región que comprende el proyecto Flora del Bajío y de regiones adyacentes (Fig. 1). Con un asterisco (*) se indican las introducidas a la flora de México. Los estados se indican con abreviaciones y los números hacen referencia a la posición indicada en la Figura 1.

Tribu Anthemideae

Achillea millefolium L. GTO, MICH, QRO; 6, 11, 13, 19, 20

**Artemisia absinthium* L. GTO, MICH, QRO; 3, 16, 18

Artemisia klotzschiana Besser GTO, QRO; 4

Artemisia ludoviciana Nutt. GTO, MICH, QRO; 1, 3, 4, 5, 9, 11, 12, 15, 16, 18, 19, 20

**Cotula australis* (Spreng.) Hook. f. MICH, QRO; 7, 17

Cotula mexicana (DC.) Cabrera MICH, QRO; 19, 20

**Leucanthemum lacustre* (Brot.) Samp. MICH; 19

**Soliva anthemifolia* (Juss.) Sweet GTO, MICH; 1, 18

**Soliva sessilis* Ruiz & Pav. MICH; 19, 20

**Tanacetum parthenium* (L.) Sch. Bip. GTO, MICH, QRO; 11, 16, 17, 18, 20

Tribu Astereae

Almutaster pauciflorus (Nutt.) A. Löve & D. Löve GTO, MICH, QRO; 11, 15, 16, 18

Aphanostephus ramosissimus DC. GTO, MICH, QRO; 3, 4, 5, 10, 12, 15, 16, 17, 19

Archibaccharis asperifolia (Benth.) S.F. Blake MICH; 17, 18, 19, 20

Archibaccharis auriculata (Hemsl.) G.L. Nesom GTO, MICH, QRO; 3, 6, 16

Archibaccharis hieracioides (S.F. Blake) S.F. Blake GTO, MICH; 18, 19, 20

Archibaccharis hirtella (DC.) Heering MICH, QRO; 17, 18, 19, 20

Archibaccharis schiedeana (Benth.) J.D. Jacks. MICH, QRO; 6, 7, 17, 20

Archibaccharis serratifolia (Kunth) S.F. Blake GTO, MICH, QRO; 3, 5, 6, 7, 12, 13, 16, 17, 18, 19, 20

Arida riparia (Kunth) D.R. Morgan & R.L. Hartm. GTO, MICH; 14, 18, 20

Astranthium laetificum De Jong MICH; 19
(endémica de la región)

Astranthium orthopodum (B.L. Rob. & Fernald) Larsen GTO, MICH; 17, 18, 19

Astranthium purpurascens (B.L. Rob.) Larsen GTO, QRO; 4, 6, 7, 11, 12

Aztecaster matudae (Rzed.) G.L. Nesom QRO; 12

Baccharis brevipappa (McVaugh) G.L. Nesom MICH; 17

Baccharis conferta Kunth GTO, MICH, QRO; 5, 6, 7, 12, 16, 19, 20

Baccharis heterophylla Kunth GTO, MICH, QRO; 2, 3, 6, 16, 17, 18, 19, 20

Baccharis lancifolia Schltld. QRO; 6, 7

Baccharis multiflora Kunth GTO, MICH, QRO; 3, 6, 7, 13, 16, 17, 18, 19, 20

Baccharis pteronioides DC. GTO, MICH, QRO; 1, 3, 5, 6, 10, 11, 12, 16, 17, 18, 19, 20

Baccharis ramiflora A. Gray GTO, QRO; 5, 11, 12

Baccharis salicifolia (Ruiz & Pav.) Pers. GTO, MICH, QRO; 3, 4, 5, 6, 9, 10, 11, 13, 16, 17, 18, 19, 20

Baccharis sordescens DC. GTO, MICH, QRO; 5, 11, 12, 14, 15, 18

Baccharis sulcata DC. GTO; 3

Baccharis thesioides Kunth GTO, MICH, QRO; 2, 3, 9, 16, 17, 18, 19

Baccharis trinervis (Lam.) Pers. MICH, QRO; 7

Baccharis zamoranensis Rzed. GTO, QRO; 11

(endémica de la región)

Conyza bonariensis (L.) Cronquist GTO, MICH, QRO; 12, 15, 18

Conyza canadensis (L.) Cronquist GTO, MICH, QRO; 3, 11, 12, 17, 18, 19, 20

Conyza coronopifolia Kunth GTO, MICH, QRO; 13, 16, 17, 18, 19, 20

Conyza laevigata (Rich.) Pruski MICH, QRO; 6, 7

Apéndice. Continuación.

-
- Conyza microcephala* Hemsl. GTO, MICH, QRO; 10, 12, 15, 16, 17, 18, 20
- Chaetopappa ericoides* (Torr.) G.L. Nesom GTO, QRO; 3, 4, 5, 6, 11, 12
- Chloracantha spinosa* (Benth.) G.L. Nesom GTO, MICH, QRO; 10, 11, 12, 15, 19
- Erigeron delphinifolius* Willd. GTO, MICH, QRO; 2, 3, 5, 6, 11, 13, 14, 15, 16, 17, 18, 19, 20
- Erigeron galeottii* (A. Gray ex Hemsl.) Greene GTO, MICH, QRO; 11, 20
- Erigeron janivultus* G.L. Nesom GTO, MICH, QRO; 1, 2, 16
- Erigeron karvinskianus* DC. GTO, MICH, QRO; 6, 7, 18, 19, 20
- Erigeron longipes* DC. GTO, MICH, QRO; 3, 6, 7, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20
- Erigeron polycephalus* (Larsen) G.L. Nesom MICH; 19
- Erigeron pubescens* Kunth GTO, MICH, QRO; 3, 6, 12
- Erigeron velutipes* Hook. & Arn. GTO, MICH, QRO; 16, 17, 18, 19
- Grindelia inuloides* Willd. GTO, MICH, QRO; 6, 18
- Grindelia nelsonii* Steyererm. MICH, 17
- Grindelia oxylepis* Greene GTO, QRO; 16
- Grindelia subdecurrens* DC. GTO, MICH, QRO; 3, 6, 10
- Gutierrezia sericocarpa* (A. Gray) M.A. Lane GTO, QRO; 3, 5, 16
- Gutierrezia texana* (DC.) Torr. & A. Gray GTO, QRO; 4, 5, 6, 10
- Gymnosperma glutinosum* (Spreng.) Less. GTO, QRO; 1, 4, 5, 10, 12, 15
- Heterotheca inuloides* Cass. GTO, MICH, QRO; 16, 17, 19
- Heterotheca leptoglossa* DC. GTO, QRO; 2, 3, 4, 5, 9, 10, 11, 16, 19
- Isocoma hartwegii* (A. Gray) Greene GTO; 1, 3, 4
- Laennecia confusa* (Cronquist) G.L. Nesom GTO, MICH, QRO; 5, 9, 18
- Laennecia flaginoides* DC. GTO, MICH, QRO; 3, 5, 9, 16, 17, 18, 19, 20
- Laennecia schiedeana* (Less.) G.L. Nesom GTO, MICH, QRO; 11, 13, 15, 16, 17, 18, 20
- Laennecia sophiifolia* (Kunth) G.L. Nesom GTO, MICH, QRO; 2, 5, 13, 16, 17, 18, 19, 20
- Olivaea tricuspidis* Sch. Bip. ex Benth. GTO, MICH; 17
- Osbertia stolonifera* (DC.) Greene MICH; 20
- Psilactis asteroides* A. Gray GTO, MICH, QRO; 1, 5, 11, 14, 15, 16, 17, 18, 19
- Psilactis brevilingulata* Sch. Bip. ex Hemsl. GTO, MICH, QRO; 5, 10, 11, 13, 17, 18, 19, 20
- Psilactis gentryi* (Standl.) D.R. Morgan QRO; 11, 16
- Solidago simplex* Kunth GTO, QRO; 5
- Symphyotrichum expansum* (Poepp. ex Spreng.) G.L. Nesom GTO, MICH, QRO; 3, 5, 7, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20
- Symphyotrichum moranense* (Kunth) G.L. Nesom GTO, MICH, QRO; 3, 6, 16, 17, 18, 19, 20
- Symphyotrichum trilineatum* (Sch. Bip. ex Klatt) G.L. Nesom GTO; 4
- Townsendia mexicana* A. Gray MICH, QRO; 12
- Xanthisma gymnocephalum* (DC.) D.R. Morgan & R.L. Hartm. GTO, QRO; 10, 16
- Xanthisma spinulosum* (Pursh) D.R. Morgan & R.L. Hartm. GTO, QRO; 3, 4, 5, 10, 12
- Xanthocephalum benthamianum* Hemsl. GTO, MICH; 17
- Tribu Bahieae**
- Achyropappus anthemoides* Kunth GTO, QRO; 5, 11, 12
- Bahia absinthifolia* Benth. GTO, QRO; 4, 5, 10, 12
- Bahia pringlei* Greenm. GTO, QRO; 4, 12
- Bahia schaffneri* S. Watson GTO; 1, 3, 4, 5
- Florestina pedata* (Cav.) Cass. GTO, MICH, QRO; 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
- Loxothysanus pedunculatus* Rydb. QRO; 7
- Schkuhria pinnata* (Lam.) Kuntze ex Thell. GTO, MICH, QRO; 2, 3, 4, 5, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
- Schkuhria schkuhrioides* (Link. & Otto) Thell. GTO, MICH; 4, 9, 10, 13, 15, 18, 19
- Tribu Cardueae**
- **Carthamus tinctorius* L. GTO, MICH; 11, 18
- Centaurea americana* Nutt. QRO; 7, 16
- Centaurea rothrockii* Greenm. MICH; 17

Apéndice. Continuación.

- Cirsium acantholepis* (Hemsl.) Petr. GTO, MICH, QRO; 10, 16, 20
Cirsium acrolepis (Petr.) G.B. Ownbey GTO, QRO; 1, 4, 5, 10, 12
Cirsium anartiolepis Petr. MICH; 17, 18, 19, 20
Cirsium bicentenariae Rzed. QRO; 6
Cirsium ehrenbergii Sch. Bip. GTO, MICH, QRO; 3, 5, 13, 16, 17, 18, 19, 20
Cirsium horridulum Michx. GTO, QRO; 11
Cirsium jorullense (Kunth) Spreng. GTO, MICH; 19, 20
Cirsium lappoides (Less.) Sch. Bip. GTO, QRO; 5, 6, 7, 16
Cirsium mexicanum DC. GTO, QRO; 7, 11
Cirsium pascuarens (Kunth) Spreng. MICH; 17, 18
Cirsium pinetorum Greenm. GTO, MICH, QRO; 7, 11, 12
Cirsium raphilepis (Hemsl.) Petr. GTO, MICH, QRO; 9, 10, 11, 12, 13, 15, 16, 17, 18
Cirsium subcoriaceum (Less.) Sch. Bip. GTO, MICH, QRO; 7, 17, 18, 19, 20
Cirsium tolucanum (B.L. Rob. & Seaton) Petr. MICH; 13, 17
Cirsium velatum (S. Watson) Petr. GTO, MICH; 17, 18, 19, 20
Cirsium zamoranense Rzed. GTO, QRO; 11 (endémica de la región)
**Cynara cardunculus* L. GTO, MICH, QRO; 6, 14, 15, 17
- Tribu Cichorieae**
**Helminthotheca echioides* (L.) Holub GTO, MICH, QRO; 10, 11, 18, 19
Hieracium abscissum Less. GTO, MICH, QRO; 3, 5, 6, 7, 11, 13, 16, 17, 18, 19, 20
Hieracium crepidispermum Fries GTO, MICH, QRO; 11, 15, 17, 18, 19, 20
Hieracium dysonyminum S.F. Blake GTO, MICH, QRO; 6, 18, 19, 20
Hieracium fendleri Sch. Bip. GTO, MICH, QRO; 11, 18, 19
Hieracium schultzei Fr. GTO, MICH, QRO; 6, 11, 16
Lactuca graminifolia Michx. GTO, MICH, QRO; 7, 12
- *Lactuca serriola* L. GTO, MICH, QRO; 3, 5, 10, 11, 15, 16, 17, 18
**Leontodon saxatilis* Lam. QRO; 6
Pinaropappus roseus (Less.) Less. GTO, MICH, QRO; 3, 6, 7, 12, 13, 16, 17, 18, 19, 20
Pyrrhopappus pauciflorus (D. Don) DC. QRO
**Sonchus asper* (L.) Hill GTO, MICH, QRO; 10, 12, 15, 17, 19, 20
**Sonchus oleraceus* L. GTO, MICH, QRO; 3, 6, 11, 20
**Taraxacum officinale* F.H. Wigg. GTO, MICH, QRO; 3, 7, 11, 20
- Tribu Coreopsidae**
Bidens aequisquama (Fernald) Sherff GTO, MICH, QRO; 3, 6, 17, 18, 20
Bidens alba (L.) DC. MICH, QRO; 6, 7
Bidens angustissima Kunth GTO, MICH, QRO; 3, 9, 11, 12
Bidens anthemoides (DC.) Sherff MICH; 19, 20
Bidens aurea (Aiton) Sherff GTO, MICH, QRO; 3, 9, 10, 11, 15, 16, 17, 18, 19, 20
Bidens bigelovii A. Gray GTO, MICH, QRO; 11, 15, 17, 18, 19, 20
Bidens clavata R.E. Ballard QRO; 6, 7
Bidens ferulifolia (Jacq.) DC. GTO, MICH, QRO; 3, 4, 5, 10, 12, 15
Bidens laevis (L.) Britton, Sterns & Pogg. GTO, MICH; 14, 17, 18, 19, 20
Bidens lemmonii A. Gray GTO, MICH; 2, 3, 19, 20
Bidens leptcephala Sherff QRO; 12
Bidens mollifolia Sherff MICH; 19
Bidens odorata Cav. GTO, MICH, QRO; 2, 3, 4, 5, 6, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20
Bidens ostruthioides (DC.) Sch. Bip. GTO, MICH, QRO; 16, 17, 18, 19, 20
Bidens pilosa L. GTO, MICH, QRO; 4, 6, 7, 11, 12, 14, 15, 16, 17, 18, 19
Bidens schaffneri (A. Gray) Sherff GTO, QRO; 10, 12
Bidens serrulata (Poir.) Desf. GTO, MICH, QRO; 15, 16, 17, 19
Bidens squarrosa Kunth MICH, QRO; 7
Bidens triplinervia Kunth GTO, MICH, QRO; 5, 6, 7, 12, 19, 20

Apéndice. Continuación.

-
- Chrysanthellum indicum* DC. MICH, QRO; 16, 17, 18
Chrysanthellum keilii B.L. Turner MICH; 17
Coreopsis crawfordii Mesfin QRO; 11 (endémica de la región)
Coreopsis guanajuatensis B.L. Turner GTO, QRO; 5, 10, 11 (endémica de la región)
Coreopsis mutica DC. GTO, MICH, QRO; 3, 7, 11, 12
Coreopsis paludosa M.E. Jones GTO; 5
Coreopsis petrophiloides B.L. Rob. & Greenm. GTO, MICH; 17, 18, 19, 20
Coreopsis queretarensis B.L. Turner QRO; 6 (endémica de la región)
Coreopsis rhyacophila Greenm. GTO, MICH, QRO; 11, 12, 16
Cosmos atrosanguineus (Ortgies) Hemsl. GTO, QRO; 5, 6, 7
Cosmos bipinnatus Cav. GTO, MICH, QRO; 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20
Cosmos carvifolius Benth. MICH; 17
Cosmos crithmifolius Kunth GTO, MICH, QRO; 3, 5, 8, 9, 12, 17, 18, 19
Cosmos diversifolius Otto GTO, MICH, QRO; 5, 6, 7, 11, 12, 19, 20
Cosmos palmeri B.L. Rob. GTO; 2, 3
Cosmos parviflorus (Jacq.) Pers. GTO, MICH, QRO; 3, 5, 6, 8, 9, 11, 12, 15, 16, 17, 18, 19, 20
Cosmos scabiosoides Kunth GTO, MICH; 17, 18, 19, 20
Cosmos sulphureus Cav. GTO, MICH, QRO; 6, 7, 8, 17
Dahlia coccinea Cav. GTO, MICH, QRO; 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20
Dahlia cuspidata Saar, P.D. Sorensen & Hjert. GTO, QRO; 4, 6, 10, 12
Dahlia dissecta S. Watson QRO; 6, 12
Dahlia linearis Sherff GTO, QRO; 4, 10, 11 (endémica de la región)
Dahlia merckii Lehm. GTO, MICH, QRO; 6, 7, 9, 11, 16, 20
Dahlia mollis P.D. Sorensen GTO, QRO; 6
Dahlia moorei Sherff QRO; 6, 11, 12
Dahlia neglecta Saar GTO, MICH, QRO; 11, 17, 18
Dahlia rudis P.D. Sorensen MICH; 20
- Dahlia scapigera* (A. Dietr.) Knowles & Westc. GTO, MICH; 17, 18, 19, 20
Dahlia scapigeroides Sherff GTO, QRO; 6, 7, 11, 12
Dahlia sorensenii H.V. Hansen & Hjert. GTO, MICH, QRO; 16, 17, 19, 20
Dicranocarpus parviflorus A. Gray QRO; 12
Heterosperma pinnatum Cav. GTO, MICH, QRO; 1, 2, 3, 4, 5, 7, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20
- Tribu Eupatorieae**
Ageratina adenophora (Spreng.) R.M. King & H. Rob. GTO, MICH, QRO; 6, 12, 15, 16, 18, 19, 20
Ageratina areolaris (DC.) Gage GTO, MICH, QRO; 15, 16, 17, 18, 19, 20
Ageratina atrocordata (B.L. Rob.) R.M. King & H. Rob. GTO, MICH, QRO
Ageratina brandegeana (B.L. Rob.) R.M. King & H. Rob. GTO; 5
Ageratina brevipes (DC.) R.M. King & H. Rob. GTO, MICH, QRO; 3, 4, 9, 10, 12, 13, 15, 16, 17, 18, 20
Ageratina calaminthifolia (Kunth) R.M. King & H. Rob. GTO, QRO; 3
Ageratina calophylla (Greene) R.M. King & H. Rob. GTO, QRO; 4, 5, 6, 10, 12, 16
Ageratina cardiophylla (B.L. Rob.) R.M. King & H. Rob. GTO, MICH; 3
Ageratina chiapensis (B.L. Rob.) R.M. King & H. Rob. MICH; 17
Ageratina choriccephala (B.L. Rob.) R.M. King & H. Rob. GTO, MICH, QRO; 16, 17
Ageratina conspicua (Kunth & C.D. Bouché) R.M. King & H. Rob. GTO, MICH, QRO; 6, 7, 11, 19, 20
Ageratina crassiramea (B.L. Rob.) R.M. King & H. Rob. MICH; 19
Ageratina deltoidea (Jacq.) R.M. King & H. Rob. GTO, MICH, QRO; 3, 13, 15, 16, 17, 20
Ageratina dolichobasis (McVaugh) R.M. King & H. Rob. MICH; 19
Ageratina espinosarum (A. Gray) R.M. King & H. Rob. GTO, QRO; 3, 5, 6, 10, 11, 12
Ageratina glabrata (Kunth) R.M. King & H. Rob. GTO, MICH, QRO; 3, 4, 6, 11, 12, 16, 17, 18, 19, 20

Apéndice. Continuación.

<i>Ageratina havanensis</i> (Kunth) R.M. King & H. Rob. GTO, QRO; 5, 6, 7, 16	<i>Ageratum corymbosum</i> Zuccagni GTO, MICH, QRO; 3, 4, 9, 10, 11, 12, 15, 16, 17, 18, 20
<i>Ageratina hidalgensis</i> (B.L. Rob.) R.M. King & H. Rob. QRO; 6, 11, 12	<i>Ageratum houstonianum</i> Mill. QRO; 7
<i>Ageratina isolepis</i> (B.L. Rob.) R.M. King & H. Rob. MICH, QRO; 6, 19, 20	<i>Brickellia diffusa</i> (Vahl) A. Gray GTO, MICH, QRO; 6, 7
<i>Ageratina lasia</i> (B.L. Rob.) R.M. King & H. Rob. MICH; 18	<i>Brickellia eupatorioides</i> (L.) Shinnars GTO, MICH, QRO; 1, 4, 10, 15, 16, 18, 19
<i>Ageratina ligustrina</i> (DC.) R.M. King & H. Rob. GTO, MICH, QRO; 5, 7, 12	<i>Brickellia glandulosa</i> (La Llave) McVaugh GTO, MICH, QRO; 5, 6, 7, 17
<i>Ageratina mairetiana</i> (DC.) R.M. King & H. Rob. GTO, MICH, QRO; 3, 6, 17, 18, 19, 20	<i>Brickellia monocephala</i> B.L. Rob. GTO, MICH; 10, 13, 17, 18
<i>Ageratina malacolepis</i> (B.L. Rob.) R.M. King & H. Rob. MICH; 17	<i>Brickellia nutanticeps</i> S.F. Blake GTO, MICH, QRO; 6, 11, 16, 17, 19, 20
<i>Ageratina muelleri</i> (Sch. Bip. ex Klatt) R.M. King & H. Rob. GTO, MICH; 5, 15, 16, 17, 18, 19	<i>Brickellia oliganthes</i> (Less.) A. Gray GTO, MICH, QRO; 3, 7, 18
<i>Ageratina oligocephala</i> (DC.) R.M. King & H. Rob. GTO, MICH, QRO; 7, 16, 17, 18, 19	<i>Brickellia paniculata</i> (Mill.) B.L. Rob. GTO, MICH, QRO; 5, 6, 19
<i>Ageratina oreithales</i> (Greenm.) B.L. Turner MICH, QRO; 6	<i>Brickellia pavonii</i> (A. Gray) B.L. Turner GTO, MICH, QRO; 7
<i>Ageratina parayana</i> (J. Espinosa) B.L. Turner MICH; 19	<i>Brickellia pedunculosa</i> (DC.) Harc. & Beaman GTO, MICH, QRO; 3, 5, 9, 16, 17, 18, 19, 20
<i>Ageratina pazcuarensis</i> (Kunth) R.M. King & H. Rob. GTO, MICH, QRO; 5, 6, 11, 12, 15, 17, 19, 20	<i>Brickellia pendula</i> (Schrad.) A. Gray GTO, MICH, QRO; 17, 18, 19, 20
<i>Ageratina petiolaris</i> (Moc. & Sessé ex DC.) R.M. King & H. Rob. GTO, MICH, QRO; 3, 5, 6, 7, 12, 16, 17, 18, 19, 20	<i>Brickellia scoparia</i> (DC.) A. Gray GTO, MICH, QRO; 5, 6, 12, 15
<i>Ageratina pichinchensis</i> (Kunth) R.M. King & H. Rob. GTO, MICH, QRO; 6, 17, 19	<i>Brickellia secundiflora</i> (Lag.) A. Gray GTO, MICH, QRO; 2, 3, 4, 5, 7, 8, 9, 10, 11, 13, 15, 16, 17, 18, 19, 20
<i>Ageratina prunellifolia</i> (Kunth) R.M. King & H. Rob. MICH, QRO; 11, 17	<i>Brickellia squarrosa</i> B.L. Rob. & Seaton MICH; 17, 18, 19
<i>Ageratina queretaroana</i> B.L. Turner QRO; 6	<i>Brickellia subuligera</i> (Schauer) B.L. Turner GTO, MICH, QRO; 6, 7, 11, 12, 15
<i>Ageratina ramireziorum</i> (J. Espinosa) B.L. Turner MICH; 17, 19, 20	<i>Brickellia tomentella</i> A. Gray GTO, QRO; 5, 8, 11
<i>Ageratina rhomboidea</i> (Kunth) R.M. King & H. Rob. GTO, MICH, QRO; 16, 17, 20	<i>Brickellia veronicifolia</i> (Kunth) A. Gray GTO, MICH, QRO; 5, 6, 7, 11, 12, 14, 16, 20
<i>Ageratina rubricaulis</i> (Kunth) R.M. King & H. Rob. GTO, MICH; 16, 17, 20	<i>Carminatia alvarezii</i> Rzed. & Calderón MICH, QRO; 6, 7
<i>Ageratina saltillensis</i> (B.L. Rob.) R.M. King & H. Rob. QRO; 12	<i>Carminatia recondita</i> McVaugh MICH, QRO; 6, 7, 12, 16, 18, 20
<i>Ageratina scorodoniioides</i> (A. Gray) R.M. King & H. Rob. GTO, QRO; 4, 5, 10, 12	<i>Carminatia tenuiflora</i> DC. GTO, MICH, QRO; 14, 15, 16, 17, 18, 19, 20
<i>Ageratina viburnoides</i> (DC.) R.M. King & H. Rob. QRO; 7	<i>Carphochaete grahamii</i> A. Gray GTO, MICH, QRO; 3, 5, 9, 16, 17, 18, 19, 20
<i>Ageratina wrightii</i> (A. Gray) R.M. King & H. Rob. GTO, QRO	<i>Chromolaena bigelovii</i> (A. Gray) R.M. King & H. Rob. QRO; 6

Apéndice. Continuación.

<i>Chromolaena collina</i> (DC.) R.M. King & H. Rob. GTO, MICH, QRO; 4, 5, 6, 7, 8, 11, 12, 15, 16, 17, 18, 19, 20	<i>Stevia clinopodioides</i> Greenm. MICH; 20
<i>Chromolaena odorata</i> (L.) R.M. King & H. Rob. GTO, MICH, QRO; 5, 6, 7	<i>Stevia connata</i> Lag. MICH; 17, 18
<i>Chromolaena pulchella</i> (Kunth) R.M. King & H. Rob. GTO, MICH, QRO; 10, 15, 16, 17, 18, 19, 20	<i>Stevia deltoidea</i> Greene GTO, MICH, QRO; 3, 6, 18
<i>Conoclinium betonicifolium</i> (Mill.) R.M. King & H. Rob. GTO	<i>Stevia dictyophylla</i> B.L. Rob. GTO, MICH; 3
<i>Critonia daleoides</i> DC. QRO; 7	<i>Stevia elatior</i> Kunth GTO, MICH, QRO; 3, 4, 6, 11, 16, 17, 18, 19, 20
<i>Critonia lozanoana</i> (B.L. Rob.) R.M. King & H. Rob. QRO; 6	<i>Stevia eupatoria</i> (Spreng.) Willd. GTO, MICH, QRO; 16, 19, 20
<i>Critonia morifolia</i> (Mill.) R.M. King & H. Rob. QRO; 6, 7, 12	<i>Stevia incognita</i> Grashoff MICH, QRO; 16, 20
<i>Decachaeta incompta</i> (DC.) R.M. King & H. Rob. GTO, MICH; 18	<i>Stevia jorullensis</i> Kunth GTO, MICH, QRO; 3, 6, 12, 16, 17, 19, 20
<i>Fleischmannia porphyranthema</i> (A. Gray) R.M. King & H. Rob. GTO, QRO; 12	<i>Stevia latifolia</i> Benth. GTO, MICH, QRO; 7, 17, 18, 19
<i>Fleischmannia pycnocephala</i> (Less.) R.M. King & H. Rob. GTO, MICH, QRO; 3, 6, 7, 12, 15, 18	<i>Stevia lucida</i> Lag. GTO, MICH, QRO; 2, 3, 4, 5, 6, 7, 9, 11, 15, 16, 17, 18, 19, 20
<i>Fleischmannia sonora</i> (A. Gray) R.M. King & H. Rob. GTO, MICH; 15, 19	<i>Stevia micradenia</i> B.L. Rob. MICH; 17, 18
<i>Isocarpha oppositifolia</i> (L.) Cass. QRO; 7	<i>Stevia micrantha</i> Lag. GTO, MICH, QRO; 3, 6, 8, 11, 12, 13, 15, 17, 18, 19, 20
<i>Koanophyllon albicaulis</i> (Sch. Bip. ex Klatt) R.M. King & H. Rob. MICH, QRO; 6, 7	<i>Stevia monardifolia</i> Kunth GTO, MICH, QRO; 11, 12, 16, 17, 19, 20
<i>Koanophyllon longifolium</i> (B.L. Rob.) R.M. King & H. Rob. GTO, QRO; 6, 7	<i>Stevia nelsonii</i> B.L. Rob. GTO, MICH, QRO; 18, 19, 20
<i>Kyrsteniopsis spinaciifolia</i> (DC.) B.L. Turner GTO, QRO; 5, 6, 7, 12, 16	<i>Stevia origanoides</i> Kunth GTO, MICH, QRO; 5, 6, 13, 17, 18, 19, 20
<i>Microspermum debile</i> Benth. MICH; 18	<i>Stevia ovata</i> Willd. GTO, MICH, QRO; 3, 4, 6, 18, 19
<i>Mikania cordifolia</i> (L. f.) Willd. MICH, QRO; 7	<i>Stevia pilosa</i> Lag. GTO, MICH, QRO; 7, 12, 16, 20
<i>Mikania micrantha</i> Kunth MICH, QRO; 7	<i>Stevia porphyrea</i> McVaugh GTO, MICH, QRO; 2, 6, 16, 19, 20
<i>Mikania pyramidata</i> Donn. Sm. QRO; 7	<i>Stevia purpusii</i> B.L. Rob. GTO, MICH, QRO; 3
<i>Oxylobus adscendens</i> (Sch. Bip. ex Hemsl.) B.L. Rob. & Greenm. MICH; 17, 19	<i>Stevia pyrolifolia</i> Schltdl. QRO; 6
<i>Peteravenia schultzei</i> (Schnittsp.) R.M. King & H. Rob. GTO, MICH, QRO; 6, 7	<i>Stevia salicifolia</i> Cav. GTO, MICH, QRO; 3, 5, 11, 12, 15, 18, 19, 20
<i>Piqueria pilosa</i> Kunth GTO, MICH; 17, 18, 20	<i>Stevia serrata</i> Cav. GTO, MICH, QRO; 2, 3, 4, 5, 6, 7, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20
<i>Piqueria serrata</i> A. Gray GTO; 5	<i>Stevia suaveolens</i> Lag. GTO, MICH, QRO; 3, 20
<i>Piqueria trinervia</i> Cav. GTO, MICH, QRO; 6, 7, 11, 12, 15, 16, 17, 18, 19, 20	<i>Stevia subpubescens</i> Lag. GTO, MICH; 17, 18, 19, 20
<i>Stevia aschenborniana</i> Sch. Bip. MICH, QRO; 12	<i>Stevia tomentosa</i> Kunth GTO, MICH, QRO; 4, 11, 12, 19, 20
<i>Stevia berlandieri</i> A. Gray GTO, QRO; 6, 7, 11	<i>Stevia trifida</i> Lag. GTO, MICH; 18
<i>Stevia caracasana</i> DC. MICH, QRO; 16, 18, 19	<i>Stevia triflora</i> DC. MICH; 18
	<i>Stevia viscida</i> Kunth GTO, MICH, QRO; 3, 5, 6, 9, 11, 15, 17, 18, 19, 20

Apéndice. Continuación.

Steviopsis adenosperma (Sch. Bip.) B.L. Turner
MICH, QRO; 16

Steviopsis rapunculoides (DC.) R.M. King & H.
Rob. GTO, MICH, QRO; 8, 11

Steviopsis squamulosa (A. Gray) B.L. Turner
GTO; 4

Steviopsis thyrsoiflora (A. Gray) B.L. Turner GTO,
QRO; 3, 5, 12, 15

Tamaulipa azurea (DC.) R.M. King & H. Rob.
QRO; 6, 12

Trichocoronis sessilifolia (Schauer) B. L. Rob.
GTO, MICH; 7, 10, 17

Tribu Gnaphalieae

Chionolaena salicifolia (Bertol.) G.L. Nesom
GTO, MICH, QRO; 6, 16, 17, 19, 20

Gamochaeta americana (Mill.) Wedd. GTO,
MICH, QRO; 3, 7, 16, 17, 18, 19, 20

Gamochaeta falcata (Lam.) Cabrera GTO,
MICH, QRO; 6, 18

Gamochaeta purpurea (L.) Cabrera GTO, QRO;
2, 3

Pseudognaphalium attenuatum (DC.) Anderb.
MICH; 17, 18

Pseudognaphalium bourgovii (A. Gray) Anderb.
MICH; 13, 17, 19, 20

Pseudognaphalium brachypterum (DC.) Anderb.
QRO; 6, 16

Pseudognaphalium canescens (DC.) Anderb.
GTO, MICH, QRO; 3, 6, 11, 16, 18

Pseudognaphalium chartaceum (Greenm.)
Anderb. GTO, MICH, QRO; 17, 18, 20

Pseudognaphalium conoideum (Kunth) Anderb.
MICH; 20

Pseudognaphalium inornatum (DC.) Anderb.
GTO, MICH, QRO; 12, 13, 15, 17, 18

Pseudognaphalium liebmannii (Sch. Bip. ex
Klatt) Anderb. GTO, MICH, QRO; 20

**Pseudognaphalium luteoalbum* (L.) Hilliard &
B.L. Burt MICH, QRO; 6, 16, 20

Pseudognaphalium oxyphyllum (DC.) Kirp. GTO,
MICH, QRO; 12, 17, 20

Pseudognaphalium purpurascens (DC.) Anderb.
GTO, MICH, QRO; 10, 16

Pseudognaphalium roseum (Kunth) Anderb.
GTO, MICH, QRO; 11, 17, 18, 20

Pseudognaphalium semilanatum (DC.) Anderb.
GTO, MICH, QRO; 3, 16, 17, 19, 20

Pseudognaphalium stramineum (Kunth) Anderb.
GTO, MICH, QRO; 16, 17

Pseudognaphalium viscosum (Kunth) Anderb.
GTO, MICH, QRO; 12, 19, 20

Tribu Gochnatieae

Gochnatia hypoleuca (DC.) A. Gray GTO, QRO;
6, 12

Gochnatia magna M.C. Johnst. GTO, QRO; 5,
6, 7

Tribu Helenieae

Helenium mexicanum Kunth GTO, MICH, QRO;
1, 3, 4, 5, 6, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19

Helenium quadridentatum Labill. MICH, QRO;
6, 7, 11

Helenium scorzonrifolium (DC.) A. Gray MICH;
19, 20

Tribu Heliantheae

Acmella radicans (Jacq.) R.K. Jansen GTO,
MICH; 8, 13, 14, 15, 17, 18

Acmella repens (Walter) Rich. GTO, MICH,
QRO; 6, 7, 11, 12, 15, 16, 17, 18, 19, 20

Aldama buddleiiformis (DC.) E.E. Schill. &
Panero GTO, MICH, QRO; 3, 9, 10, 15, 16, 17,
18, 20

Aldama cornifolia (Kunth) E.E. Schill. & Panero
GTO, MICH, QRO; 3

Aldama dentata La Llave GTO, MICH, QRO; 6,
7, 8, 9, 10, 11, 13, 15, 16, 17, 18, 19, 20

Aldama excelsa (Willd.) E.E. Schill. & Panero
GTO, MICH, QRO; 3, 11, 16, 17, 18

Aldama flava (Hemsl.) E.E. Schill. & Panero
MICH; 18

Aldama ghiesbreghtii (Hemsl.) E.E. Schill. &
Panero MICH, QRO; 11, 16, 17, 18, 20

Aldama hypochlora (S.F. Blake) E.E. Schill. &
Panero GTO, MICH; 17, 18, 19

Aldama linearis (Cav.) E.E. Schill. & Panero
GTO, MICH, QRO; 3, 4, 5, 10, 11, 12, 15, 16,
18, 19, 20

Aldama michoacana (B.L. Turner & F.G. Davies)
E.E. Schill. & Panero MICH; 20

Apéndice. Continuación.

<i>Aldama pachycephala</i> (DC.) E.E. Schill. & Panero GTO, MICH; 4, 9, 17, 18	<i>Helianthella mexicana</i> A. Gray GTO; 1, 5
<i>Aldama palmeri</i> (A. Gray) E.E. Schill. & Panero MICH; 13, 17	<i>Helianthus annuus</i> L. GTO, MICH; 10
<i>Aldama subcanescens</i> (S.F. Blake) E.E. Schill. & Panero MICH; 18 (endémica de la región)	<i>Helianthus laciniatus</i> A. Gray GTO, MICH, QRO; 4, 5, 6, 10, 11, 15
<i>Ambrosia camphorata</i> (Greene) W.W. Payne GTO; 4, 9	<i>Heliomeris multiflora</i> Nutt. GTO, MICH, QRO; 5, 12
<i>Ambrosia canescens</i> A. Gray GTO, MICH, QRO; 1, 3, 10, 15, 17, 18	<i>Heliopsis annua</i> Hemsl. GTO, MICH, QRO; 2, 4, 5, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 20
<i>Ambrosia confertiflora</i> DC. GTO, MICH, QRO; 4, 5, 6, 11	<i>Heliopsis buphthalmoides</i> (Jacq.) Dunal GTO, MICH, QRO; 7, 19, 20
<i>Ambrosia cordifolia</i> (A. Gray) W.W. Payne GTO, QRO; 4, 5, 6, 11, 12, 16	<i>Heliopsis longipes</i> (A. Gray) S.F. Blake GTO, QRO; 7
<i>Ambrosia peruviana</i> Willd. GTO, MICH, QRO; 9, 10, 11, 14, 15, 16, 17, 18, 19, 20	<i>Heliopsis parvifolia</i> A. Gray GTO, QRO; 5, 6, 7
<i>Baltimora geminata</i> (Brandegee) Stuessy QRO; 6	<i>Heliopsis procumbens</i> Hemsl. MICH; 19, 20
<i>Calanticaria bicolor</i> (S.F. Blake) E.E. Schill. & Panero GTO, QRO; 12	<i>Hybridella globosa</i> (Ortega) Cass. GTO, QRO; 4, 5, 11, 12, 16
<i>Calyptocarpus vialis</i> Less. GTO, MICH, QRO; 5, 6, 9, 11, 17, 18	<i>Hymenostephium cordatum</i> (Hook. & Arn.) S.F. Blake MICH, QRO; 7, 17, 18, 19
<i>Chromolepis heterophylla</i> Benth. MICH; 19, 20	<i>Iostephane heterophylla</i> (Cav.) Hemsl. GTO, MICH, QRO; 3, 5, 6, 9, 10, 12, 16, 18, 19, 20
<i>Clibadium arboreum</i> Donn. Sm. QRO; 7	<i>Iostephane madrensis</i> (S. Watson) Strother GTO; 3, 4
<i>Davilanthus huajuapanus</i> (Panero & Villaseñor) E.E. Schill. & Panero MICH; 13	<i>Jefea lantanifolia</i> (S. Schauer) Strother GTO, QRO; 5, 6, 7, 11, 12, 16
<i>Delilia biflora</i> (L.) Kuntze GTO, MICH, QRO; 6, 9, 13, 14, 17, 18, 20	<i>Lagascea angustifolia</i> DC. GTO; 2
<i>Dendroviguiera pringlei</i> (Fernald) E.E. Schill. & Panero GTO, MICH, QRO; 11, 12	<i>Lagascea helianthifolia</i> Kunth MICH, QRO; 6, 7, 12, 17, 18, 19
<i>Dendroviguiera puruana</i> (Paray) E.E. Schill. & Panero MICH; 19	<i>Lagascea heteropappus</i> Hemsl. MICH; 17, 18, 19, 20
<i>Dendroviguiera quinqueradiata</i> (Cav.) E.E. Schill. & Panero GTO, MICH; 2, 9, 10, 15, 17	<i>Lasianthaea aurea</i> (D. Don) K.M. Becker GTO, MICH, QRO; 5, 9, 10, 16, 17, 18, 19
<i>Dendroviguiera splendens</i> (Panero & E.E. Schill.) E.E. Schill. & Panero GTO, MICH; 8, 13, 15, 18	<i>Lasianthaea ceanothifolia</i> (Willd.) K.M. Becker GTO, MICH, QRO; 2, 6, 12, 19, 20
<i>Dugesia mexicana</i> (A. Gray) A. Gray QRO; 16, 20	<i>Lasianthaea crocea</i> (A. Gray) K.M. Becker GTO, MICH
<i>Eclipta prostrata</i> (L.) L. GTO, MICH, QRO; 6, 7, 8, 13, 14, 15, 16, 17, 18, 19	<i>Lasianthaea fruticosa</i> (L.) K.M. Becker GTO, MICH, QRO; 7, 17, 18, 19, 20
<i>Euphrosyne partheniifolia</i> DC. GTO, MICH, QRO; 2, 5, 11, 14, 15, 17	<i>Lasianthaea palmeri</i> (Greenm.) K.M. Becker MICH, QRO; 16, 17, 18
<i>Flourensia laurifolia</i> DC. GTO, QRO; 5, 7	<i>Melanthera nivea</i> (L.) Small MICH, QRO; 7
<i>Flourensia resinosa</i> (Brandegee) S.F. Blake QRO; 12	<i>Montanoa bipinnatifida</i> (Kunth) K. Koch MICH; 13, 17, 19
<i>Hedosyne ambrosiifolia</i> (A. Gray) Strother GTO, QRO; 12, 16	<i>Montanoa frutescens</i> (Mairet ex DC.) Hemsl. GTO, MICH, QRO; 10, 12, 17, 18
	<i>Montanoa grandiflora</i> Alamán ex DC. GTO, MICH, QRO; 7, 15, 16, 17, 18, 19, 20

Apéndice. Continuación.

<i>Montanoa leucantha</i> (Lag.) S.F. Blake GTO, MICH, QRO; 1, 2, 3, 6, 9, 10, 11, 14, 15, 17, 18, 19, 20	<i>Simsia bicentenarialis</i> Rzed. & Calderón GTO, QRO; 6, 7, 12 (endémica de la región)
<i>Montanoa mollissima</i> Brongn. ex Groenl. QRO; 6, 11, 12	<i>Simsia foetida</i> (Cav.) S.F. Blake GTO, MICH, QRO; 11, 16
<i>Montanoa tomentosa</i> Cerv. GTO, MICH, QRO; 4, 5, 6, 7, 10, 11, 12, 13	<i>Simsia lagasciformis</i> DC. GTO, MICH, QRO; 11, 13, 15
<i>Otopappus epaleaceus</i> Hemsl. MICH; 19	<i>Tetrachyron discolor</i> (A. Gray) Wussow & Urbatsch QRO; 6, 7, 12
<i>Parthenium bipinnatifidum</i> (Ortega) Rollins GTO, MICH, QRO; 2, 4, 5, 9, 10, 11, 12, 14, 16, 17, 18	<i>Tetrachyron omissum</i> Rzed. & Calderón QRO; 7 (endémica de la región)
<i>Parthenium confertum</i> A. Gray QRO; 12, 16	<i>Tetrachyron websteri</i> (Wussow & Urbatsch) B.L. Turner QRO; 6, 12
<i>Parthenium fruticosum</i> Less. QRO; 7	<i>Tithonia longiradiata</i> (Bertol.) S.F. Blake QRO; 7
<i>Parthenium hysterophorus</i> L. GTO, MICH, QRO; 6, 7, 9, 13, 14, 15, 18	<i>Tithonia rotundifolia</i> (Mill.) S.F. Blake GTO, MICH
<i>Parthenium incanum</i> Kunth GTO, MICH, QRO; 1, 4, 5, 6, 10, 12, 16	<i>Tithonia tubiformis</i> (Jacq.) Cass. GTO, MICH, QRO; 3, 4, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20
<i>Perymenium arriagae</i> Rzed. & Calderón QRO; 6, 12 (endémica de la región)	<i>Verbesina abietifolia</i> Rzed. & Calderón QRO; 7
<i>Perymenium buphthalmoides</i> DC. GTO, MICH, QRO; 3, 5, 9, 11, 15, 16, 18, 19	<i>Verbesina angustifolia</i> (Benth.) S.F. Blake GTO, MICH; 19
<i>Perymenium globosum</i> B.L. Rob. MICH; 17	<i>Verbesina breedlovei</i> B.L. Turner MICH; 19, 20
<i>Perymenium mendezii</i> DC. GTO, MICH, QRO; 3, 4, 5, 10, 12, 20	<i>Verbesina carranzae</i> P. Carrillo QRO; 7
<i>Perymenium moctezumae</i> Rzed. & Calderón QRO; 12 (endémica de la región)	<i>Verbesina encelioides</i> (Cav.) A. Gray GTO, MICH, QRO; 4, 5, 6, 7, 10, 11
<i>Perymenium ovalifolium</i> (A. Gray) B.L. Turner QRO; 6, 7, 12	<i>Verbesina fastigiata</i> B.L. Rob. & Greenm. MICH; 17, 18, 19, 20
<i>Perymenium sotoarenasii</i> Rzed. & Calderón QRO; 6 (endémica de la región)	<i>Verbesina grayii</i> (Sch. Bip.) Benth. ex Hemsl. MICH; 17, 18, 19, 20
<i>Podachaenium eminens</i> (Lag.) Sch. Bip. MICH, QRO; 7, 18	<i>Verbesina hidalgoana</i> B.L. Turner QRO; 10
<i>Rumfordia floribunda</i> DC. MICH; 17	<i>Verbesina hypomalaca</i> B.L. Rob. & Greenm. GTO, MICH; 17, 18, 19
<i>Salmea oligocephala</i> Hemsl. MICH, QRO; 6, 7, 17, 18	<i>Verbesina klattii</i> B.L. Rob. & Greenm. MICH; 17, 18, 19, 20
<i>Salmea scandens</i> (L.) DC. MICH, QRO; 7	<i>Verbesina longipes</i> Hemsl. MICH, QRO; 12
<i>Sanvitalia angustifolia</i> Engelm. ex A. Gray GTO, MICH, QRO; 14	<i>Verbesina mexiae</i> B.L. Turner MICH; 19, 20
<i>Sanvitalia ocyroides</i> DC. GTO, MICH, QRO; 3, 4, 10, 11, 15, 18	<i>Verbesina mollis</i> Kunth GTO, MICH, QRO; 3, 5, 9, 11, 12, 13
<i>Sanvitalia procumbens</i> Lam. GTO, MICH, QRO; 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 14, 16, 18, 19	<i>Verbesina montanoifolia</i> B.L. Rob. & Greenm. GTO, MICH; 13, 17, 18, 19
<i>Sclerocarpus uniserialis</i> (Hook.) Hemsl. GTO, MICH, QRO; 5, 6, 7, 10, 11, 12, 19	<i>Verbesina oncophora</i> B.L. Rob. & Seaton GTO, MICH, QRO; 18, 19, 20
<i>Simsia amplexicaulis</i> (Cav.) Pers. GTO, MICH, QRO; 2, 4, 6, 9, 10, 11, 14, 15, 16, 17, 18, 19, 20	<i>Verbesina pantopectera</i> S.F. Blake MICH; 18
	<i>Verbesina parviflora</i> (Kunth) S.F. Blake GTO, MICH, QRO; 3, 17, 18

Apéndice. Continuación.

- Verbesina pedunculosa* (DC.) B.L. Rob. GTO, MICH, QRO; 10, 12
Verbesina persicifolia DC. GTO, QRO; 7
Verbesina pietatis McVaugh MICH, QRO; 13, 17, 18
Verbesina robinsonii (Klatt) Fernald ex B.L. Rob. & Greenm. GTO, QRO; 5, 6, 7, 11, 12
Verbesina seatonii S.F. Blake MICH; 20
Verbesina serrata Cav. GTO, MICH, QRO; 2, 3, 4, 5, 9, 10, 11, 12, 14, 15, 16, 18, 19
Verbesina sphaerocephala A. Gray GTO, MICH; 2, 3, 8, 10, 15, 17, 18
Verbesina steinmannii P. Carrillo QRO; 7, 11 (endémica de la región)
Verbesina suberosa P. Carrillo GTO; 3 (endémica de la región)
Verbesina tetraptera (Ortega) A. Gray GTO, MICH, QRO; 13, 17, 18, 20
Verbesina turbacensis Kunth MICH, QRO; 7
Verbesina virgata Cav. GTO, MICH, QRO; 4, 5, 6, 11, 12, 15, 16, 17, 18, 19, 20
Viguiera dentata (Cav.) Spreng. GTO, MICH, QRO; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 17, 18, 19, 20
Viguiera paneroana Rzed. & Calderón QRO; 7 (endémica de la región)
Viguiera sessilifolia DC. GTO, MICH, QRO; 3, 5, 9, 16, 17, 18, 19, 20
Wedelia acapulcensis Kunth GTO, MICH, QRO; 6, 7, 10, 11, 12, 13, 16
Xanthium strumarium L. GTO, MICH, QRO; 4, 9, 10, 11, 12, 13, 14, 15, 16, 18
Zaluzania augusta (Lag.) Sch. Bip. GTO, MICH, QRO; 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 15, 16
Zaluzania megacephala Sch. Bip. GTO, QRO; 5, 6, 11, 12
Zaluzania montagnifolia (Sch. Bip.) Sch. Bip. MICH; 19
Zaluzania triloba (Ortega) Pers. GTO, QRO; 1, 4, 5, 6, 10, 12, 16
Zinnia americana (Mill.) Olorode & A.M. Torres GTO, MICH, QRO; 6, 7, 17
Zinnia angustifolia Kunth GTO, MICH, QRO; 3, 9
Zinnia bicolor (DC.) Hemsl. GTO, MICH; 3, 10
Zinnia guanajuatensis (Calderón & Rzed.) B.L. Turner GTO; 4, 5, 10 (endémica de la región)
- Zinnia haageana* Regel GTO, MICH, QRO; 8, 10, 11, 13, 14, 15, 16, 17, 18, 20
Zinnia microglossa (DC.) McVaugh GTO; 8
Zinnia peruviana (L.) L. GTO, MICH, QRO; 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
Zinnia purpusii Brandegees MICH; 17
Zinnia violacea Cav. MICH; 20
Zinnia zamudiana Calderón & Rzed. QRO; 12 (endémica de la región)
- Tribu Inuleae**
Blumea viscosa (Mill.) V.M. Badillo MICH; 20
Pluchea carolinensis (Jacq.) G. Don GTO, MICH, QRO; 5, 6, 7, 10, 12, 13, 19
Pluchea salicifolia (Mill.) S.F. Blake GTO, MICH, QRO; 5, 6, 7, 10, 11, 12, 13, 16, 17, 19, 20
- Tribu Liabeae**
Sinclairia glabra (Hemsl.) Rydb. MICH; 17, 19
Sinclairia klattii (B.L. Rob. & Greenm.) H. Rob. & Brettell MICH; 18
- Tribu Millerieae**
Alloispermum integrifolium (DC.) H. Rob. MICH, QRO; 7, 17, 19
Alloispermum michoacanum (B.L. Rob.) B.L. Turner MICH; 17, 19, 20
Alloispermum palmeri (S. Watson ex A. Gray) C.F. Fernández & Urbatsch MICH; 17
Alloispermum scabrum (Lag.) H. Rob. GTO, MICH, QRO; 3, 5, 6, 12, 13, 17, 18, 19, 20
Desmanthodium fruticosum Greenm. MICH; 19
Dyscritothamnus filifolius B.L. Rob. GTO, QRO; 6, 12
Dyscritothamnus mirandae Paray GTO, QRO; 5, 6, 12
Galinsoga longipes Canne GTO, MICH; 4, 17, 19
Galinsoga parviflora Cav. GTO, MICH, QRO; 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
Galinsoga triradiata Canne MICH; 17
Guardiola mexicana Humb. & Bonpl. GTO, MICH; 10, 13, 17, 18, 19, 20
Jaegeria bellidiflora (Sessé & Moc. ex DC.) A.M. Torres & Beaman MICH, QRO; 12, 17, 18, 19, 20

Apéndice. Continuación.

<i>Jaegeria glabra</i> (S. Watson) B.L. Rob. GTO, MICH, QRO; 16, 19, 20	<i>Sabazia multiradiata</i> (Seaton) Longpre GTO, QRO
<i>Jaegeria hirta</i> (Lag.) Less. GTO, MICH, QRO; 3, 5, 6, 7, 13, 15, 16, 17, 18, 19, 20	<i>Schistocarpha bicolor</i> Less. QRO; 7
<i>Jaegeria macrocephala</i> Less. MICH; 17, 18	<i>Schistocarpha eupatorioides</i> (Fenzl) Kuntze QRO; 7
<i>Jaegeria pedunculata</i> Hook. & Arn. GTO, MICH; 18, 19	<i>Sigesbeckia agrestis</i> Poepp. & Endl. GTO, MICH, QRO; 6, 17, 18, 19
<i>Jaegeria purpurascens</i> B.L. Rob. GTO, QRO; 9, 16	<i>Sigesbeckia jorullensis</i> Kunth GTO, MICH, QRO; 16, 17, 19, 20
<i>Melampodium americanum</i> L. MICH, QRO; 18	<i>Smallanthus maculatus</i> (Cav.) H. Rob. GTO, MICH, QRO; 3, 6, 7, 9, 12, 16, 17, 18, 19
<i>Melampodium aureum</i> Brandegees MICH; 18, 19	<i>Tridax balbisoides</i> (Kunth) A. Gray GTO, MICH, QRO; 4, 11, 14, 15, 16
<i>Melampodium bibracteatum</i> S. Watson MICH, QRO; 16, 17, 19	<i>Tridax brachylepis</i> Hemsl. MICH; 19
<i>Melampodium divaricatum</i> (Rich.) DC. GTO, MICH, QRO; 6, 7, 10, 11, 13, 14, 15, 17, 18, 19, 20	<i>Tridax coronopifolia</i> (Kunth) Hemsl. GTO, MICH, QRO; 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19
<i>Melampodium glabrum</i> S. Watson GTO, MICH, QRO; 9, 11, 12, 13, 14, 15, 17, 18	<i>Tridax palmeri</i> A. Gray GTO, QRO; 5, 12
<i>Melampodium gracile</i> Less. MICH, QRO; 7, 13, 17	<i>Tridax procumbens</i> L. MICH, QRO; 6
<i>Melampodium longifolium</i> Cerv. ex Cav. GTO, MICH, QRO; 3, 5, 6, 11, 16, 17, 20	<i>Tridax rosea</i> Sch. Bip. ex B.L. Rob. & Greenm. GTO, QRO; 5, 11, 12, 16
<i>Melampodium longipilum</i> B.L. Rob. GTO, MICH, QRO; 5, 6, 12	<i>Tridax trilobata</i> (Cav.) Hemsl. GTO, MICH, QRO; 8, 16, 17, 18, 19, 20
<i>Melampodium microcephalum</i> Less. GTO, MICH, QRO; 6, 13, 14, 15, 18, 19, 20	<i>Trigonospermum alexandri</i> Rzed., Calderón & Pérez-Calix MICH; 18 (endémica de la región)
<i>Melampodium montanum</i> Benth. GTO, MICH, QRO; 5, 7, 12, 18, 19, 20	<i>Trigonospermum annuum</i> McVaugh & Lask. GTO, MICH, QRO; 2, 3, 6, 13, 15, 17, 18, 19, 20
<i>Melampodium perfoliatum</i> (Cav.) Kunth GTO, MICH, QRO; 3, 6, 8, 10, 11, 15, 16, 17, 18, 19, 20	<i>Trigonospermum melampodioides</i> DC. MICH; 18, 19
<i>Melampodium repens</i> Sessé & Moc. GTO, MICH, QRO; 11, 16, 17, 19, 20	Tribu Mutisieae
<i>Melampodium sericeum</i> Lag. GTO, MICH, QRO; 2, 3, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	<i>Chaptalia hololeuca</i> Greene GTO, QRO; 4, 7, 10, 11
<i>Melampodium strigosum</i> Stuessy GTO, MICH, QRO; 5, 6, 11, 12, 16, 17	<i>Chaptalia lyratifolia</i> Burkart GTO
<i>Millieria quinqueflora</i> L. GTO, MICH, QRO; 6, 7, 8, 9, 13, 14, 15, 18, 19, 20	<i>Chaptalia nutans</i> (L.) Pol. GTO, MICH, QRO; 3, 6, 16
<i>Oteiza acuminata</i> La Llave GTO, MICH, QRO; 11, 16, 20	<i>Chaptalia runcinata</i> Kunth MICH; 17, 18, 20
<i>Sabazia elata</i> (Canne) B.L. Turner QRO; 6 (endémica de la región)	<i>Chaptalia transiliensis</i> G.L. Nesom GTO, QRO; 6, 10, 12
<i>Sabazia glandulosa</i> (Canne) B.L. Turner QRO; 7 (endémica de la región)	<i>Leibnitzia lyrata</i> (D. Don) G.L. Nesom GTO, MICH, QRO; 6, 16, 19, 20
<i>Sabazia humilis</i> (Kunth) Cass. MICH; 20	Tribu Nassauvieae
	<i>Acourtia carranzae</i> L. Cabrera QRO; 6 (endémica de la región)
	<i>Acourtia coulteri</i> (A. Gray) Reveal & R.M. King GTO, QRO; 4, 6, 7

Apéndice. Continuación.

-
- Acourtia elizabethiae* Rzed. & Calderón QRO; 6, 12 (endémica de la región)
Acourtia fruticosa (Lex.) B.L. Turner GTO, MICH, QRO; 1, 3, 8, 11, 13, 15, 16, 17, 18, 19, 20
Acourtia hidalgoana B.L. Turner GTO, QRO; 5, 6, 10, 11, 12
Acourtia humboldtii (Less.) B.L. Turner GTO, MICH, QRO; 17, 18, 19, 20
Acourtia joaquinensis L. Cabrera QRO; 12 (endémica de la región)
Acourtia lepidopoda (B.L. Rob.) Reveal & R.M. King MICH; 17
Acourtia lozanoii (Greenm.) Reveal & R.M. King QRO; 6, 12
Acourtia michoacana (B.L. Rob.) Reveal & R.M. King MICH; 17, 18
Acourtia moctezumae Rzed. & Calderón QRO; 6, 7 (endémica de la región)
Acourtia moschata (La Llave) DC. GTO, MICH, QRO; 3, 10, 11, 15, 16, 17, 18, 19
Acourtia nana (A. Gray) Reveal & R.M. King GTO, QRO; 4
Acourtia oxylepis (A. Gray) Reveal & R.M. King GTO, QRO; 5, 12
Acourtia parryi (A. Gray) Reveal & R.M. King GTO, QRO; 4, 5, 6, 12
Acourtia platyphylla (A. Gray) Reveal & R.M. King GTO, MICH, QRO; 5, 15, 17, 18, 20
Acourtia pringlei (B.L. Rob. & Greenm.) Reveal & R.M. King MICH; 18
Acourtia purpusii (Brandeggee) Reveal & R.M. King GTO, QRO; 3, 6, 7, 12
Acourtia queretaranana B.L. Turner GTO, QRO; 6, 7, 12
Acourtia reticulata (Lag. ex D. Don) Reveal & R.M. King GTO, MICH, QRO; 10, 11, 13, 14, 15, 16, 17, 18, 19
Acourtia runcinata (Lag. ex D. Don) B.L. Turner QRO; 6, 12
Acourtia simulata (S.F. Blake) Reveal & R.M. King MICH; 17
Acourtia tomentosa (Brandeggee) Reveal & R.M. King GTO, QRO; 4, 12
Acourtia turbinata (Lex.) DC. GTO, MICH, QRO; 2, 3, 8, 16, 18, 19, 20
- Acourtia venturae* L. Cabrera GTO; 5 (endémica de la región)
Acourtia veracruzana B.L. Turner QRO; 16
Acourtia wislizeni (A. Gray) Reveal & R.M. King GTO; 3, 5, 10
Jungia pringlei Greenm. MICH; 17
Trixis angustifolia DC. GTO, MICH, QRO; 4, 5, 6, 10, 11, 12, 16
Trixis inula Crantz GTO, MICH, QRO; 5, 6, 7, 12, 14
Trixis mexicana Lex. GTO, MICH, QRO; 5, 6, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
Trixis michuacana Lex. GTO, MICH; 2, 17, 18, 19
- Tribu Neurolaeneae**
Calea ternifolia Kunth GTO, MICH, QRO; 1, 5, 6, 7, 11, 12, 18
Calea urticifolia (Mill.) DC. GTO, MICH, QRO; 7, 18, 19
Neurolaena lobata (L.) Cass. QRO; 7
- Tribu Perityleae**
Eutetras palmeri A. Gray GTO; 1, 2, 3
Eutetras pringlei Greenm. GTO, QRO; 4, 11, 12, 15
Galeana pratensis (Kunth) Rydb. GTO, MICH, QRO; 2, 8, 10, 13, 14, 15, 17, 18, 19, 20
Perityle microglossa Benth. GTO, MICH, QRO; 6, 7
- Tribu Senecioneae**
Barkleyanthus salicifolius (Kunth) H. Rob. & Brettell GTO, MICH, QRO; 3, 4, 5, 6, 7, 9, 10, 11, 12, 14, 16, 17, 18, 19, 20
Digitocalia jatrophioides (Kunth) Pippen GTO, MICH, QRO; 7, 12, 13, 15, 16, 17, 18, 19, 20
Erechtites hieracifolia (L.) Raf. ex DC. MICH, QRO; 7, 19
Packera bellidifolia (Kunth) W.A. Weber & A. Löve MICH; 19, 20
Packera coahuilensis (Greenm.) C. Jeffrey QRO; 7, 12
Packera sanguisorbae (DC.) C. Jeffrey GTO, MICH, QRO; 5, 6, 7, 10, 16, 17, 18, 19, 20
Packera tampicana (DC.) C. Jeffrey QRO; 7

Apéndice. Continuación.

<i>Packera toluccana</i> (DC.) W.A. Weber & A. Löve GTO, MICH, QRO; 6, 11, 17, 19, 20	<i>Roldana angulifolia</i> (DC.) H. Rob. & Brettell GTO, MICH, QRO; 3, 5, 6, 7, 9, 11, 12, 15, 16, 17, 19, 20
<i>Pittocaulon praecox</i> (Cav.) H. Rob. & Brettell GTO, MICH, QRO; 5, 6, 11, 12, 15, 16, 17, 18, 20	<i>Roldana aschenborniana</i> (Schauer) H. Rob. & Brettell GTO, QRO; 5, 6, 7, 10, 12, 15, 16
<i>Pittocaulon velatum</i> (Greenm.) H. Rob. & Brettell MICH; 13, 17, 19, 20	<i>Roldana barba-johannis</i> (DC.) H. Rob. & Brettell GTO, MICH, QRO; 6, 11, 12, 16, 17, 19, 20
<i>Psacalium amplifolium</i> (DC.) H. Rob. & Brettell MICH; 19	<i>Roldana chapalensis</i> (S. Watson) H. Rob. & Brettell GTO, MICH; 3, 17, 18, 19
<i>Psacalium brachycomum</i> (S.F. Blake) H. Rob. & Brettell MICH; 20 (endémica de la región)	<i>Roldana ehrenbergiana</i> (Klatt) H. Rob. & Brettell QRO; 6
<i>Psacalium cirsiiifolium</i> (Zucc.) H. Rob. & Brettell MICH; 18, 19	<i>Roldana guadalajarensis</i> (B.L. Rob.) H. Rob. & Brettell MICH; 17, 18
<i>Psacalium goldsmithii</i> (B.L. Rob.) H. Rob. & Brettell MICH; 19	<i>Roldana hederifolia</i> (Hemsl.) H. Rob. & Brettell MICH; 17, 18, 19, 20
<i>Psacalium holwayanum</i> (B.L. Rob.) Rydb. MICH; 19	<i>Roldana heracleifolia</i> (Hemsl.) H. Rob. & Brettell GTO, MICH, QRO; 2, 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 17, 18, 20
<i>Psacalium laxiflorum</i> Benth. MICH; 18, 19, 20	<i>Roldana lanicaulis</i> (Greenm.) H. Rob. & Brettell QRO; 6, 7
<i>Psacalium megaphyllum</i> (B.L. Rob. & Greenm.) Rydb. GTO, MICH, QRO; 10, 15, 16, 17, 18, 19	<i>Roldana lineolata</i> (DC.) H. Rob. & Brettell GTO, MICH, QRO; 3, 6, 15, 16, 17, 18, 19, 20
<i>Psacalium napellifolium</i> (Schauer) H. Rob. & Brettell QRO; 12, 16	<i>Roldana lobata</i> La Llave GTO, MICH; 15, 17, 18, 19
<i>Psacalium palmeri</i> (Greene) H. Rob. & Brettell MICH; 17, 18, 20	<i>Roldana mexicana</i> (McVaugh) H. Rob. & Brettell MICH; 17, 18
<i>Psacalium peltatum</i> (Kunth) Cass. GTO, MICH, QRO; 2, 3, 6, 7, 9, 16, 17, 18, 19, 20	<i>Roldana michoacana</i> (B.L. Rob.) H. Rob. & Brettell GTO, MICH; 16, 17, 18, 19, 20
<i>Psacalium platylepis</i> (B.L. Rob. & Seaton) H. Rob. & Brettell GTO, MICH, QRO; 3, 8, 12, 15, 19	<i>Roldana platanifolia</i> (Benth.) H. Rob. & Brettell GTO, MICH; 8, 19
<i>Psacalium pringlei</i> (S. Watson) H. Rob. & Brettell MICH; 20	<i>Roldana reticulata</i> (DC.) H. Rob. & Brettell GTO, MICH, QRO; 3, 11, 12, 16, 17, 19
<i>Psacalium radulifolium</i> (Kunth) H. Rob. & Brettell GTO, QRO; 2, 3, 5, 6, 7, 9, 10, 11, 12	<i>Roldana sessilifolia</i> (Hook. & Arn.) H. Rob. & Brettell GTO, MICH, QRO; 2, 3, 4, 5, 9, 13, 16, 17, 18, 19
<i>Psacalium silphiifolium</i> (B.L. Rob. & Greenm.) H. Rob. & Brettell MICH; 19	<i>Roldana suffulta</i> (Greenm.) H. Rob. & Brettell GTO, MICH; 15, 19, 20
<i>Psacalium sinuatum</i> (Cerv.) H. Rob. & Brettell GTO, MICH, QRO; 2, 3, 5, 6, 7, 12, 13, 15, 16, 17, 18, 19	<i>Senecio alvarezensis</i> Greenm. GTO; 5
<i>Psacalium tabulare</i> (Hemsl.) Rydb. MICH; 19	<i>Senecio argutus</i> Kunth MICH, QRO; 19
<i>Psacalium tussilaginoideus</i> (Kunth) H. Rob. & Brettell GTO; 5, 9	<i>Senecio callosus</i> Sch. Bip. GTO, MICH, QRO; 3, 16, 17, 18, 19, 20
<i>Pseudogynoxys chenopodioides</i> (Kunth) Cabrera QRO; 7	<i>Senecio cinerarioides</i> Kunth GTO, MICH, QRO; 11, 19, 20
<i>Roldana albonervia</i> (Greenm.) H. Rob. & Brettell GTO, MICH, QRO; 15, 17, 18, 19, 20	<i>Senecio deformis</i> Klatt GTO, MICH, QRO; 3, 12, 19
	<i>Senecio flaccidus</i> Less. GTO, QRO; 3, 4, 5, 16

Apéndice. Continuación.

- Senecio helodes* Benth. MICH; 19, 20
**Senecio inaequidens* DC. MICH, QRO; 16, 20
Senecio iodanthus Greenm. GTO, MICH, QRO; 11, 17
Senecio multidentatus Sch. Bip. ex Hemsl. GTO, MICH; 5, 6, 15, 17
Senecio picridis S. Schauer GTO, QRO; 5, 6, 7, 9, 11, 12, 15, 16
Senecio richardsonii B.L. Turner QRO; 7
Senecio stoechadiformis DC. GTO, MICH, QRO; 7, 12, 16, 17, 18, 19, 20
**Senecio vulgaris* L. GTO, MICH, QRO; 3, 16, 20
Telanthophora andrieuxii (DC.) H. Rob. & Brettell MICH, QRO; 6, 7, 20
Telanthophora grandifolia (Less.) H. Rob. & Brettell QRO; 7
- Tribu Tageteae**
Adenophyllum cancellatum (Cass.) Villarreal GTO, MICH, QRO; 2, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
Adenophyllum porophyllum (Cav.) Hemsl. GTO, MICH, QRO; 13, 15, 17, 18, 20
Adenophyllum pulcherrimum (Strother) Villarreal GTO, MICH, QRO; 11, 20
Chrysactinia luzmariae Rzed. & Calderón GTO; 6 (endémica de la región)
Chrysactinia mexicana A. Gray GTO, MICH, QRO; 4, 5, 12
Chrysactinia pinnata S. Watson QRO; 6, 7
Dyssodia papposa (Vent.) Hitchc. GTO, MICH, QRO; 1, 2, 4, 5, 6, 7, 10, 11, 12, 14, 15, 16, 17, 18, 19, 20
Dyssodia pinnata (Cav.) B.L. Rob. GTO, MICH, QRO; 3, 5, 6, 9, 10, 11, 12, 16, 20
Dyssodia tagetiflora Lag. GTO, MICH, QRO; 2, 4, 7, 8, 11, 12, 13, 14, 15, 17, 18, 19, 20
Flaveria anomala B.L. Rob. QRO; 6
Flaveria pubescens Rydb. QRO; 6, 12
Flaveria trinervia (Spreng.) C. Mohr GTO, MICH, QRO; 4, 6, 7, 9, 10, 11, 12, 14, 15, 18, 19
Hydropectis stensensii McVaugh GTO; 3
Pectis prostrata Cav. GTO, MICH, QRO; 3, 8, 11, 12, 13, 16, 17, 18, 19
Pectis repens Brandegees GTO, MICH, QRO; 3, 9, 11
- Porophyllum coloratum* (Kunth) DC. GTO, MICH, QRO; 6, 9, 10, 11, 12, 18
Porophyllum linaria (Cav.) DC. GTO, MICH, QRO; 3, 4, 5, 6, 8, 9, 10, 11, 12, 15, 16, 18, 20
Porophyllum macrocephalum DC. GTO, MICH, QRO; 6, 7, 11, 12, 13, 14, 15, 18, 20
Porophyllum viridiflorum (Kunth) DC. GTO, MICH, QRO; 5, 6, 7, 9, 13, 14, 15, 17, 18, 19, 20
Tagetes erecta L. GTO, MICH, QRO; 3, 6, 7, 10, 11, 13, 16, 17, 18, 19, 20
Tagetes filifolia Lag. GTO, MICH, QRO; 5, 7, 17, 18, 19
Tagetes foetidissima DC. GTO, MICH; 17, 18, 19, 20
Tagetes jaliscensis Greenm. MICH; 18
Tagetes lucida Cav. GTO, MICH, QRO; 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 15, 16, 17, 18, 19, 20
Tagetes lunulata Ortega GTO, MICH, QRO; 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 15, 16, 17, 18, 20
Tagetes micrantha Cav. GTO, MICH, QRO; 1, 3, 4, 5, 6, 11, 12, 13, 15, 16, 17, 18, 19, 20
Tagetes moorei H. Rob. QRO; 6, 12
Tagetes persicifolius (Benth.) B.L. Turner GTO, MICH, QRO; 15, 16, 19, 20
Tagetes pringlei S. Watson GTO, MICH, QRO; 8, 9, 16, 17, 18, 19, 20
Tagetes subulata Cerv. GTO, MICH; 8, 9, 15, 16, 17, 18, 19
Tagetes tenuifolia Cav. GTO, MICH, QRO; 6, 11, 12, 15, 17, 18
Thymophylla acerosa (DC.) Strother GTO; 4, 10
Thymophylla pentachaeta (DC.) Small GTO, QRO; 1, 4, 5, 9, 10, 11, 12, 16
Thymophylla setifolia Lag. GTO, QRO; 3, 4, 5, 6, 9, 10, 12
Thymophylla tenuifolia (Cass.) Rydb. GTO, QRO; 4, 10
- Tribu Vernonieae**
Bolanosa coulteri A. Gray GTO, MICH; 8
Critoniopsis foliosa (Benth.) H. Rob. GTO, MICH; 10
Critoniopsis heydeana (J.M. Coult.) H. Rob. QRO; 6, 7
Critoniopsis obtusa (Gleason) H. Rob. GTO, QRO; 6, 7, 12

Apéndice. Continuación.

<i>Critoniopsis salicifolia</i> (DC.) H. Rob. MICH, QRO; 18	<i>Pseudelephantopus spicatus</i> (Aubl.) Rohr MICH, QRO; 6, 7, 17
<i>Critoniopsis solorzanoana</i> (Rzed. & Calderón) MICH; 18 (endémica de la región)	<i>Vernonanthura cordata</i> (Kunth) H. Rob. MICH; 17, 19
<i>Critoniopsis tomentosa</i> (Lex.) H. Rob. GTO, MICH, QRO; 5, 10, 12, 16, 17, 18, 19, 20	<i>Vernonanthura liatroides</i> (DC.) H. Rob. GTO, MICH, QRO; 4, 5, 6, 7, 17, 18, 19, 20
<i>Critoniopsis villaregalis</i> (Carvajal) H. Rob. MICH; 18	<i>Vernonanthura patens</i> (Kunth) H. Rob. MICH, QRO; 7
<i>Elephantopus mollis</i> Kunth QRO; 7	<i>Vernonanthura serratuloides</i> (Kunth) H. Rob. GTO, MICH; 4, 8, 9, 10, 13, 15, 17, 20
<i>Leiboldia serrata</i> (D. Don) Gleason QRO; 6, 7	<i>Vernonia alamanii</i> DC. GTO, MICH, QRO; 3, 5, 6, 7, 11, 12, 13, 15, 16, 17, 18, 19, 20
<i>Lepidaploa canescens</i> (Kunth) H. Rob. MICH, QRO; 7	<i>Vernonia greggii</i> A. Gray GTO, QRO; 7, 8, 12, 16
<i>Lepidaploa salzmännii</i> (DC.) H. Rob. QRO; 7	
<i>Lepidaploa tortuosa</i> (L.) H. Rob. QRO; 7	
