

RESEARCH ARTICLE

How can social–ecological system trajectories be understood? An investigation of conceptualization through a systematic literature review

¿Cómo entender las trayectorias de los sistemas socioecológicos? Una investigación sobre su conceptualización a través de una revisión sistemática de literatura

MARÍA PEREVOCHTCHIKOVA

El Colegio de México

Centro de Estudios Demográficos, Urbanos y Ambientales
Ciudad de México, México

 <https://orcid.org/0000-0001-9349-8570>
 mperevochtchikova@colmex.mx

JOSÉ ÁLVARO HERNÁNDEZ FLORES

El Colegio de México

Centro de Estudios Demográficos, Urbanos y Ambientales
Ciudad de México, México

 <https://orcid.org/0000-0002-8349-0505>
 jalvaro@colmex.mx

Abstract. This work presents a systematic literature review (SLR) on social–ecological system trajectories (SESTs) worldwide to identify the existing scientific literature focused on SEST definitions, temporal and spatial tendencies, and the theoretical and methodological approaches applied to propose a general SEST conceptualization. The sample includes 143 articles selected from the international Scopus database that were analyzed across five groups including a total of 32 variables. The results indicate that most publications originate from the Global North, whereas the study sites are predominantly located in the Global South. Few definitions of the SEST term exist. The proposed general SEST conceptualization includes multiple social–ecological dimensions and temporal (past, current and future) and spatial (territorial) dynamics. The SEST case studies focus primarily on human benefits and specific system components. Predominant analytical frameworks refer to social–ecological systems, resilience, and adaptation; are characterized by qualitative or quantitative methods; and are multidisciplinary. There are three categories of SEST studies: studies with an adaptation, development focus (for political aims) and studies with a focus on change (for research objectives). Adaptation and change studies dominate, and studies in all three categories consider pathways to sustainability goals. Key research challenges include producing cross-sectional and equitable research, integrating diverse knowledge perspectives, and adopting inter-and transdisciplinary approaches.

Keywords: transformations, social–ecological systems, temporal and spatial tendencies.

Resumen. Este trabajo presenta una revisión sistemática de la literatura (RSL) sobre las trayectorias de los sistemas socioecológicos (TSSE) en todo el mundo con el fin de identificar la literatura científica existente centrada en las definiciones de las TSSE, las tendencias temporales y espacia-

les, y los enfoques teóricos y metodológicos aplicados para proponer una conceptualización general de las TSSE. La muestra incluye 143 artículos seleccionados de la base de datos internacional Scopus, que se analizaron en cinco grupos que incluyen un total de 32 variables. Los resultados indican que la mayoría de las publicaciones proceden del Norte Global, mientras que los sitios de estudio se encuentran predominantemente en el Sur Global. Existen pocas definiciones del término SEST. La conceptualización general de SEST propuesta incluye múltiples dimensiones socioecológicas y dinámicas temporales (pasadas, presentes y futuras) y espaciales (territoriales). Los estudios de caso de SEST se centran principalmente en los beneficios para los seres humanos y en componentes específicos del sistema. Los marcos analíticos predominantes se refieren a los sistemas socioecológicos, la resiliencia y la adaptación, se caracterizan por métodos cualitativos o cuantitativos y son multidisciplinarios. Hay tres categorías de estudios SEST: estudios con un enfoque de adaptación y desarrollo (con fines políticos) y estudios con un enfoque de cambio (con objetivos de investigación). Predominan los estudios de adaptación y cambio, y los estudios de las tres categorías consideran vías para alcanzar los objetivos de sostenibilidad. Entre los principales retos de la investigación se encuentran la realización de investigaciones transversales y equitativas, la integración de perspectivas de conocimiento diversas y la adopción de enfoques interdisciplinarios y transdisciplinarios.

Palabras clave: transformaciones, sistemas socioecológicos, tendencias temporales y espaciales.

Introduction

The term social–ecological systems (SEs) was introduced by Berkes and Folke (1998) 25 years ago. Currently, there are multiple definitions of SEs (Herrero-Jáuregui et al., 2018), which are approached using various analytical frameworks (Binder et al., 2013) and methods (Gómez-Santiz et al., 2021; Partelow, 2018; Schlüter et al., 2012; De Vos et al., 2019). However, in general, an SES is defined as a complex, evolving and adaptive system comprising heterogeneous elements that are engaged in constant interaction (Berkes et al., 2003; Ostrom, 2009). The interaction between the social and ecological subsystems through flows composed of ecosystem services (ESs) and human action (HA) within the system occurs in the context of interaction with other SESs under different internal and external drivers or pressure factors (McGinnis & Ostrom, 2014), which results in the continuous modification of outputs and sometimes complete SES transformation (Colding & Barthel, 2019). This transformation of SEs implies changes in their components and relationships at various temporal and spatial scales (Berkes et al., 2003; Cumming, 2011; Folke, 2016).

Regarding the term “transformation,” Sievers-Glotzbach and Tschersich (2019, p.1) noted that there is a distinction between “transition,” which is understood as an intentional reorganization of individual subsystems toward specific predefined goals, and “transformation,” which refers to fundamental systemic changes encompassing

the socioeconomic, political, and cultural aspects of SES and is linked to inter- and intragenerational justice. Therefore, transformation implies a complex and profound process that challenges the existing structures of an SES and leads it along diverse, responsive, and empowering pathways (toward sustainability) that differ from the current trajectory (Scoones, 2016; Stirling, 2015).

Analytically, understanding transformations is crucial for envisioning the multitude of alternative paths or ways that an SES can take, which are linked to actors' capacities to change prevailing sociopolitical structures (Görg et al., 2017). In this process, it is necessary to consider the following aspects in an interdisciplinary and transdisciplinary manner: *i*) essential ecological functions (flows of materials and energy); *ii*) diverse spatial scales (breadth); *iii*) processes that account for complexity, uncertainty, and ignorance (time), and *iv*) power structures (Fischer-Kowalski & Rotmans, 2009; Görg et al., 2017). In the same vein, Sievers-Glotzbach and Tschersich (2019:3) proposed four dimensions for analyzing transformations: *a*) direction, which extends toward justice objectives through a variety of pathways; *b*) breadth, which focuses on social–ecological systems; *c*) temporality, which reflects continuous and long-term change; and *d*) depth, which concerns agency and structure relationships, including fundamental changes in deep leverage points (power, paradigms, and institutions).

The directional transformation of an SES, which simultaneously accounts for the plurality of visions of desirable futures (Brown, 2015; O'Brien, 2012; Sievers-Glotzbach & Tschersich, 2019), can be associated with the term 'SES trajectories' (Ávila Foucat et al., 2020; Scoones, 2016; Stirling, 2015). However, what are SES trajectories?

The Cambridge dictionary describes a trajectory (in physics) as "the curved path an object follows after it is thrown or shot into the air, or of an object that is traveling through space"; thus, it is conceptualized as a vector of changes that presents characteristics such as movement, velocity and direction (Krekelberg & Lappe, 1999). In the case of SES, the meaning of trajectory becomes more complex and integrative because of the constant nonlinear coevolution through relationships of social and ecological components in time and space under different pressure factors (Perevochtchikova et al., 2024), where the SES may or may not take a sustainable path in the transformation process (Riechers et al., 2021). There is increasing interest in SEST studies at the global scale as an effort to analyze social–ecological problems and complex territorial processes in terms of sustainability (Fischer & Riechers, 2019).

Importantly, different terms are commonly used in scientific publications to refer to SESTs, such as pathways, processes of change, changes, evolutions, transformations, and transitions; however, these terms are not necessarily defined clearly and specifically, if they are defined at all (Fischer-Kowalski & Rotmans, 2009; Cumming, 2011; Görg et al., 2017; Riechers et al., 2021; Sievers-Glotzbach & Tschersich, 2019; Stirling, 2015). It would seem that SEST is a term still under conceptual construction.

Therefore, it is interesting to investigate the state-of-the-art of SEST case studies and definitions worldwide and analyze how SEST has been studied to propose a general SEST conceptualization.

To do so, it is useful to conduct a systematic literature review (SLR), which is a rigorous method that allows a comprehensive overview of a variety of topics (Grant & Booth, 2009), specifically those related to SES (Herrero-Jáuregui et al., 2018; Gómez-Santiz et al., 2021; González-Quintero & Avila-Foucat, 2019). Although several literature reviews exist on the topic of SEST (Fedele et al., 2020; Palomo et al., 2021; Riechers et al., 2021; Varis et al., 2019), this work differs in the following ways: *i)* a systematic and rigorous review method (SLR) is adopted, with a focus on SEST case studies; *ii)* an overview of the formalization (theoretical or conceptual frameworks applied) and operationalization (methodological approaches used) of such studies is provided; and *iii)* SEST term definitions and proposed general SEST conceptualizations are summarized. By clearly defining SEST in the context of political and social decisions and research, the study will prove useful for scholars and practitioners engaged in SES studies and transformation processes.

The hypotheses guiding this work suggest that *i)* there are few definitions of SEST; *ii)* in its theoretical formalization and empirical operationalization, the study of SEST is biased toward a partial understanding of some part (or component) of SES, without considering analysis of the entire system; and *iii)* as a result, multidisciplinary and interdisciplinary studies dominate.

Method

The systematic literature review (SLR) method has been used for state-of-the-art analyses of various scientific topics (Moher et al., 2015; Higgins et al., 2019; Grant & Booth, 2009), specifically in relation to environmental conservation (Pullin & Stewart, 2006) and the operationalization of the SES framework (Herrero-Jáuregui et al., 2018; Gómez-Santiz et al., 2021; González-Quintero & Avila-Foucat, 2019). The main characteristics of this approach include comprehensiveness, transparency, objectivity, and reproducibility, which make it a rigorous and comprehensive method for reviewing a growing body of scientific literature (SEI-CEE, 2017). In this study, the SLR method was conducted qualitatively owing to the depth required for analyzing the case studies, according to the Cochrane Methodological Expectations for Intervention Reviews (MECIR) protocol (Higgins et al., 2019). The SLR was undertaken following the four stages described below.

Publications search

To select scientific publications with rigorous academic standards and worldwide coverage, the Scopus database was used as the main source of international-level information (Visser et al., 2020). Scopus facilitates the extraction of bibliographic information through its application programming interface (API), which is constantly updated (Montoya et al., 2018) and allows the export of references in diverse formats that can be used for data coding in different programs (Gómez-Santiz et al., 2021). A search was conducted from June 7–9, 2023, using the title, abstract, and keyword fields of articles (TIT-ABS-KEY), and the final search was narrowed to scientific articles, as recommended by Booth et al. (2012), Higgins et al. (2019), and Gómez-Santiz et al. (2021). For syntax construction, two blocks of concepts and synonyms (in English) related to *i)* the SES (SES, socioenvironmental systems, or socio-natural systems); and *ii)* SEST (trajectory, change, transformation, evolution, transition, or pathways) were considered. However, during the article search process, the syntax was adjusted as indicated in Figure 1.

Figure 1
Stages of the systematic literature review process applied to the study



Source: Self-elaboration.

In the initial search, a total of 11 859 publications were found over the period of 1961–2023. However, when the titles of the publications were reviewed, many were found from other fields of study, such as medicine, biology or ecology, so several filters were used to refine the search and capture the appropriate sample. First, the words “change” and “pathway” and, second, the terms “transformation”, “evolution”, and “transition” were excluded. This is because studies in the field of ecology regarding, for example, socioecological niches, often use the term “evolution”; “pathways” is linked to economic capital or climate pathways; and climate “change” is similarly a common subject. Moreover, in studies of socioenvironmental problems linked to pollution and the direct effects of human activities, such as dams or agriculture, the terms “impact”, “transformation” and “transition” are commonly used.

Therefore, the final syntax was *TITLE-ABS-KEY (“Socio-ecological* system*” OR “socioecological* system*” OR “social ecological system*” OR “social-ecological system*” OR “Socio-environmental* system*” OR “Socioenvironmental* system*” OR “Socio-natural* system*” OR “Socionatural* system*”) AND TITLE-ABS-KEY (“Trajector*”)*. As a result, 206 scientific articles focused on SEST and published from 2004–2023 were included in the database for analysis.

Publication selection

In this stage, the abstracts of the 206 preselected articles were manually reviewed, and 34 publications were excluded for not explicitly addressing the topic of trajectories or not having an SES focus. In addition, publications that focused exclusively on themes such as sustainability, social ethnographies, education, or general reflections on SESs (but not on trajectories), as well as works with a specific focus on the economy, environmental contamination, urban expansion, land use change, and ES mapping were excluded.

The full texts were subsequently read with the aim of proposing the variables to be coded. In this stage, another 29 works were excluded because they addressed topics related to general and epistemological reflections about SESs or focused only on certain aspects of SESs or a specific ecosystem. This left a final database of 143 articles (see Annex 1) related to worldwide case studies about SEST.

Coding and extraction of data

On the basis of a proof review of the full texts of the 143 selected publications and following the suggestions of Booth et al. (2016), Codina (2018), Higgins et al. (2019), and Pullin and Stewart (2006) coding of the database was proposed and carried out

using the variables listed in Annex 2. A total of 32 variables were organized into five groups: *i)* paper description (3 variables); *ii)* case study context (5 variables); *iii)* social-ecological system description (12 variables); *iv)* theory approach (3 variables); and *v)* methodology (9 variables). This categorization was based on the recommendations of Ávila Foucat et al. (2020), De Vos et al. (2019), Duval (2015), Fedele et al. (2020), Fischer-Kowalski and Rotmans (2009), Herrero-Jáuregui et al. (2018), Holzer et al. (2018), Gómez-Santiz et al. (2021), González-Quintero & Ávila-Foucat (2019), Palomo et al. (2021), Perevochtchikova et al. (2022, 2024), Riechers et al. (2021), and Varis et al. (2019).

The search, selection and coding process involved several joint review sessions among the coauthors and the determination of the variables and codes to be implemented by consensus, as suggested by Perevochtchikova et al. (2019, 2021).

Analysis of data and synthesis

With the coded database, three phases of qualitative data analysis were conducted (Figure 1):

- *Characterization of publications* in the following dimensions: *i)* temporal, with the outlining of a timeline of publications and principal journals; *ii)* spatial, with the establishment of a coauthorship affiliation network by country and a map of study case sites; and *iii)* conceptual or semantic, with the development of word clouds (word frequency is given in Annex 3). To accomplish this, visual tools such as Microsoft Excel, Atlas.ti 8 software (Frieze, 2019), QGIS (<https://qgis.org/>) and the Flourish visualizer (<https://flourish.studio/>) were used.
- *The concept of SEST* was developed on the basis of the sequential proposal by Perevochtchikova et al. (2022) and the definitions of SEST directly given by the authors of the reviewed articles, with the proposal of a general conceptualization, typology and graphical SEST interpretation.
- *Formalization and operationalization of SEST*, which included three aspects of analysis, and the synthesis was presented through flow (Sankey) diagrams. This method allows a graphical description of the associations between variables (Gómez-Santiz et al., 2021) through the construction of cross-tabulation tables and their projection in a Flourish visualizer.
 - *The contexts of the case studies* was considered to reveal the ecosystems, functional and thematic ecosystem services, and SESs analyzed in the case studies.

- *The SESTs in the case studies* were highlighted, with reference to the temporal and spatial scales addressed in the studies, the actors involved, the drivers of change (internal and external factors), the identified issues (Annex 4), SES components, and the type of SEST.
- *The theoretical and methodological approaches* in terms of the theories and concepts identified, the utility of the studies conducted, the methods and techniques used for data collection and analysis, and the disciplinary focus of the studies were observed (Annex 5a, b).

Results


Characterization of publications

The timeline of the 143 reviewed articles indicates a steady growth in publications since 2004 and reflects a progressive increase in scientific interest in SEST analysis worldwide (Figure 2).

The articles were published in 78 scientific journals, 10 of which accounted for 43.5% of the total. Notably, *Ecology and Society* (16.2%), *Sustainability* (4.9%), and *Global Environmental Change* (4.2%) stand out. This distribution highlights the journals' focus on disseminating the concept and suggests specific geographic and thematic areas where the concept of SEST has found fertile ground for exploration and discussion.

Figure 2


Timeline of articles focused on SEST studies, 2004-2023



Source: Self-elaboration.

The coauthorship affiliation network, which is based on the institutional affiliation of the authors of the 143 publications by country, provides valuable information about the extent and diversity of international collaboration in the field. The network comprises a total of 44 countries (called nodes in the network), three of which (Colombia, Portugal and the Philippines) are disconnected from the main group. The node size indicates the total number of authors from a specific country, the line thickness represents the frequency of collaboration between authors, and the color of the lines indicates the connections by continent. Overall, the network metrics show moderate connectivity and collaboration between authors from different countries in the SEST articles. The clustering coefficient (0.682) and average path length (2.098) suggest that some groups of authors tend to collaborate more intensively with each other than with other groups (Figure 3).

Figure 3
Network of co-authorships in publications about SEST



Note: The nodes are countries of affiliation of the authors; the lines are collaboration relationships in articles; the colors of relationships are indicated by continent; and size of nodes indicate number of authors.

Source: Self-elaboration.

For example, the nodes with the highest levels of degree centrality (which indicates that they produce the most publications) correspond to authors' institutions located in the United States (U.S.), France, England, Germany, Sweden, Netherlands and Canada. The loop present in the U.S. shows a high level of collaboration among U.S. authors. Additionally, high coauthorship is observed among U.S. and Canadian authors with each other and with authors from Europe, as well as among authors from diverse countries inside Europe, while authors from the Global South are fewer and engage in less extensive collaboration. Specifically, from Latin America, authors from Brazil, Chile, Mexico, Argentina, Peru, Ecuador and Uruguay (with Colombia as a separate node) are present in this network, but the majority collaborate with authors from the U.S., Canada and Europe.


Importantly, research centers located in these countries, such as the Faculty of Sustainability at the University of Leuphana in Germany, the Laboratoire d'Ecologie Alpine at the University of Grenoble Alpes, the Stockholm Resilience Centre at Stockholm University in Sweden, and the Institute for Complex Systems Simulation and the Centre for Environmental Sciences at the University of Southampton in England, have a long tradition of studying SES topics from a systemic, integrative perspective and hold leading roles in generating and disseminating this type of knowledge. The participation of scientific research agencies in the U.S., such as the Geological Survey, the Forest Service, and the Environmental Protection Agency, as well as other research centers dedicated to sustainability, climate change, and prospective (focused on the future scenarios) studies, is also noteworthy.

Among the main authors who address the SEST topic are: S. Lavorel (4 papers), P.H. Verburg (4), J.A. Dearing (3), T. Hahn (3), N. Hanazaki (3), J. Fischer (3), K. Zhang (3), and several authors with 2 papers each, including A.J. Castro, C. Folke, L. Nahuelhual, P. Olsson, S. Zank, and others.

Among the case studies, 37% are concentrated in the Americas, 23.6% in Europe, 19.4% in Asia, 12.1% in Oceania, and 7.9% in Africa. The countries with the highest number of publications are the United States (12.1%), Brazil (7.5%), France (5.7%), India (4%), and Australia (4%) (Figure 4). All these countries, except France, are considered megadiverse by the United Nations Environment Program World Conservation Monitoring Centre (SCBD, 2016) and could be appropriate for study from the complex SES perspective.

In the semantic analysis conducted using a word cloud (Figure 5), 134 primary terms were identified on the basis of their frequency in the titles, abstracts, and keywords of the selected articles (see Annex 3). The terms "system," "social-ecological," and "change" appear frequently in the publications, referring to the most commonly used theoretical perspectives for SEST analysis. Similarly, words such as "management," "ecosystem," "landscape," "resilience," "governance," and "adaptive" are part of the conceptual and analytical frameworks employed. Other groups, such as "trajectory,"

Figure 4
Location of sites of SEST case studies



Source: Self-elaboration.

“pathway,” “development,” “change,” “shifts,” “transformation,” and “transition,” have lower frequencies and are related to the temporal and spatial dimensions of studies.

The words referring to specific resources (such as “fisheries, forest, water, food, livestock”), study contexts (“rural, urban, coastal, agricultural”), common techniques and methods (“modeling, scenarios, impact, assessment, interviews”), and components of SES (“social, ecological, interaction, actors, drivers, outcomes, conditions, actions”) are also identified. In general, concepts from the natural and social sciences are prevalent and are articulated through multi- and interdisciplinary theoretical and methodological frameworks (Figure 5).

Conceptualization of SEST

Notably, out of the 143 articles reviewed, only 27 (19%) contained some definition of SEST (Table 1), and partial references to SEST were found in 22 papers (15%), with no definitions in the remaining papers. These publications began in 2011 and became more common since 2020.

Figure 5



Source: Self-elaboration.

Table 1

<i>N</i>	<i>Reference</i>	<i>Cited</i>	<i>SEST definition</i>	<i>SEST categories</i>	<i>Analytical approach</i>	<i>Method</i>	<i>Discipline approach</i>
1	Fazey et al., 2011	95	Trajectories of change are dynamic processes of individual, group and/or societal responses to change which create further change and responses, with outcomes that reflect the cumulative properties of those processes.	Chan	Adaptation, Vulnerability.	System dynamic.	Multi
2	Rueff et al., 2012	18	"Farm trajectory" as a succession of chronological steps in the farm development process.	Chan	Theory of change, Livelihood, Adaptative system, SES Framework.	Multivariate analysis.	Multi
3	Morzillo et al., 2015	19	"Trajectory of change," defined as the cumulative and iterative process of social responses and outcomes to change.	Chan	Pathways Framework, SES Framework, Adaptation.	Comparative case studies.	Multi
4	Sinclair et al., 2017	20	Resilience thinking appears to offer a holistic approach that can be used by social researchers to interpret past and contemporary conditions and identify possible futures for social-ecological systems (SES).	Chan	Resilience, SES Framework, Adaptative cycle.	Comparative case studies.	Multi

(continued)

Table 1
(continued)

<i>N</i>	<i>Reference</i>	<i>Cited</i>	<i>SEST definition</i>	<i>SEST categories</i>	<i>Analytical approach</i>	<i>Method</i>	<i>Discipline approach</i>
5	Uden et al., 2018	8	The social-ecological feedbacks can lock FEWES nexuses into unsustainable trajectories characterized by short-term control, stability, and efficiency, but also the inability to withstand or adapt to novel disturbances and/or changing conditions (i.e., inflexibility, low adaptive capacity), and therefore, long-term vulnerability to large-scale collapse (i.e., undesirable, unintentional state shifts). Such phenomena are investigated as rigidity traps in the resilience literature.	Adap	Governance, Resilience, Social–ecological systems.	Tools of process-tracing, Casual loop diagramming, Scenario planning.	Inter
6	Caswell et al., 2020	26	Historical analogies exist that can provide insights for contemporary planning and implementation of blue growth (across such broad spatial and temporal scales).	Adap	Historical perspectives, Sarine socioecological systems.	Case-study approach based on expert knowledge.	Multi
7	Desjardins et al., 2020	9	Long-term culture-adaptive trajectories: Past responses to climate change for future adaptation and mitigation strategies (of past social-ecological systems intersect with modern climate adaptation).	Adap	Social-ecological systems, Resilience, Human-environment interactions.	Archaeological study, meta-analysis of multiple studies relating to theme.	Multi
8	Jiren et al., 2020	12	Four plausible future scenarios for the studied landscape, were developed (as desirable outcomes scenario).	Dev	Social-ecological systems.	Causal loop diagrams, Draft scenario narrative.	Inter
9	Karpouzoglou et al., 2020	8	Development pathways in defined as “the particular directions in which interacting social, technological and environmental systems co-evolve over time”.	Dev	Development pathways approach, Social-ecological systems.	Spatial analysis, Thematic analysis.	Inter
10	Riechers et al., 2020	38	As social-ecological change entails numerous inter-connected dimensions.	Chan	Landscape sustainability science, Social-ecological systems.	Narrative approach.	Multi
11	Spicer et al., 2020	2	Tangible changes in the socio-ecological system at multiscale. “We define a landscape path as the connected transitions of a socio-ecological system over time at the catchment scale”. Identification of a landscape pathway and transitions allow inference of possible landscape trajectories into the future.	Chan	Nested socio-ecological systems, Landscape biographies, Landscape transitions and paths.	Interpretative research.	Multi

(continued)

Table 1
(continued)

<i>N</i>	<i>Reference</i>	<i>Cited</i>	<i>SEST definition</i>	<i>SEST categories</i>	<i>Analytical approach</i>	<i>Method</i>	<i>Discipline approach</i>
12	Dinis and Simões, 2021	1	The trajectory of this (productive) system up to present, its adaptation to internal and external changes and evolution trends.	Adap	Resilience, Theory of the adaptive cycle, Socio–ecological system.	Participatory approach, Social perception.	Multi
13	Epstein et al., 2021	6	The social-ecological system dynamics/transitions and potential future trajectories.	Chan	Resilience assessment approach, Social-ecological systems.	Meta-analysis literature review, Structured narrative literature review.	Multi
14	Angelstam et al., 2022	3	Cultural trajectories, where wood production and biodiversity conservation encompass different portfolios of ecosystem aspects and spatio-temporal scales.	Chan	Social-ecological systems.	Narrative approach, Exploratory review, Longitudinal case studies.	Multi
15	Aslan et al., 2022	1	Feedbacks between the social and ecological systems pathways (as model context).	Chan	Social-ecological systems, Coupled natural–human systems.	Multi-response permutation procedure, Spatial autocorrelation.	Inter
16	Carrie et al., 2022	3	Ecosystem Services change, adaptation and current adaptive capacities.	Adap	Adaptive capacity, Resilience, Socioecological system.	Spatial analysis, Thematic analysis.	Inter
17	Debonne et al., 2022	9	Transformations (social-ecological) are the consequence of or response to shocks and long-term pressure buildup. Megatrends are long-term driving forces that are observable now and likely have transformational potential in the future.	Adap	Geography of megatrends, Social-ecological systems, STEEP (Social, Technological, Economic, Environmental, Political) framework.	Foresight approach, Quantify and map megatrends.	Inter
18	Elleauume et al., 2022	2	Response capacity (understood as “adaptation” in this manuscript) of a specific and local SES to environmental, economic, social and political perturbations during the last four centuries. reconstructing a comprehensive mountain SES trajectory by exploring past changes and adaptation pathways. A way to study the past trajectory of a SES is through the analysis of past land use and land cover changes.	Adap	Social-ecological systems, Paleoenvironmental approach.	Historical archives analysis, Paleoenvironmental analysis.	Inter

(continued)

Table 1
(continued)

<i>N</i>	<i>Reference</i>	<i>Cited</i>	<i>SEST definition</i>	<i>SEST categories</i>	<i>Analytical approach</i>	<i>Method</i>	<i>Discipline approach</i>
19	Feiner et al., 2022	13	Consider the transformation in terms of (1) resisting trajectories of change by acting to maintain a contemporary state or restore prior ecological conditions, (2) accepting trajectories of change without interventions, (3) directing changes through interventions intended to shape ecological conditions toward new desired conditions or states.	Chan	Resist-Accept-Direct (RAD) framework, Ecological transformation.	Mental model (deterministic, stage-based matrix model).	Inter
20	Imbrenda et al., 2022	3	Development trajectory of socio-ecological systems towards land degradation on a regional or local scale.	Dev	Sustainable land management, Desertification risk.	Geographically weighted regression, Environmental Sensitive Area.	Inter
21	Quintas-Soriano et al., 2022	7	Coupling trajectory: Transition process by which the feedbacks within the SES increase the adaptive capacity of the SES through time and thereby lead to a more coupled SES. De-coupling trajectory: Transition process by which the feedbacks within the SES lead to less adaptive capacity of the SES through time and thereby to a more de-coupled SES.	Adap	Social-ecological systems, Human–environment systems (HES), Coupled human–nature systems (CHANS).	Comparative case study, Indicators.	Inter
22	Tàbara et al., 2022	9	In a given social-ecological system, three key moments need to be considered to study transformation: (1) The building of transformative conditions and capacities for systemic change, (2) A tipping event or intervention shifting the system towards a different trajectory or systems' configuration, and (3) the structural effects derived from such transformation.	Dev	Social-ecological tipping points (SETPs), Systems transformations, sustainability science.	Relational methodology, Narrative interpretation..	Inter
23	Villasante et al., 2022	12	As analyzing the interactions between drivers, potential trajectories (shifts, traps, and collapses), and the influence of enabling and inhibiting conditions in determining possible outcomes, including the opportunity to navigate sustainable transformations in SSF. Also, as how SSF can follow different pathways and how transformative changes are catalyzed over time.	Dev	Pathways of change, Resilience, Social-ecological systems, Sustainability transformations.	Heuristic model, Conceptual model.	Multi

(continued)

Table 1
(concluded)

<i>N</i>	<i>Reference</i>	<i>Cited</i>	<i>SEST definition</i>	<i>SEST categories</i>	<i>Analytical approach</i>	<i>Method</i>	<i>Discipline approach</i>
24	Zank et al., 2022	1	Ethnomedical systems are complex social-ecological structures and processes affected by drivers that may lead to changes in the trajectories of these systems, or even to collapse, according to their resilience and adaptation capacity.	Adap	Biocultural systems, Ethnomedical systems, Resilience, Adaptation capacity.	Discourse analysis, Virtual ethnography, Multilevel logistic regression.	Multi
25	Derolez et al., 2023	0	As dynamics of coevolution of the social and ecological components of a complex coastal system along with regime shifts (in historic perspective).	Adap	Social-ecological systems, Resilience, Drivers-Pressures-State-Impacts-Responses framework.	Chronosystemic timeline approach, Time series analyses based on indicators.	Inter
26	Lazurko et al., 2023	0	Big-picture scenarios of a river basin under climate change by characterizing future change as emergent from interactions between diverse efforts to build resilience and a complex, cross-scale SES.	Adap	Social-ecological systems, Water governance, Resilience.	Cross-impact balances method, Narrative scenarios, Participative modeling.	Trans
27	Walsh et al., 2023	0	Human decision-making trajectories, with continued and prescient impacts in the rapidly changing Arctic.	Chan	Cultural evolutionary framework.	Cultural evolution method, Ethnographic analysis, Literature review.	Multi

Note: Adap = adaptation; Chan = change; Dev = development; Multi = multidiscipline; Inter = interdiscipline; Trans = Transdiscipline.

Source: Self-elaboration.

As shown in Table 1, three principal characteristics of SEST can be detected: *i*) multiple components and interactions inside and outside the SES (systems, interconnected dimensions, interactions between diverse efforts, etc.); *ii*) temporal dynamics of SES transformations (dynamic processes, chronological steps, short- or long-term processes, historical perspectives, past, contemporary, evolution trends, etc.); and *iii*) spatial scales (large-scale collapse, cross-scale SES, regional or local scales, etc.). Different analytical and methodological frameworks are used for the study of SESTs, depending on the objectives of each particular study.

However, the SEST studies clearly focus on examining the change processes within the entire SES under various external and internal pressures and analyze its past and present conditions to project possible or plausible future scenarios toward sustainability.

Therefore, depending on the concepts applied for the SEST analysis and the study purposes, three categories (or typologies) of SEST can be observed: *i*) *adaptation*,

referring to SES transition, evolution, and adaptation processes (studies of global drivers, such as climate change, and the mitigation or adaptation processes of SESs); *ii) change*, related to SES transformations *per se*, processes of changes, coevolution, interactions, and settings studies (studies of total SES dynamics or their components and interconnecting changes); and *iii) development*, referring to development processes, dynamic processes, pathways to sustainability (or not), mega tendencies, and regional or global trends (studies of the projected effects of political policies or economic instruments). The adaptation and development types frequently focus on political aims and changes to research proposals.


According to the timeline of included studies, interest in the SEST topic initially began with a focus on the change category and underwent a transition toward adaptation and the eventual dominance of adaptation and development in recent years. Similarly, the SES analytical framework was predominant at the beginning of the timeline, whereas the social–ecological systems, governance, resilience, and human–environment interaction frameworks are currently more prevalent. Multidisciplinary methodological approaches were developed ten years ago, and interdisciplinary and even transdisciplinary studies emerged beginning in 2020. The methodological approach of coupling human–ecosystem models allows the analysis of not only one or several components of an SES but also comprehensive studies of an SES as a whole, considering the interactions between the social and ecological subsystems. The usefulness of SEST studies is evidenced in the interest in early studies for academic and public policy purposes and the current move toward contributions to society and local communities.

On the basis of this review, a generalized conceptualization of an SEST could be formulated as follows: “the continuous change process of understanding the present state of an SES as a result of past transformations and seeking to project possible future scenarios and determine the human actions or complex interventions required to achieve desirable (usually called sustainable) conditions”; this conceptualization is visualized in a framework (Figure 6). This definition is more comprehensive than the definition of a transformation process because it considers temporal–spatial scales of changes and projects different future paths for SESs.

Figure 6 shows that SESTs are characterized by multiple SES dimensions that include drivers (external and internal pressure factors), social and ecological subsystems, feedback or interaction through flows of ecosystem services and human actions, and outputs, which can lead to shifts, traps or system collapse. The SEST is dynamic at two scales: *i)* the temporal scale, which includes the past through historical tendencies, current states, and future scenarios (including desirable, plausible, anticipatory, resilient or sustainable conditions); and *ii)* the spatial (or territorial) scale, which includes the local, regional, and global scales. The SEST includes *adaptation, change and development* categories.

Figure 6

General SEST conceptualization proposal, with multidimensions, temporal and spatial scales dynamics



Note: Colors define the temporal (blue), spatial (purple) and multidimensional dynamics (dark and light green = ecological; dark and light coffee = social; grey = external drivers; black = internal drivers; and swamp = outputs).

Source: Self-elaboration, based on the publications review.

Formalization and operationalization of the SEST


Contexts of the case studies

The case studies identified in the 143 articles covers diverse ecosystems. Forests (19.5%), coastal (15.2%), and freshwater ecosystems (15%) are predominant, whereas grasslands (13.4%), mountains (9%), wetlands (9%), marine ecosystems (7.9%), arctic ecosystems (3%), and pampas ecosystems (0.6%) are less represented. In terms of ecosystem services (ESs), provisioning services (56%), which refer to the production of tangible resources, such as food, water, raw materials, and energy, are dominant. They are followed by regulating services (22%), cultural services (16%) and supporting services (5%), which are less prevalent. Additionally, ESs include resource provision (43%), followed by hydrological (21%), landscape (17%), biodiversity (14%), and carbon capture (2%).

Eleven types of SESs are identified in the analyzed articles. Agricultural (20.6%), pastoral (14%), and fisheries SESs (14.1%), which are characterized by economic activities, predominate. These are followed by forest (11%), aquatic (11%), tourist (6%), conservation (5%), agroforestry (3%), infrastructure (3%), urban (2%), and hunting SESs (1%), which are less common. When analyzing ecosystems, ESs and SESs as a whole, there is a clear bias toward valuing and considering human benefits, mainly in terms of resource extraction or good production (food, wood, energy, etc.) (Figure 7).

Figure 7

Flow diagram of the relationship between ecosystems, functional and thematic ES, and social-ecological systems



Source: Self-elaboration.

SESTs in the case studies

Among the identified problems for SESs (see Annex 4) are social–ecological (30.8%), ecological (23.9%), economic (14.2%), social (13.4%), political (12.6%) and infrastructure challenges (5.3%). In 57.9% of the cases, the acknowledged problems have a local territorial scale (as reflected in land use change, the loss of community knowledge, the weakening of governance systems, and the presence of illicit activities), whereas the remaining cases focused on global issues (climate change, economic crises, demographic changes, urbanization, and international politics). Listed from the most to the least represented, the actors involved in SES functioning include communities residing in the study areas that directly use and benefit from different ESs (39%), public entities that regulate ES access and exploitation (28%), and, to a lesser extent, private companies (18%), academia (9%), and nongovernmental organizations (7%).


Among the drivers that influence SES changes, 32.9% of the external drivers are economic, 25.2% environmental, 23.4% political, 11.7% social, and 6.8% are technological. In terms of the sources of internal drivers, 46.9% are social, 19.6% environmental, 17.2% economic, 12.9% political, and 3.3% are technological. Interestingly, some global phenomena, mainly economic phenomena (such as economic regulation, financial crises, and the international market), drive processes that are typically of a social nature and thereby affect the dynamics and functioning of SESs at the local level. This trend is also evident in the analysis of the SES components considered in the studies. Therefore, most of the articles (26%) analyze social subsystems, with 25% analyzing outputs, 20% analyzing drivers, 15% analyzing ecological subsystems, 8% analyzing actions, and 6% analyzing ESs (Figure 8).

The majority of the studies were conducted in rural settings (89.5%), with a minority concentrated in urban (4.9%) and periurban (1.4%) contexts. The remaining 4.2% of studies correspond to cases that, owing to their scope, encompass all three contexts. The spatial scale is regional (including watersheds, deltas, and bioregions) in 69% of the studies, local (villages, settlements, cities, and protected natural areas) in 15.5%, international (involving multiple countries) in 13.4%, and national (country-level studies) in 4.2%. Only 1.4% of the articles adopt a multi-scale perspective.

At the temporal scale, the periods under analysis are diverse. For example, 18.9% of the studies analyze periods of less than 10 years, 64.3% cover periods of 10 to 99 years, and 16.8% cover periods of more than 100 years. Some archaeological and paleontological studies even analyze periods longer than 1000 years. Thus, the majority of studies (72.8%) are retrospective and analyze past events to determine how they have influenced the historical SES trajectory of a region. These studies are followed by cross-sectional studies (11.2%) that assess the current state of SESs, including their development

Figure 8

Flow diagram of the relationship between social-ecological systems, type of problems, components of the analyzed SES and tendencies of trajectories



Source: Self-elaboration.

and evolution. Finally, prospective (11.9%) and retrospective studies (4.2%) predict and analyze future scenarios and past or present tendencies.

Among the three identified categories or types of SESTs, *adaptation* trajectories are found in 45.8% of the articles; these studies analyze the directions or SES paths followed in response to specific drivers or disturbances. These indices are often used to assess the capacity of an SES to adapt to changing conditions (usually climate) while maintaining relatively stable properties, functioning, and equilibrium. *Change* trajectories are identified in 38% of the studies, which explore SES transformations due to exposure to disruptive events or stress factors that modify SES properties, structure, and functioning. This trajectory is adopted in the study of thresholds, transitions, and regime shifts in SESs. *Development* trajectories focus on SES evolution toward more sustainable, equitable, and desirable states, and they are present in 16.2% of the articles. This perspective is used to describe the changes that SESs undergo, especially in the long term.

Theoretical and methodological approaches

Based on the review of the theoretical approaches applied in SEST studies (see Annex 5a), five major groups that are used for the construction, description, and analysis of trajectories are identified:


- Social–ecological system and human ecology approaches are the most commonly adopted (44%); these incorporate analytical frameworks that consider both social and ecological dynamics and their interactions with human activities.
- The second-most common approaches are the resilience and adaptation approaches (26%), which include frameworks that assess levels of risk and vulnerability and determine the capacity of SESs to absorb disturbances and adapt to changes.
- Landscape, planning, management, and land use change approaches (16%) involve theories and concepts used to examine land use changes at various territorial scales and analyze the implementation effects of public policy instruments.
- Ecological approaches (10%) are undertaken in efforts to understand ecosystem interactions and dynamics.
- Finally, impact assessment approaches (4%) include the use of frameworks and tools to determine the effects of human activities on SESs and SESTs. Interestingly, given the complex and interdisciplinary nature of SESs, most articles (55%) combine theories, frameworks, and concepts from different approaches, with the SES framework interacting with or combining most of them.

There is a clear correlation between the SEST categories and the theoretical approaches used for their analysis. For example, *adaptation* trajectories are explored primarily through resilience and adaptation approaches, as well as impact assessment approaches. *Change* trajectories tend to involve ecological approaches and theories related to the landscape, planning, management, and land use change assessment approaches. Finally, *development* trajectories are often examined using SES and human ecology approaches (Figure 9).

Methodologically, qualitative methods and related tools are used in 48.3% of the articles, which focus mainly on the social subsystem or the action situation and describe components, dynamics, issues, and trajectories. Quantitative methods, present in 35% of the papers, are applied mostly to analyze ecological subsystems and outputs and examine SES relationships, patterns, effects, tendencies, and impacts. Mixed-methods studies, which combine and analyze qualitative and quantitative data for a more comprehensive and in-depth understanding of SESTs, constitute only 16.7% of the total.

Figure 9

Flow diagram of the relationship between tendencies in social-ecological trajectories, temporal perspective, theoretical and methodological approach



Source: Self-elaboration.

In terms of data collection forms and special techniques, the following are predominant: historical analysis and scientific document reviews (46%); interviews with communities, organizations, decision-makers, and other stakeholders (20%); focus groups (13%); surveys (10%); geostatistical data systematization (5%); field sampling (3%); monitoring (2%); and role-playing (1%). The following data analysis methods (see Annex 5b) stand out: perception-based, narrative, and discourse analyses (28%); scenario modeling and simulations (17%); documentary analyses (13%); statistical analyses (11%); indicator generation and analyses (9%); development of conceptual models (6%); remote sensing and spatial analyses (6%); participatory and interactive methods (4%); laboratory measurements (4%); and ethnographic methods (2%).

Multidisciplinary approaches are found in 51% of the articles regarding knowledge integration in SESTs. Interdisciplinary approaches, which aim for a systemic understanding, are present in 38.5% of the publications. Finally, transdisciplinary approaches, which aim to integrate the perspectives of scientists and other involved actors, are present in only 10.5% of the publications.

With respect to the methodologies applied by SEST category, the studies from the *adaptation* perspective adopt the qualitative (22%), mixed (24%) and quantitative (13%) methodologies. The applied techniques include documentary analysis, narrative analysis, spatial analysis, thematic analysis, conceptual modeling, archaeological studies, meta-analysis, and case-study approaches. Among the methodological approaches, 22% of studies adopt a multidisciplinary approach, 15% an interdisciplinary approach, and 8% a transdisciplinary perspective. Among the *change* studies, 17% are qualitative, 16% are quantitative, and 4% have a mixed focus; and techniques such as scenario analysis, landscape modeling, social perception, spatial and statistical analysis, conceptual modeling, literature reviews, and network analysis are used. Among

these studies, 21% adopt a multidisciplinary approach, 15% an interdisciplinary approach, and 1% a transdisciplinary approach. Finally, for studies in the *development* category, 10% present a qualitative focus, 6% a quantitative focus, and 1% a mixed focus, and the technical methods adopted include documentary review, system dynamics modeling, interpretative research, meta-analysis literature review, statistical analysis, system dynamics, and spatial analysis. Moreover, 8% of these studies adopt an interdisciplinary approach, 7% a multidisciplinary approach and 1% a mixed methodological approach.

With respect to the usefulness of the generated knowledge, given the scientific nature of the articles, academic use (100%) is dominant. However, a significant percentage of the papers have results that are useful for informing and enriching public policies (54.5%), as well as inspiring social actions and empowering communities in different areas (50.3%), especially in recent years.

Discussion

Characterization of publications

The results of the SLR show a steady growth in SEST studies since 2004, which indicates an increased interest in and understanding of this topic. However, up to this point, such publications have been led by authors from countries in the Global North, particularly from institutions in the United States, France, England, Germany and Sweden. In contrast, the majority of the studied sites are in countries in the Global South. The same tendency has been identified with regard to other environmental issues, such as state-of-the-art of ES studies, ES payment thematic studies (Perevochtchikova et al., 2019, 2021) and operationalization of the SES framework (Gómez-Santiz et al., 2021). According to Hazlett et al. (2020) and Maas et al. (2019) this geographical and cultural bias among authors has repercussions for the selection of case studies, the issues analyzed, the theoretical approaches used, and the analytical perspectives adopted. It also highlights financial inequalities among countries in terms of the resources invested in scientific research (Balvanera et al., 2020).

In this context, the lack of representation of authors from countries and institutions from the Global South in SEST publications can lead to “parachute science,” in which scientists and communities in the study areas are either not incorporated into the research processes or excluded from the publication (Haelewaters et al., 2021; Odeny & Borsugi, 2022; Stefanoudis et al., 2021). The significant risk here is that research led by scholars from a limited group of countries may lack the richness of perspectives provided by different cultures, knowledge systems, and local experiences; furthermore, they may result in the absence of a transdisciplinary view. To mitigate

this issue, it is essential to promote equal international collaboration and include diverse perspectives, contexts and voices. Research on SEST must be truly global and open to the participation and contributions of authors worldwide (Asase et al., 2021; Ocampo-Ariza, 2023).

Conceptualization of SEST

The conceptual definition of SEST in this work provides an integrated proposal for studying SESTs in various dimensions and at the temporal and spatial scales. This is essential for addressing the complexity and dynamics of SES transformations and facilitating the development of theoretical and empirical studies that model SES development and evolution in different contexts and with different drivers (Perevochtchikova et al., 2024). Such a definition is necessary for practices and studies on social–ecological dynamics, for example, for territorial planning and local decisions.

Furthermore, the framework is useful for visualizing multiactor participation in social–ecological research for political ends and generating useful information for decision-making at different levels (Leenhardt et al., 2015). In this regard, it is encouraging that a significant percentage of the reviewed studies can provide inputs for public policy design and local community empowerment (Perevochtchikova et al., 2024).

An interesting example is the work of Ford et al. (2013), which was developed with a community-based participatory research approach for vulnerability and adaptation to climate change analysis. Similarly, Nayak (2014) analyzed the impact of changes in the ecological subsystem on small-scale fisheries; Gaube et al. (2009) simulated land use change scenarios on the basis of a locally developed model; and Lamarque et al. (2013) modeled land management trajectories on the basis of social participation. Therefore, the understanding of potential SESTs and related effects can help raise awareness in society and support appropriate changes in human activities.

SESTs in the case studies

An important tendency observed in the SLR is that the studied ecosystems, ES and SES, are oriented toward the attainment of human benefits. The emphasis on the anthropocentric dimension, which is evident in the types of issues, drivers, and components of the analyzed SES, raises interesting questions about how ecological aspects and SES are considered in general (Binder et al., 2013). Given the complexity and uncertainty surrounding the behavior and dynamics of SESs under stressed conditions (due to internal and external drivers), it is necessary to promote research that examines resilience and adaptation issues (Folke, 2016) and recognizes the intrinsic value

of ESs and their capacity to maintain essential ecological processes as a foundation for society (Arias-Arevalo et al., 2017). In this sense, the conceptual tensions of resilience must be considered, and its definition must be reviewed (Meerow et al., 2016).

Through the SLR, three categories of SEST are identified, with a dominance of *adaptation*, followed by the *change* and *development* trajectories. The predominance of adaptation trajectories can be explained by the need to understand how SESs maintain stability and functionality in changing environments (Júnior et al., 2015). The emphasis on adaptation is closely related to the significant scientific interest generated by global climate change, as well as the political failure of mitigation agendas (Schipper, 2006; Bassett & Fogelman, 2013). Considering that publications on SESTs began eight years after the adaptation term was included in the international policy agenda, this approach, along with related notions of risk, vulnerability, and resilience, clearly carries weight in the scientific literature.

On the other hand, SEST studies related to change and development emphasize the evolutionary dynamics and transformations that SESs undergo. These studies of the change in SESTs focus on determining critical thresholds and transitions to other states of equilibrium (Arlinghaus et al., 2022; Debonne et al., 2022). In contrast, studies of the change in SESs focus on determining pathways (Cradock-Henry et al., 2021; De Herde et al., 2022; Karpouzoglou et al., 2020), levers, and leverage points (Fischer & Riechers 2019; Gómez-Santiz et al., 2021). Developmental trajectories refer to SES evolution toward more desirable, sustainable, and prosperous futures with respect to sustainability (Abson et al., 2016; Ávila Foucat et al., 2020; Chan et al., 2020; Fischer & Riechers, 2019; Riechers et al., 2021).

Theoretical and methodological approaches

The three categories of SESTs identified in the SLR (*adaptation*, *change*, and *development*) include a variety of approaches and are clearly associated with specific analytical and methodological approaches. The prevalence of SES and human ecology frameworks suggests that a significant portion of studies focus on understanding the complex interactions between ecological subsystems and human activities (Virapongse et al., 2016). Nevertheless, there is an evident interest in exploring SES resilience, planning, governance, landscape-level changes, and certain types of strictly ecological processes from alternative theoretical perspectives.

Notably, regardless of the categories of trajectories, theoretical approaches, and analytical frameworks applied, the sustainability discourse dominates in almost all the reviewed studies. Sustainability is considered a guiding principle, goal, and desirable future in projected SES trajectories, with various nuances and meanings often left unquestioned (Kuhlman & Farrington, 2010). In this context, several studies (Ciegis et

al., 2009; Toman, 2010) have noted that sustainability is an ambiguous and politically charged term that is susceptible to varied interpretations and raises questions about who defines what is sustainable and under what conditions. Bostrom (2013) proposed understanding sustainability in dynamic terms rather than as a sustainable state, especially in the face of existential risk.

The theoretical approaches, coupled with the methodological strategies applied in the case studies, support the examination of SEST temporality in a prospective, retrospective, retroprospective, and cross-sectional manner. Such analysis is conducted primarily using qualitative methods aimed at constructing narratives, historical analyses, or symbolic explanations for social subsystems, followed by quantitative methods that employ modeling and other statistical techniques to provide quantified representations of the transformations experienced by ecological subsystems and complete SESs (Jahel et al., 2023). To date, a low proportion of studies adopt mixed methods, the prospective and retrospective perspectives, and multiple spatial scales, which reflects the challenges involved in employing these approaches (Schlüter et al., 2012). However, the combination of these methods can offer a more comprehensive understanding of the analyzed SES trajectories in a cross-sectional manner (Ávila Foucat et al., 2020; Perevochtchikova et al., 2024).

In the same vein, there is a prevalence of multidisciplinary and interdisciplinary approaches, with limited studies from a transdisciplinary perspective, despite the importance of such a perspective for understanding complex SES dynamics (Folke, 2016; Merçon et al., 2018), where the incorporation of nonscientific actors into the research process is a fundamental requirement (Lang et al., 2012). However, infrequent use of the transdisciplinary approach, adopted in approximately 10% of the articles, suggests a low level of stakeholder involvement in the scientific research process and related decision-making.

The transition from additive perspectives, which are typical of multidisciplinary approaches, to the integrative and interdisciplinary perspectives involves the use of common theoretical approaches that facilitate the transfer of assumptions, concepts, and methods across different disciplinary fields (Duval, 2015). In this SLR, theoretical approaches were identified that allow for the examination of interactions between ecological and social subsystems (such as social metabolism, social–ecological tipping points, and coupled human and natural systems). These approaches incorporate various dimensions of processes or phenomena under study (social, technological, economic, environmental, and political frameworks; sustainable livelihoods; multicriteria assessment framework; etc.) and establish causal relationships while explaining SES changes over time and space (cascading impacts; drivers–pressures–state–impacts–responses framework; pathways; etc.).

However, the applied methodologies do not always aim for integration but often focus on the analysis of one or several SES components. A similar pattern can be

observed in the methods used for the operationalization of SESs (Gómez-Santiz et al., 2021).

Study contributions and limitations

The main limitation of the study is that only scientific publications (articles) were considered, whereas the world of literature on SEST is broad and potentially includes books, chapters, reports, and theses, among other sources. On the other hand, to represent SEST studies worldwide, the decisions to use only English in the syntax search and only the Scopus database limit the regional representation, as mentioned by Gómez-Santiz et al. (2021) and Perevochtchikova et al. (2021, 2022).

However, this study offers the following contributions: *i)* a rigorous review of worldwide SEST case studies; *ii)* an analysis of SEST term definitions and proposal for general SEST conceptualization; and *iii)* a presentation of the formalization and operationalization tendencies of SESTs in reviewed case studies. Additionally, in the present work, three categories of SESTs are identified (*adaptation, change* and *development*). This typology can be useful for scholars and practitioners interested in the study of SESs and their trajectories, especially in search of sustainable future scenarios, and can be applied in tasks such as territorial planning (Chen et al., 2023; Karpouzoglou et al., 2020), environmental and local governance and decisions (Fischer-Kowalski & Rotmans, 2009; Görg et al., 2017; Perevochtchikova et al., 2024), the development of public policy instruments (Toman, 2010) and the implementation of adaptation measures (Bassett & Fogelman, 2013; Cradock-Henry et al., 2021; Fedele et al., 2020).

This SLR on SEST studies identifies the following challenges and needs: *a)* expanding research to urban and peri-urban contexts, where SES dynamics may present different but reflect equally important issues (Chen et al., 2023); *b)* including multiscale and multidimensional perspectives in the analysis, especially through the complementary use of qualitative and quantitative methods to enhance the understanding and anticipation of long-term SES dynamics (Jahel et al., 2023); *c)* developing and applying analytical frameworks and methodological tools that consider issues related to the complexity, discontinuity, and uncertainty of SES (Elsawah et al., 2020; Jahel et al., 2023; Mallampalli et al., 2016); *d)* extending the scope of generated knowledge by conducting new studies in countries and regions that have not been previously analyzed (McGinnis & Ostrom, 2014); *e)* fostering international collaboration and the involvement of diverse stakeholders to more effectively address global social–ecological challenges (Holzer et al., 2018); *f)* adopting the inter- and transdisciplinary perspectives to incorporate the knowledge of different involved actors (Folke, 2016; Merçon et al., 2018); and *g)* encouraging critical reflection and in-depth exploration of the socioeconomic

and political implications, regulations within the sustainability discourse, and their influence on SES trajectories (Ávila Foucat et al., 2020; Newton & Freyfogle, 2005).

Conclusions

This work offers an SLR on SESTs through worldwide case studies. All of the following hypotheses are confirmed: *i)* few definitions of the term SEST exist; *ii)* studies of the formalization and operationalization of the term are biased toward a partial understanding of SES; and *iii)* multidisciplinary and interdisciplinary studies dominate. In this context, the main contribution of this work is in its review of the existing definitions and studies of SEST conceptualization, along with the temporal and spatial tendencies and theoretical and methodological approaches applied in related research. Additionally, the adaptation, change and development SEST categories are identified.

This study highlights significant research challenges, such as the development and application of comprehensive and mixed methods that reflect both the interdisciplinary and transdisciplinary focuses and the adoption of the multiscale, multitemporal, and multiactor perspectives. Improved understanding of the complex dynamics of SESTs represents a crucial step in enriching territorial planning and decision-making processes and expanding the capacity to address essential challenges along the path toward territorial resilience, sustainability, and socioecological equity.

Acknowledgments

To José Pablo Salas for support in preparation the Figures 3-5 y 7-9, and Bárbara Espinosa in initial graphic construction. Special acknowledgment to Secretariat of Science, Humanities, Technology and Innovation (SECIHTI) for National Sabbatical Scholarship 2024-000006-01NACV-00016; and to reviewers of manuscript.

References

- Abson, D. J., Fischer, J., Leventon, J., Newig, J., Schomerus, T., Vilsmaier, U., von Weh-
rden, H., Abernethy, P., Ives, C. D., Jager, N. W., & Lang, D. J. (2016). Leverage points
for sustainability transformation. *AMBIO: A Journal of the Human Environment*,
46(1), 30-39. <https://doi.org/10.1007/s13280-016-0800-y>
- Arias-Arevalo, P., Martín-López, B., & Gómez-Baggethun, E. (2017). Exploring intrinsic,
instrumental, and relational values for sustainable management of social-ecologi-
cal systems. *Ecology and Society*, 22(4). <https://www.jstor.org/stable/26799016>
- Arlinghaus, R., Riepe, C., Theis, S., Pagel, T., & Fujitani, M. (2022). Dysfunctional in-

- formation feedbacks cause the emergence of management panaceas in social-ecological systems: The case of fish stocking in inland recreational fisheries. *Journal of Outdoor Recreation and Tourism*, 38, 100475. <https://doi.org/10.1016/j.jort.2021.100475>
- Asase, A., Mzumara, T. I., Owino, J., Peterson, A. T., & Saupe, E. E. (2021). Replacing “parachute science” with “global science” in ecology and conservation biology. *Conservation Science and Practice*, 4(5). <https://doi.org/10.1111/csp2.517>
- Ávila Foucat, V. S., Torres Freyermuth, A., Esqueda Lara, K., Medellín Mayoral, G., Salgado Nieto, U., González Quintero, C., Ramírez León, A., & Reyna Fabián, M. (2020). Trayectoria de los socioecosistemas costeros. En V. S. Ávila Foucat & I. Espejel (Coords.), *Resiliencia de socioecosistemas costeros* (pp. 134-167). UNAM.
- Balvanera, P., Pérez-Harguindeguy, N., Perevochtchikova, M., Littera, P., Cáceres, D., & Langle-Flores, A. (2020). Ecosystem services research in Latin America 2.0: Expanding collaboration across countries, disciplines, and sectors. *Ecosystem Services*, 42, 101086. <https://doi.org/10.1016/j.ecoser.2020.101086>
- Bassett, T. J., & Fogelman, C. (2013). Déjà vu or something new? The adaptation concept in the climate-change literature. *Geoforum*, 48, 42-53. <https://doi.org/10.1016/j.geoforum.2013.04.010>
- Berkes, F., & Folke, C. (Eds.). (1998). *Linking social and ecological systems: Management practices and social mechanisms for building resilience*. Cambridge University Press.
- Berkes, F., Colding, J., & Folke, C. (Eds.). (2003). *Navigating social-ecological systems: Building resilience for complexity and change*. Cambridge University Press.
- Binder, C. R., Hinkel, J., Bots, P. W. G., & Pahl-Wostl, C. (2013). Comparison of frameworks for analyzing social-ecological systems. *Ecology and Society*, 18(4). <https://doi.org/10.5751/ES-05551-180426>
- Booth, A., Papaioannou, D., & Sutton, A. (2012). *Systematic approaches to a successful literature review*. ResearchGate. <https://www.researchgate.net/publication/235930866>
- Bostrom, N. (2013). Existential risk prevention as global priority. *Global Policy*, 4(1), 15-31. <https://doi.org/10.1111/1758-5899.12002>
- Brown, K. (2015). *Resilience, development and global change*. Routledge. <https://doi.org/10.4324/9780203498095>
- Chan, K. M. A., Boyd, D. R., Gould, R. K., Jetzkowitz, J., Liu, J., Muraca, B., Naidoo, R., Olmsted, P., Satterfield, T., Selomane, O., Singh, G. G., Sumaila, R., Ngo, H. T., Boedhihartono, A. K., Agard, J., Aguiar, A. P. D., Armenteras, D., Balint, L., Barrington-Leigh, C., & Brondizio, E. S. (2020). Levers and leverage points for pathways to sustainability. *People and Nature*, 2(3), 693-717. <https://doi.org/10.1002/pan3.10124>
- Chen, S., Chen, H., Yang, R., & Ye, Y. (2023). Linking social-ecological management and ecosystem service bundles: Lessons from a peri-urban agriculture landscape. *Land Use Policy*, 131, 106697. <https://doi.org/10.1016/j.landusepol.2023.106697>

- Ciegis, R., Ramanauskiene, J., & Martinkus, B. (2009). The concept of sustainable development and its use for sustainability scenarios. *Engineering Economics*, 62(2), 28-37. <https://inzeko.ktu.lt/index.php/EE/article/view/11609>
- Codina, L. (2018). Revisiones bibliográficas sistematizadas: Procedimientos generales y framework para ciencias humanas y sociales. Máster Universitario en Comunicación Social. <https://repositori.upf.edu/items/224872e9-6f79-4666-8ad9-07aad198aa97>
- Colding, J., & Barthel, S. (2019). Exploring the social-ecological systems discourse 20 years later. *Ecology and Society*, 24(1). <https://doi.org/10.5751/ES-10598-240102>
- Cradock-Henry, N. A., Blackett, P., Connolly, J., Frame, B., Teixeira, E., Johnstone, P., & Wreford, A. (2021). Principles and process for developing participatory adaptation pathways in the primary industries. *Elementa: Science of the Anthropocene*, 9(1). <https://doi.org/10.1525/elementa.2020.00175>
- Cumming, G. S. (2011). Spatial resilience: Integrating landscape ecology, resilience, and sustainability. *Landscape Ecology*, 26(7), 899-909. <https://doi.org/10.1007/s10980-011-9623-1>
- Debonne, N., Bürgi, M., Diogo, V., Helfenstein, J., Herzog, F., Levers, C., Mohr, F., Swart, R., & Verburg, P. H. (2022). The geography of megatendencies affecting European agriculture. *Global Environmental Change*, 75, 102551. <https://doi.org/10.1016/j.gloenvcha.2022.102551>
- De Herde, V., Segers, Y., Maréchal, K., & Baret, P. (2022). Lock-ins to transition pathways anchored in contextualized cooperative dynamics: Insights from the historical trajectories of the Walloon dairy cooperatives. *Journal of Rural Studies*, 94, 161-176. <https://doi.org/10.1016/j.jrurstud.2022.04.003>
- De Vos, A., Biggs, R., & Preiser, R. (2019). Methods for understanding social-ecological systems: A review of place-based studies. *Ecology and Society*, 24(4). <https://doi.org/10.5751/ES-11236-240416>
- Duval, G. (2015). Las fronteras móviles de las disciplinas. En A. Argueta & G. Peimbert (Coords.), *La ruptura de las fronteras imaginarias o de la multi a la transdisciplina* (pp. 28-40). UNAM / Siglo X.
- Elsawah, S., Hamilton, S. H., Jakeman, A. J., Rothman, D. S., Schweizer, V., Trutnevyte, E., Carlsen, H., Drakes, C., Frame, B., Fu, B., Guivarch, C., Haasnoot, M., Kemp-Benedict, E., Kok, K., Kosow, H., Ryan, M. J., & Van Delden, H. (2020). Scenario processes for socio-environmental systems analysis of futures: A review of recent efforts and a salient research agenda for supporting decision making. *Science of the Total Environment*, 729, 138393. <https://doi.org/10.1016/j.scitotenv.2020.138393>
- Fedele, G., Donatti, C. I., Harvey, C. A., Lee, H., & Hole, D. G. (2020). Limited use of transformative adaptation in response to social-ecological shifts driven by climate change. *Ecology and Society*, 25(1). <https://doi.org/10.5751/ES-11381-250125>
- Fischer, J., & Riechers, M. (2019). A leverage-points perspective on sustainability. *People and Nature*, 1(1), 115-120. <https://doi.org/10.1002/pan3.13>

- Fischer-Kowalski, M., & Rotmans, J. (2009). Conceptualizing, observing, and influencing social-ecological transitions. *Ecology and Society*, 14(2). <https://doi.org/10.5751/ES-02857-140203>
- Folke, C. (2016). Resilience (republished). *Ecology and Society*, 21(4), 44. <https://doi.org/10.5751/ES-09088-210444>
- Ford, J. D., McDowell, G., Shirley, J., Pitre, M., Siewierski, R., Gough, W. A., Duerden, F., Pearce, T., Adams, P., & Statham, S. (2013). The dynamic multiscale nature of climate-change vulnerability: An Inuit harvesting example. *Annals of the Association of American Geographers*, 103(5), 1193-1211. <https://doi.org/10.1080/00045608.2013.776880>
- Gaube, V., Kaiser, C., Wildenberg, M., Adensam, H., Fleissner, P., Köbler, J., Lutz, J., Schaumberger, A., Schaumberger, J., Smetschka, B., Wolf, A., Richter, A., & Haberl, H. (2009). Combining agent-based and stock-flow modelling approaches in a participative analysis of the integrated land system in Reichraming, Austria. *Landscape Ecology*, 24(9), 1149-1165. <https://doi.org/10.1007/s10980-009-9356-6>
- Gómez-Santiz, F., Perevochtchikova, M., & Ezzine-De-Blas, D. (2021). Behind the scenes: Scientific networks driving the operationalization of the social-ecological system framework. *Science of the Total Environment*, 787, 147473. <https://doi.org/10.1016/j.scitotenv.2021.147473>
- González-Quintero, C., & Ávila-Foucat, V. S. (2019). Operationalization and measurement of social-ecological resilience: A systematic review. *Sustainability*, 11(21), 6073. <https://doi.org/10.3390/su11216073>
- Görg, C., Brand, U., Haberl, H., Hummel, D., Jahn, T., & Liehr, S. (2017). Challenges for social-ecological transformations: Contributions from social and political ecology. *Sustainability*, 9(7), 1045. <https://doi.org/10.3390/su9071045>
- Grant, M. J., & Booth, A. (2009). A typology of reviews: An analysis of 14 review types and associated methodologies. *Health Information and Libraries Journal*, 26(2), 91-108. <https://doi.org/10.1111/j.1471-1842.2009.00848.x>
- Haelewaters, D., Hofmann, T. A., & Romero-Olivares, A. L. (2021). Ten simple rules for Global North researchers to stop perpetuating helicopter research in the Global South. *PLOS Computational Biology*, 17(8), e1009277. <https://doi.org/10.1371/journal.pcbi.1009277>
- Hazlett, M. A., Henderson, K., Zeitzer, I. F., & Drew, J. A. (2020). The geography of publishing in the Anthropocene. *Conservation Science and Practice*, 2(10). <https://doi.org/10.1111/csp2.270>
- Herrero-Jáuregui, C., Arnaiz-Schmitz, C., Reyes, M. F., Telesnicki, M. C., Agramonte, I., Easdale, M. H., Schmitz, M. F., Aguiar, M. R., Gómez-Sal, A., & Montes, C. (2018). What do we talk about when we talk about social-ecological systems? A literature review. *Sustainability*, 10(8), 2950. <https://doi.org/10.3390/su10082950>
- Higgins, J. P. T., Lasserson, T., Chandler, J., Tovey, D., Thomas, J., Flemyng, E., & Chur-

- chill, R. (2019). *Methodological expectations of Cochrane intervention reviews*. Cochrane. <https://community.cochrane.org/mecir-manual>
- Holzer, J. M., Carmon, N., & Orenstein, D. E. (2018). A methodology for evaluating transdisciplinary research on coupled socio-ecological systems. *Ecological Indicators*, 85, 808-819. <https://doi.org/10.1016/j.ecolind.2017.10.074>
- Jahel, C., Bourgeois, R., Bourgoïn, J., Daré, W., De Lattre-Gasquet, M., Delay, E., Dumas, P., Page, C. L., Piraux, M., & Prudhomme, R. (2023). The future of social-ecological systems at the crossroads of quantitative and qualitative methods. *Technological Forecasting and Social Change*, 193, 122624. <https://doi.org/10.1016/j.techfore.2023.122624>
- Júnior, W. S. F., Nascimento, A. J. D., Ramos, M. A., De Medeiros, P. M., Soldati, G. T., Santoro, F. R., Reyes-García, V., & Albuquerque, U. P. (2015). Resilience and adaptation in social-ecological systems (pp. 105-119). Springer. https://doi.org/10.1007/978-3-319-19917-7_8
- Karpouzoglou, T., Dewulf, A., Perez, K., Gurung, P., Regmi, S., Isaeva, A., Foggin, J. M., Bastiaensen, J., Van Hecken, G., Zulkafli, Z., Mao, F., Clark, J., Hannah, D. M., Chapagain, P. S., Buytaert, W., & Cieslik, K. (2020). From present to future development pathways in fragile mountain landscapes. *Environmental Science & Policy*, 114, 606-613. <https://doi.org/10.1016/j.envsci.2020.09.016>
- Krekelberg, B., & Lappe, M. (1999). Temporal recruitment along the trajectory of moving objects and the perception of position. *Vision Research*, 39(16), 2669-2679. [https://doi.org/10.1016/S0042-6989\(98\)00287-9](https://doi.org/10.1016/S0042-6989(98)00287-9)
- Kuhlman, T., & Farrington, J. (2010). What is sustainability? *Sustainability*, 2(11), 3436-3448. <https://doi.org/10.3390/su2113436>
- Lamarque, P., Artaux, A., Barnaud, C., Dobremez, L., Nettier, B., & Lavorel, S. (2013). Taking into account farmers' decision making to map fine-scale land-management adaptation to climate and socio-economic scenarios. *Landscape and Urban Planning*, 119, 147-157. <https://doi.org/10.1016/j.landurbplan.2013.07.012>
- Lang, D. J., Wiek, A., Bergmann, M., Stauffacher, M., Martens, P., Moll, P., Swilling, M., & Thomas, C. J. (2012). Transdisciplinary research in sustainability science: Practice, principles, and challenges. *Sustainability Science*, 7(Suppl 1), 25-43. <https://doi.org/10.1007/s11625-011-0149-x>
- Leenhardt, P., Teneva, L., Kininmonth, S., Darling, E. S., Cooley, S. R., & Claudet, J. (2015). Challenges, insights and perspectives associated with using social-ecological science for marine conservation. *Ocean & Coastal Management*, 115, 49-60. <https://doi.org/10.1016/j.ocecoaman.2015.04.018>
- Maas, B., Toomey, A., & Loyola, R. (2019). Exploring and expanding the spaces between research and implementation in conservation science. *Biological Conservation*, 240, 108290. <https://doi.org/10.1016/j.biocon.2019.108290>
- Mallampalli, V., Mavrommati, G., Thompson, J. R., Duveneck, M. J., Meyer, S. R., Lig-

- mann-Zielinska, A., Druschke, C. G., Hychka, K. C., Kenney, M. A., Kok, K., & Borsuk, M. E. (2016). Methods for translating narrative scenarios into quantitative assessments of land-use change. *Environmental Modelling & Software*, 82, 7-20. <https://doi.org/10.1016/j.envsoft.2016.04.011>
- McGinnis, M. D., & Ostrom, E. (2014). Social-ecological system framework: Initial changes and continuing challenges. *Ecology and Society*, 19(2). <https://doi.org/10.5751/ES-06387-190230>
- Meerow, S., Newell, J. P., & Stults, M. (2016). Defining urban resilience: A review. *Landscape and Urban Planning*, 147, 38-49. <https://doi.org/10.1016/j.landurbplan.2015.11.011>
- Merçon, J., Ayala-Orozco, B., & Rosell, J. A. (2018). *Experiencias de colaboración transdisciplinaria para la sustentabilidad*. Research Gate. <https://www.researchgate.net/publication/327043190>
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P. G., & Stewart, L. (2015). Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Systematic Reviews*, 4(1). <https://doi.org/10.1186/2046-4053-4-1>
- Montoya, F. G., Alcayde, A., Baños, R., & Manzano-Agugliaro, F. (2018). A fast method for identifying worldwide scientific collaborations using the Scopus database. *Telematics and Informatics*. <https://doi.org/10.1016/j.tele.2017.10.010>
- Nayak, P. K. (2014). The Chilika Lagoon social-ecological system: An historical analysis. *Ecology and Society*, 19(1). <https://doi.org/10.5751/ES-05978-190101>
- Newton, J. L., & Freyfogle, E. T. (2005). Sustainability: A dissent. *Conservation Biology*, 19(1), 23-32. https://doi.org/10.1111/j.1523-1739.2005.538_1.x
- O'Brien, K. (2012). Global environmental change II: From adaptation to deliberate transformation. *Progress in Human Geography*, 36(5), 667-676.
- Ocampo-Ariza, C., Toledo-Hernández, M., Librán-Embid, F., Armenteras, D., Vansynghel, J., Raveloaritiana, E., Arimond, I., Ángulo-Rubiano, A., Tscharncke, T., Ramírez-Castañeda, V., Wurz, A., Marcacci, G., Anders, M., Urbina-Cardona, J. N., De Vos, A., Devy, S., Westphal, C., Toomey, A., Sheherazade, & Maas, B. (2023). *Perspectives in Ecology and Conservation*, 21(1), 17-24. <https://doi.org/10.1016/j.pecon.2023.01.002>
- Odeny, B., & Bosurgi, R. (2022). Time to end parachute science. *PLOS Medicine*, 19(9), e1004099. <https://doi.org/10.1371/journal.pmed.1004099>
- Ostrom, E. (2009). A general framework for analyzing sustainability of social-ecological systems. *Science*, 325(5939), 419-422. <https://doi.org/10.1126/science.1172133>
- Palomo, I., Locatelli, B., Otero, I., Colloff, M. J., Crouzat, E., Cuni-Sanchez, A., Gómez-Baggethun, E., González-García, A. C., Grêt-Regamey, A., Jiménez-Aceituno, A., Martín-López, B., Pascual, U., Zafra-Calvo, N., Bruley, E., Fischborn, M., Metz,

- R., & Lavorel, S. (2021). Assessing nature-based solutions for transformative change. *One Earth*, 4(5), 730-741. <https://doi.org/10.1016/j.oneear.2021.04.013>
- Partelow, S. (2018). A review of the social-ecological systems framework: Applications, methods, modifications, and challenges. *Ecology and Society*, 23(4). <https://doi.org/10.5751/ES-10594-230436>
- Perevochtchikova, M., Gómez-Santiz, F., & Galeana Pizaña, M. (Eds.). (2024). *¿Qué vemos y no sabemos? Trayectorias socio-ecológicas a nivel de cuenca en periferia urbana: Nueva mirada al Suelo de Conservación de la Ciudad de México*. El Colegio de México / CentroGeo.
- Perevochtchikova, M., Almeida Leñero, L. O., Flores-Díaz, A. C., González, R., & Luque Argaz, D. (2022). ¿Qué sabemos del monitoreo participativo en México? Propuesta conceptual desde la perspectiva socio-ecosistémica y revisión sistemática de literatura científica. *Revista Gestión y Política Pública*, 31(2), 123-174. <https://doi.org/10.29265/gypp.v31i2.1259>
- Perevochtchikova, M., Castro-Díaz, R., Langle-Flores, A., & Von Thaden, J. (2021). A systematic review of scientific publications on the effects of payments for ecosystem services in Latin America, 2000–2020. *Ecosystem Services*, 49, 101270. <https://doi.org/10.1016/j.ecoser.2021.101270>
- Perevochtchikova, M., De La Mora, G., Hernandez, J., Marín, W., Langle-Flores, A., Bueno, A. R., & Negrete, I. A. R. (2019). Systematic review of integrated studies on functional and thematic ecosystem services in Latin America, 1992–2017. *Ecosystem Services*, 36, 100900. <https://doi.org/10.1016/j.ecoser.2019.100900>
- Pullin, A. S., & Stewart, G. (2006). Guidelines for systematic review in conservation and environmental management. *Conservation Biology*, 20(6), 1647–1656. <https://doi.org/10.1111/j.1523-1739.2006.00485.x>
- Riechers, M., Brunner, B., Dajka, J., Duse, I. A., Lübker, H. M., Manlosa, A. O., Sala, J. E., Schaal, T., & Weidlich, S. (2021). Leverage points for addressing marine and coastal pollution: A review. *Marine Pollution Bulletin*, 167, 112263. <https://doi.org/10.1016/j.marpolbul.2021.112263>
- Schipper, E. L. F. (2006). Conceptual history of adaptation in the UNFCCC process. *Review of European Community and International Environmental Law*, 15(1), 82-92. <https://doi.org/10.1111/j.1467-9388.2006.00501.x>
- Schlüter, M., McAllister, R. R. J., Arlinghaus, R., Bunnefeld, N., Eisenack, K., Hölker, F., Milner-Gulland, E. J., Müller, B., Nicholson, E., Quaas, M., & Stöven, M. (2012). New horizons for managing the environment: A review of coupled social-ecological systems modeling. *Natural Resource Modeling*, 25(1), 219-272. <https://doi.org/10.1111/j.1939-7445.2011.00108>
- Scoones, I. (2016). The politics of sustainability and development. *Annual Review of Environment and Resources*, 41(1), 293-319. <https://doi.org/10.1146/annurev-environ-110615-090039>

- Sievers-Glotzbach, S., & Tschersich, J. (2019). Overcoming the process-structure divide in conceptions of social-ecological transformation. *Ecological Economics*, 164, 106361. <https://doi.org/10.1016/j.ecolecon.2019.106361>
- Stefanoudis, P. V., Licuanan, W. Y., Morrison, T. H., Talma, S., Veitayaki, J., & Woodall, L. C. (2021). Turning the tide of parachute science. *Current Biology*, 31(4), R184-R185. <https://doi.org/10.1016/j.cub.2021.01.029>
- Stirling, A. (2015). Emancipating transformation: From controlling “the transition” to culturing plural radical progress. En I. Scoones, M. Leach, & P. Newell (Eds.), *The politics of green transformations: Pathways to sustainability*. Routledge.
- Stockholm Environmental Institute & Collaboration for Environmental Evidence. (2017). *The systematic review and map methodology course*. SEI. <https://systematicreviewmethods.github.io/dec.html>
- Toman, M. A. (2010). The difficulty in defining sustainability. En *The RFF reader in environmental and resource policy* (pp. 267-272). <https://doi.org/10.4324/9781936331642-54>
- Varis, O., Taka, M., & Kummu, M. (2019). The planet’s stressed river basins: Too much pressure or too little adaptive capacity? *Earth’s Future*, 7(10), 1118-1135. <https://doi.org/10.1029/2019EF001239>
- Virapongse, A., Brooks, S. K., Metcalf, E. C., Zedalis, M., Gosz, J. R., Kliskey, A., & Alessa, L. (2016). A social-ecological systems approach for environmental management. *Journal of Environmental Management*, 178, 83-91. <https://doi.org/10.1016/j.jenvman.2016.02.028>
- Visser, M., van Eck, N. J., & Waltman, L. (2020). Large-scale comparison of bibliographic data sources: Scopus, Web of Science, Dimensions, Crossref, and Microsoft Academic. *Quantitative Science Studies*, 2(1). <https://direct.mit.edu/qss/article/2/1/20/97574/Large-scale-comparison-of-bibliographic-data>

Annexes

Annex 1

List of 143 papers included in the final database for systematic literature review

-
- Acebes, P., Iglesias-González, Z., & Muñoz-Gálvez, F. J. (2021). Do traditional livestock systems fit into contemporary landscapes? Integrating social perceptions and values on landscape change. *Agriculture*, 11(11), 1107. <https://doi.org/10.3390/agriculture11111107>
- Aggarwal, R. M., & Haglund, L. (2019). Advancing water sustainability in megacities: Comparative study of São Paulo and Delhi using a social-ecological system framework. *Sustainability*, 11(19), 5314. <https://doi.org/10.3390/su11195314>
- Aguilar, C. H. M., Altoveros, N. C., Borromeo, T. H., Dayo, M. H. F., & Koohafkan, P. (2020). Traditional rice-based agroecosystem in Kiangan, Ifugao, Philippines: Drivers of change, resilience, and potential trajectories. *Agroecology and Sustainable Food Systems*, 1-21. <https://doi.org/10.1080/21683565.2020.1813861>

- Aho, K., Parsons, S. B., Arjona Castro, A. A., & Lohse, K. A. (2022). Mapping socio-ecological systems in Idaho: Spatial patterns and analytical considerations. *Ecosphere*, 13(10), e4242. <https://doi.org/10.1002/ecs2.4242>
- Allan, P., & Plant, R. (2022). Hacking: Field notes for adaptive urban planning in uncertain times. *Planning Practice & Research*, 1-18. <https://doi.org/10.1080/02697459.2022.2054566>
- Allington, G. R. H., Li, W., & Brown, D. G. (2017). Urbanization and environmental policy effects on the future availability of grazing resources on the Mongolian Plateau: Modeling socio-environmental system dynamics. *Environmental Science & Policy*, 68, 35-46. <https://doi.org/10.1016/j.envsci.2016.11.005>
- Anderies, J. M., Ryan, P., & Walker, B. H. (2006). Loss of resilience, crisis, and institutional change: Lessons from an intensive agricultural system in southeastern Australia. *Ecosystems*, 9(6), 865-878. <https://doi.org/10.1007/s10021-006-0017-1>
- Andrade, G. I., Sánchez Franco, L., & Delgado, J. (2012). Socio-ecological barriers to adaptive management of Lake Fuquene, Colombia. *International Journal of Design & Nature and Ecodynamics*, 7(3), 251-260. <https://doi.org/10.2495/DNE-V7-N3-251-260>
- Angelstam, P., Asplund, B., Bastian, O., Engelmark, O., Fedoriak, M., Grunewald, K., Ibisch, P. L., Lindvall, P., Manton, M., Nilsson, M., Nilsson, S., Roberntz, P., Shkaruba, A., Skoog, P., Soloviy, I., Svoboda, M., Teplyakov, V. K., Tivell, A., Westholm, E., & Zhuk, A. (2022). Tradition as asset or burden for transitions from forests as cropping systems to multifunctional forest landscapes: Sweden as a case study. *Forest Ecology and Management*, 505, 119895. <https://doi.org/10.1016/j.foreco.2021.119895>
- Aravindakshan, S., Krupnik, T. J., Groot, J. C. J., Speelman, E. N., Amjath-Babu, T. S., & Tiftonell, P. (2020). Multi-level socioecological drivers of agrarian change: Longitudinal evidence from mixed rice-live-stock-aquaculture farming systems of Bangladesh. *Agricultural Systems*, 177, 102695. <https://doi.org/10.1016/j.agsy.2019.102695>
- Armstrong McKay, D. I., Dearing, J. A., Dyke, J. G., Poppy, G. M., & Firbank, L. G. (2019). To what extent has sustainable intensification in England been achieved? *Science of the Total Environment*, 648, 1560-1569. <https://doi.org/10.1016/j.scitotenv.2018.08.207>
- Aslan, C. E., Brunson, M. W., Sikes, B. A., Epanchin-Niell, R. S., Veloz, S., Theobald, D. M., & Dickson, B. G. (2021). Coupled ecological and management connectivity across administrative boundaries in undeveloped landscapes. *Ecosphere*, 12(1), e3329. <https://doi.org/10.1002/ecs2.3329>
- Aslan, C. E., Veloz, S., Epanchin-Niell, R. S., Brunson, M. W., & Sikes, B. A. (2022). Integrating social and ecological predictors to understand variation within ecosystems: A case study of the Great Smoky Mountains National Park PACE. *Natural Areas Journal*, 42(4), 254-267. <https://doi.org/10.3375/22-12>
- Bannister, W., McGowan, S., Santos-Borja, A. C., Quak, J., Fong, L. S., Mendoza, M., Papa, R. D. S., & Taylor, D. (2019). Potential anthropogenic regime shifts in three freshwater lakes in tropical East Asia. *Freshwater Biology*, 64(4), 708-722. <https://doi.org/10.1111/fwb.13256>
- Bergeret, A., & Lavorel, S. (2022). Stakeholder visions for trajectories of adaptation to climate change in the Drôme catchment (French Alps). *Regional Environmental Change*, 22(1), 3. <https://doi.org/10.1007/s10113-022-01876-5>
- Bruley, E., Locatelli, B., Vendel, F., Bergeret, A., Elleaume, N., Grosinger, J., & Lavorel, S. (2021). Historical reconfigurations of a social-ecological system adapting to economic, policy and climate changes in the French Alps. *Regional Environmental Change*, 21(2), 38. <https://doi.org/10.1007/s10113-021-01760-8>
- Bueno, N., & Basurto, X. (2009). Resilience and collapse of artisanal fisheries: A system dynamics analysis of a shellfish fishery in the Gulf of California, Mexico. *Sustainability Science*, 4(2), 139-149. <https://doi.org/10.1007/s11625-009-0087-z>
- Bull, J. W., Strange, N., Smith, R. J., & Gordon, A. (2020). Reconciling multiple counterfactuals when evaluating biodiversity conservation impact in social-ecological systems. *Conservation Biology*, 34(5), 1150-1162. <https://doi.org/10.1111/cobi.13570>
- Burkhard, B., & Gee, K. (2012). Establishing the resilience of a coastal-marine social-ecological system to the installation of offshore wind farms. *Ecology and Society*, 17(4), 32. <https://doi.org/10.5751/ES-05207-170432>

- Busilacchi, S., Butler, J. R. A., Rochester, W. A., & Posu, J. (2018). Drivers of illegal livelihoods in remote transboundary regions: The case of the Trans-Fly region of Papua New Guinea. *Ecology and Society*, 23(1), 46. <https://doi.org/10.5751/ES-09817-230146>
- Cao, Y., Li, G., Cao, Y., Wang, J., Fang, X., Zhou, L., & Liu, Y. (2020). Distinct types of restructuring scenarios for rural settlements in a heterogeneous rural landscape: Application of a clustering approach and ecological niche modeling. *Habitat International*, 104, 102248. <https://doi.org/10.1016/j.habitatint.2020.102248>
- Carmack, E., McLaughlin, F., Whiteman, G., & Homer-Dixon, T. (2012). Detecting and coping with disruptive shocks in Arctic marine systems: A resilience approach to place and people. *AMBIO*, 41(1), 56-65. <https://doi.org/10.1007/s13280-011-0225-6>
- Carpenter, S. R., Booth, E. G., Gillon, S., Kucharik, C. J., Loheide, S. P., Mase, A. S., Motew, M., Qiu, J., Rissman, A. R., Seifert, J., Soylu, M. E., Turner, M. G., & Wardropper, C. B. (2015). Plausible futures of a social-ecological system: Yahara watershed, Wisconsin, USA. *Ecology and Society*, 20(2), 10. <https://doi.org/10.5751/ES-07433-200210>
- Carrie, R., Stringer, L. C., Thi, L., Nguyen Hong Quang, D. V. T., Hackney, C., Pham Thu Nga, P. T. N., & Quinn, C. H. (2022). Social differences in spatial perspectives about local benefits from rehabilitated mangroves: Insights from Vietnam. *Ecosystems and People*, 18(1), 378-396. <https://doi.org/10.1080/26395916.2022.2083237>
- Caswell, B. A., Klein, E. S., Alleway, H. K., Ball, J. E., Botero, J., Cardinale, M., Eero, M., Engelhard, G. H., Fortibuoni, T., Giraldo, A., Hentati-Sundberg, J., Jones, P., Kittinger, J. N., Krause, G., Lajus, D. L., Lajus, J., Lau, S. C. Y., Lescrauwaet, A., MacKenzie, B. R., & McKenzie, M. (2020). Something old, something new: Historical perspectives provide lessons for blue growth agendas. *Fish and Fisheries*, 21(4), 774-796. <https://doi.org/10.1111/faf.12460>
- Challéat, S., Lapostolle, D., & Milian, J. (2018). The night-time environment in French mountain areas: A resource and a transition operator towards sustainability. *Journal of Alpine Research / Revue de Géographie Alpine*, 106(1). <https://doi.org/10.4000/rga.3947>
- Chapman, A. D., Darby, S. E., Hông, H. M., Tompkins, E. L., & Van, T. P. D. (2016). Adaptation and development trade-offs: Fluvial sediment deposition and the sustainability of rice-cropping in An Giang Province, Mekong Delta. *Climatic Change*, 137(3-4), 593-608. <https://doi.org/10.1007/s10584-016-1684-3>
- Charnley, S., Spies, T. A., Barros, A. M. G., White, E. M., & Olsen, K. A. (2017). Diversity in forest management to reduce wildfire losses: Implications for resilience. *Ecology and Society*, 22(1), 22. <https://doi.org/10.5751/ES-08753-220122>
- Chen, J., John, R., Sun, G., Fan, P., Henebry, G. M., Fernández-Giménez, M. E., Zhang, Y., Park, H., Tian, L., Groisman, P., Ouyang, Z., Allington, G., Wu, J., Shao, C., Amarjargal, A., Dong, G., Gutman, G., Huettmann, F., Laforteza, R., & Crank, C. (2018). Prospects for the sustainability of social-ecological systems on the Mongolian Plateau: Five critical issues. *Environmental Research Letters*, 13(12), 123004. <https://doi.org/10.1088/1748-9326/aaf27b>
- Chuang, W.-C., Eason, T., Garmestani, A., & Roberts, C. (2019). Impact of Hurricane Katrina on the coastal systems of southern Louisiana. *Frontiers in Environmental Science*, 7, 68. <https://doi.org/10.3389/fenvs.2019.00068>
- Contosta, A. R., Casson, N. J., Garlick, S., Nelson, S. J., Ayres, M. P., Burakowski, E. A., Campbell, J., Creed, I., Eimers, C., Evans, C., Fernandez, I., Fuss, C., Huntington, T., Patel, K., Sanders-DeMott, R., Son, K., Templer, P., & Thornbrugh, C. (2019). Northern forest winters have lost cold, snowy conditions that are important for ecosystems and human communities. *Ecological Applications*, 29(7), e01974. <https://doi.org/10.1002/eap.1974>
- Cooper, G. S., & Dearing, J. A. (2019). Modelling future safe and just operating spaces in regional social-ecological systems. *Science of the Total Environment*, 651, 2105-2117. <https://doi.org/10.1016/j.scitotenv.2018.10.118>
- Cosme, M., Bernardoff, O., Hély, C., Tiberi, C., Parat, F., Gautier, S., Treydte, A., Colombo, G., Ceppi, S., Pommereau, F., & Gaucherel, C. (2023). Risk assessment and recovery trajectories of a social-ecologi-

- cal system with a discrete-event model after a volcanic eruption. *International Journal of Disaster Risk Reduction*, 92, 103741. <https://doi.org/10.1016/j.ijdr.2023.103741>
- Crabtree, S. A., Kahn, J. G., Jackson, R., Wood, S. A., McKechnie, I., Verhagen, P., Earnshaw, J., Kirch, P. V., Dunne, J. A., & Dugmore, A. J. (2023). Why are sustainable practices often elusive? The role of information flow in the management of networked human-environment interactions. *Global Environmental Change*, 78, 102597. <https://doi.org/10.1016/j.gloenvcha.2022.102597>
- Cradock-Henry, N. A., Blackett, P., Connolly, J., Frame, B., Teixeira, E., Johnstone, P., & Wreford, A. (2021). Principles and process for developing participatory adaptation pathways in the primary industries. *Elementa: Science of the Anthropocene*, 9(1), 00175. <https://doi.org/10.1525/elementa.2020.00175>
- De Herde, V., Segers, Y., Maréchal, K., & Baret, P. (2022). Lock-ins to transition pathways anchored in contextualized cooperative dynamics: Insights from the historical trajectories of the Walloon dairy cooperatives. *Journal of Rural Studies*, 94, 161-176. <https://doi.org/10.1016/j.jrurstud.2022.04.003>
- De Moraes, A. R., Seixas, C. S., Farinaci, J. S., & Vieira, S. A. (2022). Do local ao regional: Um panorama da ação coletiva em prol de serviços ecossistêmicos no Vale do Paraíba paulista. *Desenvolvimento e Meio Ambiente*, 60, e78132. <https://doi.org/10.5380/dma.v60i0.78132>
- De Moraes, A. R., Farinaci, J. S., Prado, D. S., De Araujo, L. G., Dias, A. C. E., Ummus, R. E., & Seixas, C. S. (2023). What comes after crises? Key elements and insights into feedback amplifying community self-organization. *Ecology and Society*, 28(1), 7. <https://doi.org/10.5751/ES-13773-280107>
- Debonne, N., Bürgi, M., Diogo, V., Helfenstein, J., Herzog, F., Levers, C., Mohr, F., Swart, R., & Verburg, P. (2022). The geography of megatrends affecting European agriculture. *Global Environmental Change*, 75, 102551. <https://doi.org/10.1016/j.gloenvcha.2022.102551>
- Delgado-Serrano, M., & Semerena, R. (2018). Gender and cross-scale differences in the perception of social-ecological systems. *Sustainability*, 10(9), 2983. <https://doi.org/10.3390/su10092983>
- Derolez, V., Mongruel, R., Rey-Valette, H., & Lautrédou-Audouy, N. (2023). Trajectory of a coastal social-ecological system: Analyzing co-evolution and regime shifts in the Thau Lagoon (Mediterranean Sea, France), 1970-2018. *Regional Environmental Change*, 23(2), 26. <https://doi.org/10.1007/s10113-023-02061-y>
- Desjardins, S. P. A., Friesen, T. M., & Jordan, P. D. (2020). Looking back while moving forward: How past responses to climate change can inform future adaptation and mitigation strategies in the Arctic. *Quaternary International*, 549, 239-248. <https://doi.org/10.1016/j.quaint.2020.05.043>
- Dinis, I., & Simões, O. (2021). Resilience in retrospective: The trajectory of agro-pastoral systems in the Centro Region of Portugal. *Sustainability*, 13(9), 5089. <https://doi.org/10.3390/su13095089>
- Dobbie, S., Schreckenberg, K., Dyke, J. G., Schaafsma, M., & Balbi, S. (2018). Agent-based modelling to assess community food security and sustainable livelihoods. *Journal of Artificial Societies and Social Simulation*, 21(1), 11. <https://doi.org/10.18564/jasss.3639>
- Easdale, M. H., Michel, C. L., & Perri, D. (2022). Biocultural heritage of transhumant territories. *Agriculture and Human Values*. <https://doi.org/10.1007/s10460-022-10361-y>
- Ellemaume, N., Lachello, R., Blanchet, C., Giguët-Covex, C., Etienne, D., Pérès, C., Didier, J., Moscatelli, L., Mansion, L., Sabatier, P., Judet, P., Lavorel, S., Arnaud, F., Poulenard, J., & Messenger, E. (2022). Interdisciplinary insights into a 500-year trajectory of an alpine socio-ecological system in Montaimont, France. *Regional Environmental Change*, 22(2), 25. <https://doi.org/10.1007/s10113-022-01902-6>
- Epstein, K., Wood, D. J. A., Roemer, K., Currey, B., Duff, H., Gay, J. D., Goemann, H. M., Loewen, S., Miligan, M. C., Wendt, J. A. F., Brookshire, E. N. J., Maxwell, B. D., McNew, L., McWethy, D. B., Stoy, P. C., & Haggerty, J. H. (2021). Toward an urgent yet deliberate conservation strategy: Sustaining social-ecological systems in rangelands of the Northern Great Plains, Montana. *Ecology and Society*, 26(1), 10. <https://doi.org/10.5751/ES-12141-260110>
- Essén, M., & Lambin, E. F. (2023). Agent-based simulation of land use governance (ABSOLUG) in tropical commodity frontiers. *Journal of Artificial Societies and Social Simulation*, 26(1), 11. <https://doi.org/10.18564/jasss.4951>
- Fazey, I., Pettorelli, N., Kenter, J., Wagatora, D., & Schuett, D. (2011). Maladaptive trajectories of change in

- Makira, Solomon Islands. *Global Environmental Change*, 21(4), 1275-1289. <https://doi.org/10.1016/j.gloenvcha.2011.07.006>
- Feiner, Z. S., Shultz, A. D., Sass, G. G., Trudeau, A., Mitro, M. G., Dassow, C. J., Latzka, A. W., Isermann, D. A., Maitland, B. M., Homola, J. J., Embke, H. S., & Preul, M. (2022). Resist-accept-direct (RAD) considerations for climate change adaptation in fisheries: The Wisconsin experience. *Fisheries Management and Ecology*, 29(4), 346-363. <https://doi.org/10.1111/fme.12549>
- Felipe-Lucia, M. R., de Frutos, Á., & Comín, F. A. (2022). Modelling landscape management scenarios for equitable and sustainable futures in rural areas based on ecosystem services. *Ecosystems and People*, 18(1), 76-94. <https://doi.org/10.1080/26395916.2021.2021288>
- Ford, J. D., McDowell, G., Shirley, J., Pitre, M., Siewierski, R., Gough, W., Duerden, F., Pearce, T., Adams, P., & Statham, S. (2013). The dynamic multiscale nature of climate change vulnerability: An Inuit harvesting example. *Annals of the Association of American Geographers*, 103(5), 1193-1211. <https://doi.org/10.1080/00045608.2013.776880>
- Fountain, J., & Cradock-Henry, N. A. (2020). Recovery, risk and resilience: Post-disaster tourism experiences in Kaikōura, New Zealand. *Tourism Management Perspectives*, 35, 100695. <https://doi.org/10.1016/j.tmp.2020.100695>
- Frawley, T. H., Muhling, B. A., Brodie, S., Fisher, M. C., Tommasi, D., Le Fol, G., Hazen, E. L., Stohs, S. S., Finkbeiner, E. M., & Jacox, M. G. (2020). Changes to the structure and function of an albacore fishery reveal shifting social-ecological realities for Pacific Northwest fishermen. *Fish and Fisheries*, 22(2), 280-297. <https://doi.org/10.1111/faf.12519>
- Gaube, V., Kaiser, C., Wildenberg, M., Adensam, H., Fleissner, P., Kobler, J., Lutz, J., Schaumberger, A., Schaumberger, J., Smetschka, B., Wolf, A., Richter, A., & Haberl, H. (2009). Combining agent-based and stock-flow modelling approaches in a participative analysis of the integrated land system in Reichraming, Austria. *Landscape Ecology*, 24(9), 1149-1165. <https://doi.org/10.1007/s10980-009-9356-6>
- Giovas, C. M. (2021). Sustainable Indigenous fishing in the pre-contact Caribbean: Evidence and critical considerations from Carriacou, Grenada. *Sustainability*, 13(16), 9152. <https://doi.org/10.3390/su13169152>
- Gotham, K. F., & Campanella, R. (2011). Coupled vulnerability and resilience: The dynamics of cross-scale interactions in post-Katrina New Orleans. *Ecology and Society*, 16(3), 12. <https://doi.org/10.5751/ES-04292-160312>
- Gunderson, L., Cosens, B. A., Chaffin, B. C., Arnold, C. A., Fremier, A. K., Garmestani, A. S., Craig, R. K., Gosnell, H., Birge, H. E., Allen, C. R., Benson, M. H., Morrison, R. R., Stone, M. C., Hamm, J. A., Nemec, K., Schlager, E., & Llewellyn, D. (2017). Regime shifts and panarchies in regional scale social-ecological water systems. *Ecology and Society*, 22(1), 31. <https://doi.org/10.5751/ES-08879-220131>
- Hahn, T. (2011). Self-organized governance networks for ecosystem management: Who is accountable? *Ecology and Society*, 16(2), 18. <https://doi.org/10.5751/ES-04043-160218>
- Hahn, T., Olsson, P., Folke, C., & Johansson, K. (2006). Trust-building, knowledge generation and organizational innovations: The role of a bridging organization for adaptive comanagement of a wetland landscape around Kristianstad, Sweden. *Human Ecology*, 34(4), 573-592. <https://doi.org/10.1007/s10745-006-9035-z>
- Hansen, W. D. (2014). Generalizable principles for ecosystem stewardship-based management of social-ecological systems: Lessons learned from Alaska. *Ecology and Society*, 19(4), 13. <https://doi.org/10.5751/ES-06907-190413>
- Hanspach, J., Hartel, T., Milcu, A. I., Mikulcak, F., Dorresteijn, I., Loos, J., von Wehrden, H., Kuemmerle, T., Abson, D., Kovács-Hostyánszki, A., Báldi, A., & Fischer, J. (2014). A holistic approach to studying social-ecological systems and its application to southern Transylvania. *Ecology and Society*, 19(4), 32. <https://doi.org/10.5751/ES-06915-190432>
- Hartel, T., Réti, O., Craioveanu, C., Gallé, R., Popa, R., Ioniță, A., Demeter, L., Rákossy, L., & Czúcz, B. (2016). Rural social-ecological systems navigating institutional transitions: Case study from Transylvania (Romania). *Ecosystem Health and Sustainability*, 2(2), e01206. <https://doi.org/10.1002/ehs2.1206>
- Hashemi, S. M., Bagheri, A., & Marshall, N. (2015). Toward sustainable adaptation to future climate change: Insights from vulnerability and resilience approaches analyzing agrarian system of Iran. *Environment, Development and Sustainability*, 19(1), 1-25. <https://doi.org/10.1007/s10668-015-9721-3>

- Herbst, D. F., Gerhardinger, L. C., & Hanazaki, N. (2020). Linking user-perception diversity on ecosystem services to the inception of coastal governance regime transformation. *Frontiers in Marine Science*, 7, 83. <https://doi.org/10.3389/fmars.2020.00083>
- Iglesias, V., Vannière, B., & Jouffroy-Bapicot, I. (2019). Emergence and evolution of anthropogenic landscapes in the western Mediterranean and adjacent Atlantic regions. *Fire*, 2(4), 53. <https://doi.org/10.3390/fire2040053>
- Imbrenda, V., Coluzzi, R., Di Stefano, V., Egidi, G., Salvati, L., Samela, C., Simoniello, T., & Lanfredi, M. (2022). Modeling spatio-temporal divergence in land vulnerability to desertification with local regressions. *Sustainability*, 14(17), 10906. <https://doi.org/10.3390/su141710906>
- Ingalls, M. L., Kohout, A., & Stedman, R. C. (2019). When places collide: Power, conflict and meaning at Malheur. *Sustainability Science*, 14(3), 625-638. <https://doi.org/10.1007/s11625-019-00689-6>
- Ioris, A. A. R. (2016). Place-making at the frontier of Brazilian agribusiness. *GeoJournal*, 83(1), 61-72. <https://doi.org/10.1007/s10708-016-9754-7>
- Jiren, T. S., Hanspach, J., Schultner, J., Fischer, J., Bergsten, A., Senbeta, F., Hylander, K., & Dorresteyn, I. (2020). Reconciling food security and biodiversity conservation: Participatory scenario planning in southwestern Ethiopia. *Ecology and Society*, 25(3), 24. <https://doi.org/10.5751/ES-11681-250324>
- Karpouzoglou, T., Dewulf, A., Perez, K., Gurung, P., Regmi, S., Isaeva, A., Foggin, J. M., Bastiaensen, J., Van Hecken, G., Zulkafli, Z., Mao, F., Clark, J., Hannah, D. M., Chapagain, P. S., Buytaert, W., & Cieslik, K. (2020). From present to future development pathways in fragile mountain landscapes. *Environmental Science & Policy*, 114, 606-613. <https://doi.org/10.1016/j.envsci.2020.09.016>
- Lamarque, P., Artaux, A., Barnaud, C., Dobremez, L., Nettiér, B., & Lavorel, S. (2013). Taking into account farmers' decision making to map fine-scale land management adaptation to climate and socio-economic scenarios. *Landscape and Urban Planning*, 119, 147-157. <https://doi.org/10.1016/j.landurbplan.2013.07.012>
- Lazurko, A., Schweizer, V., & Armitage, D. (2023). Exploring “big picture” scenarios for resilience in social-ecological systems: Transdisciplinary cross-impact balances modeling in the Red River Basin. *Sustainability Science*, 18(4), 1773-1794. <https://doi.org/10.1007/s11625-023-01308-1>
- Léopold, M., Thébaud, O., & Charles, A. (2019). The dynamics of institutional innovation: Crafting co-management in small-scale fisheries through action research. *Journal of Environmental Management*, 237, 187-199. <https://doi.org/10.1016/j.jenvman.2019.01.112>
- Lichtenberg, S., Huber-Sannwald, E., Reyes-Agüero, J. A., Anhuf, D., & Nehren, U. (2022). Pau-brasil and string instrument bows telecouple nature, art, and heritage. *Ecology and Society*, 27(1), 32. <https://doi.org/10.5751/ES-13047-270132>
- Luat-Hu'eu, K. K., Winter, K. B., Vaughan, M. B., Barca, N., & Price, M. R. (2021). Understanding the co-evolutionary relationships between Indigenous cultures and non-native species can inform more effective approaches to conservation: The example of pigs (pua'a; *Sus scrofa*) in Hawai'i. *Pacific Conservation Biology*, 27(4), 442-454. <https://doi.org/10.1071/PC20086>
- Lübker, H. M., Abson, D. J., & Riechers, M. (2021). Discourses for deep transformation: Perceptions of economic growth in two rural communities in Lower Saxony, Germany. *Sustainability Science*, 17(1), 93-108. <https://doi.org/10.1007/s11625-021-01039-1>
- Mao, Z., Centanni, J., Pommereau, F., Stokes, A., & Gaucherel, C. (2021). Maintaining biodiversity promotes the multifunctionality of social-ecological systems: Holistic modelling of a mountain system. *Ecosystem Services*, 47, 101220. <https://doi.org/10.1016/j.ecoser.2020.101220>
- Marinaro, S., Sacchi, L., & Gasparri, N. I. (2022). From whom and for what? Deforestation in Dry Chaco from local-urban inhabitants' perception. *Perspectives in Ecology and Conservation*, 20(2), 60-69. <https://doi.org/10.1016/j.pecon.2021.12.003>
- Marshall, G. R., & Alexandra, J. (2016). Institutional path dependence and environmental water recovery in Australia's Murray-Darling Basin. *Water Alternatives*, 9(3), 679-703. <https://www.water-alternatives.org/index.php/alldoc/articles/vol9/v9issue3/323-A9-3-16/file>
- McKay, P. A., Schmitt Olabisi, L., & Vogt, C. A. (2019). Assessing improvements in socio-ecological system

- governance using mixed methods and the quality governance framework and its diagnostic capacity tool. *Environment Systems and Decisions*, 40(1), 41-66. <https://doi.org/10.1007/s10669-019-09744-0>
- Mellado, M., Blanco-Wells, G., Nahuelhual, L., & Saavedra, G. (2019). Livelihood trajectories in the Chilean Patagonian region: An ethnographic approach to coastal and marine socioecological change. *Regional Environmental Change*, 19(1), 205-217. <https://doi.org/10.1007/s10113-018-1398-3>
- Mitchell, M., Lockwood, M., Moore, S. A., & Clement, S. (2015). Scenario analysis for biodiversity conservation: A social-ecological system approach in the Australian Alps. *Journal of Environmental Management*, 150, 69-80. <https://doi.org/10.1016/j.jenvman.2014.11.013>
- Monk, C. T., Barbier, M., Romanczuk, P., Watson, J. R., Alós, J., Nakayama, S., Rubenstein, D. I., Levin, S. A., & Arlinghaus, R. (2018). How ecology shapes exploitation: A framework to predict the behavioural response of human and animal foragers along exploration-exploitation trade-offs. *Ecology Letters*, 21(6), 779-793. <https://doi.org/10.1111/ele.12949>
- Moojen, F. G., Ryschawy, J., dos Santos, D. T., Barth Neto, A., Vieira, P. C., Portella, E., & de Faccio Carvalho, P. C. (2022). The farm coaching experience to support the transition to integrated crop-livestock systems: From gaming to action. *Agricultural Systems*, 196, 103339. <https://doi.org/10.1016/j.agry.2021.103339>
- Moores, J. P., Yalden, S., Gadd, J. B., & Semadeni-Davies, A. (2017). Evaluation of a new method for assessing resilience in urban aquatic social-ecological systems. *Ecology and Society*, 22(4), 15. <https://doi.org/10.5751/ES-09727-220415>
- Morzillo, A. T., Colocousis, C. R., Munroe, D. K., Bell, K. P., Martinuzzi, S., Van Berkel, D. B., Lechowicz, M. J., Rayfield, B., & McGill, B. (2015). "Communities in the middle": Interactions between drivers of change and place-based characteristics in rural forest-based communities. *Journal of Rural Studies*, 42, 79-90. <https://doi.org/10.1016/j.jrurstud.2015.09.007>
- Mtati, N., Weaver, M., Mtintsilana, Z., & Scherman, P.-A. (2022). Engaging society and building participatory governance in a rural landscape restoration context. *Anthropocene*, 37, 100320. <https://doi.org/10.1016/j.ancene.2022.100320>
- Murphy, J. T. (2012). Exploring complexity with the Hohokam Water Management Simulation: A middle way for archaeological modeling. *Ecological Modelling*, 241, 15-29. <https://doi.org/10.1016/j.ecolmodel.2011.12.026>
- Nayak, P. K. (2014). The Chilika Lagoon social-ecological system: An historical analysis. *Ecology and Society*, 19(1), 1. <https://doi.org/10.5751/ES-05978-190101>
- Nelson, J. M. (2020). Of farms and forests: Farm-level land-use decisions, socio-environmental systems, and regional development in Brazil's Atlantic Rainforest. *Environmental Sociology*, 6(3), 322-341. <https://doi.org/10.1080/23251042.2020.1759187>
- Olsson, P., Folke, C., & Hahn, T. (2004). Social-ecological transformation for ecosystem management: The development of adaptive co-management of a wetland landscape in southern Sweden. *Ecology and Society*, 9(4), 2. <https://doi.org/10.5751/ES-00683-090402>
- Ornetsmüller, C., Verburg, P. H., & Heinimann, A. (2016). Scenarios of land system change in the Lao PDR: Transitions in response to alternative demands on goods and services provided by the land. *Applied Geography*, 75, 1-11. <https://doi.org/10.1016/j.apgeog.2016.07.010>
- Osuka, K., Rosendo, S., Riddell, M., Huet, J., Daide, M., Chauque, E., & Samoilys, M. (2020). Applying a social-ecological systems approach to understanding local marine management trajectories in Northern Mozambique. *Sustainability*, 12(9), 3904. <https://doi.org/10.3390/su12093904>
- Pacheco-Romero, M., Kuemmerle, T., Levers, C., Alcaraz-Segura, D., & Cabello, J. (2021). Integrating inductive and deductive analysis to identify and characterize archetypical social-ecological systems and their changes. *Landscape and Urban Planning*, 215, 104199. <https://doi.org/10.1016/j.landurbplan.2021.104199>
- Palomo, I., Locatelli, B., Otero, I., Colloff, M., Crouzat, E., Cuni-Sanchez, A., Gómez-Baggethun, E., González-García, A., Grêt-Regamey, A., Jiménez-Aceituno, A., Martín-López, B., Pascual, U., Zaf-

- ra-Calvo, N., Bruley, E., Fischborn, M., Metz, R., & Lavorel, S. (2021). Assessing nature-based solutions for transformative change. *One Earth*, 4(5), 730-741. <https://doi.org/10.1016/j.oneear.2021.04.013>
- Pandey, A., Pradhan, N., Chaudhari, S. Y., & Ghate, R. (2017). Withering of traditional institutions? An institutional analysis of the decline of migratory pastoralism in the rangelands of the Kailash Sacred Landscape, western Himalayas. *Environmental Sociology*, 3(1), 87-100. <https://doi.org/10.1080/23251042.2016.1272179>
- Pastick, N. J., Jorgenson, M. T., Goetz, S. J., Jones, B. M., Wylie, B. K., Minsley, B. J., Genet, H., Knight, J. F., Swanson, D. K., & Jorgenson, J. C. (2018). Spatiotemporal remote sensing of ecosystem change and causation across Alaska. *Global Change Biology*, 25(3), 1171-1189. <https://doi.org/10.1111/gcb.14279>
- Qiu, J., Carpenter, S. R., Booth, E. G., Motew, M., Zipper, S. C., Kucharik, C. J., Loheide II, S. P., & Turner, M. G. (2018). Understanding relationships among ecosystem services across spatial scales and over time. *Environmental Research Letters*, 13(5), 054020. <https://doi.org/10.1088/1748-9326/aabb87>
- Quintas-Soriano, C., Brandt, J. S., Baxter, C. V., Bennett, E. M., Requena-Mullor, J. M., & Arjona Castro, A. A. (2021). A framework for assessing coupling and de-coupling trajectories in river social-ecological systems. *Sustainability Science*, 17(1), 121-134. <https://doi.org/10.1007/s11625-021-01048-0>
- Rammer, W., & Seidl, R. (2015). Coupling human and natural systems: Simulating adaptive management agents in dynamically changing forest landscapes. *Global Environmental Change*, 35, 475-485. <https://doi.org/10.1016/j.gloenvcha.2015.10.003>
- Rana, P., & Miller, D. C. (2019). Explaining long-term outcome trajectories in social-ecological systems. *PLOS ONE*, 14(4), e0215230. <https://doi.org/10.1371/journal.pone.0215230>
- Rawluk, A., & Curtis, A. (2016). Reconciling contradictory narratives of landscape change using the adaptive cycle: A case study from southeastern Australia. *Ecology and Society*, 21(1), 17. <https://doi.org/10.5751/ES-08245-210117>
- Renaud, F. G., Le, T. T. H., Lindener, C., Guong, V. T., & Sebesvari, Z. (2014). Resilience and shifts in agro-ecosystems facing increasing sea-level rise and salinity intrusion in Ben Tre Province, Mekong Delta. *Climatic Change*, 133(1), 69-84. <https://doi.org/10.1007/s10584-014-1113-4>
- Ribeiro, G. de J. L., & Vieira, I. C. G. (2021). Historical trajectory and resilience in an agro-extractive settlement project in the Lower Tocantins River, Pará, Brazil. *Sustainability in Debate*, 12(2), 108-143. <https://doi.org/10.18472/sustdeb.v12n2.2021.34091>
- Riechers, M., Balázsi, Á., Betz, L., Jiren, T. S., & Fischer, J. (2020). The erosion of relational values resulting from landscape simplification. *Landscape Ecology*, 35(11), 2601-2612. <https://doi.org/10.1007/s10980-020-01012-w>
- Riggs, R. A., Langston, J. D., & Sayer, J. (2018). Incorporating governance into forest transition frameworks to understand and influence Cambodia's forest landscapes. *Forest Policy and Economics*, 96, 19-27. <https://doi.org/10.1016/j.forpol.2018.08.003>
- Roberts, N., Cassis, M., Doonan, O. P., Eastwood, W. J., Elton, H., Haldon, J., Izdebski, A., & Newhard, J. (2018). Not the end of the world? Post-Classical decline and recovery in rural Anatolia. *Human Ecology*, 46(3), 305-322. <https://doi.org/10.1007/s10745-018-9973-2>
- Rueff, C., Choisis, J.-P., Balent, G., & Gibon, A. (2012). A preliminary assessment of the local diversity of family farms change trajectories since 1950 in a Pyrenees Mountains area. *Journal of Sustainable Agriculture*, 36(5), 564-590. <https://doi.org/10.1080/10440046.2012.672547>
- Sallu, S. M., Twyman, C., & Stringer, L. C. (2010). Resilient or vulnerable livelihoods? Assessing livelihood dynamics and trajectories in rural Botswana. *Ecology and Society*, 15(4), 3. <https://doi.org/10.5751/ES-03505-150403>
- Santoro, C. M., Capriles, J. M., Gayo, E. M., de Porras, M. E., Maldonado, A., Standen, V. G., Latorre, C., Castro, V., Angelo, D., McRostie, V., Uribe, M., Valenzuela, D., Ugalde, P. C., & Marquet, P. A. (2017). Continuities and discontinuities in the socio-environmental systems of the Atacama Desert during the last 13,000 years. *Journal of Anthropological Archaeology*, 46, 28-39. <https://doi.org/10.1016/j.jaa.2016.08.006>
- Scemama, P., Regnier, E., Blanchard, F., & Thébaud, O. (2022). Ecosystem services assessment for the con-

- servation of mangroves in French Guiana using fuzzy cognitive mapping. *Frontiers in Forests and Global Change*, 4, 769182. <https://doi.org/10.3389/ffgc.2021.769182>
- Sen, S., & Homechaudhuri, S. (2017). Population characteristics and trends in artisanal fishery of *Scylla serrata* (Forsskal, 1775) in Indian Sundarban: Implications on future managements. *Ocean & Coastal Management*, 143, 105-114. <https://doi.org/10.1016/j.ocecoaman.2016.08.021>
- Shackleton, R. T., Angelstam, P., van der Waal, B., & Elbakidze, M. (2017). Progress made in managing and valuing ecosystem services: A horizon scan of gaps in research, management and governance. *Ecosystem Services*, 27, 232-241. <https://doi.org/10.1016/j.ecoser.2016.11.020>
- Sinclair, K., Rawluk, A., Kumar, S., & Curtis, A. (2017). Ways forward for resilience thinking: Lessons from the field for those exploring social-ecological systems in agriculture and natural resource management. *Ecology and Society*, 22(4), 21. <https://doi.org/10.5751/ES-09705-220421>
- Solórzano, A., Brasil-Machado, A., & Ribeiro de Oliveira, R. (2021). Land use and social-ecological legacies of Rio de Janeiro's Atlantic urban forests: From charcoal production to novel ecosystems. *Royal Society Open Science*, 8(6), 201855. <https://doi.org/10.1098/rsos.201855>
- Spicer, E. A., Swaffield, S., & Moore, K. (2019). A landscape and landscape biography approach to assessing the consequences of an environmental policy implementation. *Landscape Research*, 44(7), 829-842. <https://doi.org/10.1080/01426397.2019.1669147>
- Steenberg, J. W., Robinson, P. J., & Duinker, P. N. (2018). A spatio-temporal analysis of the relationship between housing renovation, socioeconomic status, and urban forest ecosystems. *Environment and Planning B: Urban Analytics and City Science*, 46(6), 1115-1131. <https://doi.org/10.1177/2399808317752927>
- Swinea, S. H., & Fodrie, F. J. (2021). Gulf fisheries supported resilience in the decade following unparalleled oiling. *Ecosphere*, 12(11), e03801. <https://doi.org/10.1002/ecs2.3801>
- Tàbara, J. D., Lieu, J., Zaman, R., Ismail, C., & Takama, T. (2021). On the discovery and enactment of positive socio-ecological tipping points: Insights from energy systems interventions in Bangladesh and Indonesia. *Sustainability Science*, 17(2), 565-571. <https://doi.org/10.1007/s11625-021-01050-6>
- Ther-Ríos, F., Salinas-Vilches, P., Gajardo-Gálvez, G., Bugueño, Z., Gajardo Cortés, C., Ceballos-Cardona, M., Valderrama, J. A., Cursach, J. A., & Hidalgo, C. (2020). Territorial complexity in fishermen's coves of Chiloé (Chile): Contributions for coastal management. *Estudios Atacameños*, 67, 29-53. <https://doi.org/10.22199/issn.0718-1043-2020-0035>
- Travaille, K. L., Lindley, J., Kendrick, G. A., Crowder, L. B., & Clifton, J. (2019). The market for sustainable seafood drives transformative change in fishery social-ecological systems. *Global Environmental Change*, 57, 101919. <https://doi.org/10.1016/j.gloenvcha.2019.05.003>
- Uden, D., Allen, C., Munoz-Arriola, F., Ou, G., & Shank, N. (2018). A framework for tracing social-ecological trajectories and traps in intensive agricultural landscapes. *Sustainability*, 10(5), 1646. <https://doi.org/10.3390/su10051646>
- Uyttewaal, K., Prat-Guitart, N., Ludwig, F., Kroeze, C., & Langer, E. R. (2023). Territories in transition: How social contexts influence wildland fire adaptive capacity in rural northwestern European Mediterranean areas. *Fire Ecology*, 19(1), 9. <https://doi.org/10.1186/s42408-023-00168-5>
- Van Bommel, S., Blackmore, C., Foster, N., & de Vries, J. (2016). Performing and orchestrating governance learning for systemic transformation in practice for climate change adaptation. *Outlook on Agriculture*, 45(4), 231-237. <https://doi.org/10.1177/0030727016675692>
- Van Brakel, M. L., Nahiduzzaman, M., Haque, A. B. M. M., Mustafa, M. G., Rahman, M. J., & Wahab, M. A. (2018). Reimagining large-scale open-water fisheries governance through adaptive comanagement in hilsa shad sanctuaries. *Ecology and Society*, 23(1), 26. <https://doi.org/10.5751/ES-09917-230126>
- Van Staveren, M. F., & van Tatenhove, J. P. M. (2016). Hydraulic engineering in the social-ecological delta: Understanding the interplay between social, ecological, and technological systems in the Dutch delta by means of "delta trajectories." *Ecology and Society*, 21(1), 8. <https://doi.org/10.5751/ES-08168-210108>
- Vang Rasmussen, L., & Reenberg, A. (2012). Collapse and recovery in Sahelian agro-pastoral systems: Re-

- thinking trajectories of change. *Ecology and Society*, 17(1), 14. <https://doi.org/10.5751/ES-04614-170114>
- Vermeulen-Miltz, E., Clifford-Holmes, J. K., Scharler, U. M., & Lombard, A. T. (2023). A system dynamics model to support marine spatial planning in Algoa Bay, South Africa. *Environmental Modelling & Software*, 160, 105601. <https://doi.org/10.1016/j.envsoft.2022.105601>
- Viglia, S., Matthews, K. B., Miller, D. G., Wardell-Johnson, D., Rivington, M., & Ulgiati, S. (2017). The social metabolism of Scotland: An environmental perspective. *Energy Policy*, 100, 304-313. <https://doi.org/10.1016/j.enpol.2016.09.058>
- Villasante, S., Gianelli, I., Castrejón, M., Nahuelhual, L., Ortega, L., Sumaila, U. R., & Defeo, O. (2022). Social-ecological shifts, traps and collapses in small-scale fisheries: Envisioning a way forward to transformative changes. *Marine Policy*, 136, 104933. <https://doi.org/10.1016/j.marpol.2021.104933>
- Von Thungen, J., Martin, E., & Lanari, M. R. (2021). Controversies and common ground in wild and domestic fine fiber production in Argentina. *Frontiers in Sustainable Food Systems*, 5, 550821. <https://doi.org/10.3389/fsufs.2021.550821>
- Walsh, M. E., O'Neill, S., Prentiss, A. M., Willerslev, R., Riede, F., & Jordan, P. (2023). Ideas with histories: Traditional knowledge evolves. *Arctic*, 76(1), 26-47. <https://doi.org/10.14430/arctic76991>
- Westphal, L. M., Sturtevant, B. R., Reese, G. C., Quigley, K. M., Crabtree, J., Bengston, D. N., Fleischman, F., & Plisinski, J. (2023). Preparing for an uncertain future: Merging the strategic foresight toolkit with landscape modeling in northeast Minnesota's forests. *Landscape and Urban Planning*, 237, 104798. <https://doi.org/10.1016/j.landurbplan.2023.104798>
- Williams, S. (2021). "I fish because I am a fisher": Exploring livelihood and fishing practices to justify claims for access to small-scale fisheries resources in South Africa. *HTS Teologiese Studies / Theological Studies*, 77(3), a6585. <https://doi.org/10.4102/hts.v77i3.6585>
- Zagaria, C., Schulp, C. J. E., Kizos, T., Gounaridis, D., & Verburg, P. H. (2017). Cultural landscapes and behavioral transformations: An agent-based model for the simulation and discussion of alternative landscape futures in East Lesvos, Greece. *Land Use Policy*, 65, 26-44. <https://doi.org/10.1016/j.landusepol.2017.03.022>
- Zagaria, C., Schulp, C. J. E., Zavalloni, M., Viaggi, D., & Verburg, P. H. (2021). Modelling transformational adaptation to climate change among crop farming systems in Romagna, Italy. *Agricultural Systems*, 188, 103024. <https://doi.org/10.1016/j.agsy.2020.103024>
- Zank, S., Araújo, L. G., & Hanazaki, N. (2019). Resilience and adaptability of traditional healthcare systems: A case study of communities in two regions of Brazil. *Ecology and Society*, 24(1), 13. <https://doi.org/10.5751/ES-10701-240113>
- Zank, S., Washington, C., Hanazaki, N., Kujawska, M., Ladio, A. H., Lucilene, M., Blanco, G. D., & Aguinaldo, R. (2022). Local ecological knowledge and resilience of ethnomedical systems in a changing world – South American perspectives. *Environmental Science & Policy*, 135, 117-127. <https://doi.org/10.1016/j.envsci.2022.04.018>
- Zhang, K., Dearing, J. A., Dawson, T. P., Dong, X., Yang, X., & Zhang, W. (2015). Poverty alleviation strategies in eastern China lead to critical ecological dynamics. *Science of the Total Environment*, 506-507, 164-181. <https://doi.org/10.1016/j.scitotenv.2014.10.096>
- Zhang, K., Yang, X., Xu, M., Lin, Q., Kattel, G., & Shen, J. (2018). Confronting challenges of managing degraded lake ecosystems in the Anthropocene, exemplified from the Yangtze River Basin in China. *Anthropocene*, 24, 30-39. <https://doi.org/10.1016/j.ancene.2018.11.001>
- Zhang, Q., Tao, S., Walsh, S. J., Chen, X., Bilsborrow, R. E., An, L., & Song, C. (2022). Agent-based modeling of the effects of conservation policies on social-ecological feedbacks between cropland abandonment and labor migration. *Landscape Ecology*, 37(2), 415-435. <https://doi.org/10.1007/s10980-022-01575-w>
- Zurlini, G., Riitters, K. H., Zaccarelli, N., & Petrosillo, I. (2006). Patterns of disturbance at multiple scales in real and simulated landscapes. *Landscape Ecology*, 22(5), 705-721. <https://doi.org/10.1007/s10980-006-9055-5>

Annex 2

List of variables and codes implemented for systematic literature review

<i>Groups of variables</i>	<i>Variables</i>	<i>Codes</i>
Papers description	Year of publication	Year.
	Source title	Name of journal.
	Affiliations	Country of authors affiliation.
Case studies context	Sites of study	Author determination.
	Country of study case	Country name.
	Spatial scale unity	Admin=Administration boundary (municipality, city, country), Bioregion=Bioregion, Region=Region with specific problematic, Basin=Basins (including rivers, lakes, delta, coast).
	Spatial scale classification	Loc=Local, Reg=Regional, Nat=National, Sev=Several countries, Glob=Global, Multi=Multiscale.
	Temporal scale of study	Period, year-year.
Social-ecological system description	Ecosystems	Art=Artico, Coast=Coastal, Dry=Drylands, Glac=Graciaries, Gras=Grasslands, For=Forest, Fresh=Freshwater (river, lagoon, lake), Mar=Marine, Mon=Mountain, Pamp=Pampa, Wet=Wetlands (including Mang=Mangrove), Var= Various.
	Functioning Ecosystem Services	Pro=Provisioning, Reg=Regulating, Sop=Soporting, Cult=Cultural.
	Thematic Ecosystem Services	Carb=Carbon (including Carbon capture and charcoal), Bio=Biodiversity (including forest biodiversity), Hydro=Hydrological (including water supply, flood), Resource= Resources (including food, energy, timber), Land=Landscape (including soil, ski, recreation), Var=Various.
	Types of involved actors	Acad=Academic, Pub=Public policy, Priv=Private, Com=Communities (including local population, local people), Org=Organizations (including civil societies, NGO, etc.).
	Social-ecological System	Acua=Aquatic (including Aquaculture, irrigation, portuary, shipping), Agr=Agricultural, Af=Agroforestal, Fore=Forestry, Fish=Fishery, Hunt=Hunting (including recollection), Infra=Infrastructure, Past=Pastoral (including livestock, rangelands), Tour=Tourism, Urb=Urban, Var=Various, Cons=Conservation, Natural Protected Areas.
	Urban context	Urb=Urban, Periurb=Periurban, Rur=Rural, Terr=Urban, Periurban, Rural.
	Problems identified	Autor determination, 5 words, coded in relation to categories found (Annex 3).
	Internal drivers	Env=Environmental, Soc= Social, Econ=Economic, Pol=Politic, Tech=Technology.

(continued)

Annex 2*(concluded)*

Groups of variables	Variables	Codes
	Which are? External drivers	Author determination, 5 words. Env=Environmental, Soc= Social, Econ=Economic, Pol=Politic, Tech=Technology.
	Which are? Trends of SSE trajectories	Author determination, 5 words. Adap=Adaptation trajectory, Chan=trajectory of Change, Dev=Development trajectory, etc.
Theory approach	Concept definition of "SES trajectory"	Author definition, 10 words.
	Implemented theories, concepts	Author determination, 5 words, coded in relation to categories found (Annex 4a).
	Utility of study	Acad=Academic, Soc=Social action (including community), PP=Public Policy, etc.
Methodology	SES subsystems analyzed	Act=Action, Ecol=Ecological, Drive=Drivers, ES=Ecosystem services, Out=Outputs, Soc=Social.
	Trajectory temporal perspective	Retro=Retrospective; Pros=Prospective; Cross=Cross sectional; Retropros=Retro-prospective.
	Methodological focus	Quan=Quantitative, Qual=Qualitative, Mix=Mixed.
	Data collection methods or techniques	Doc=Documental, Excav=Excavation, Field=Field data (including transect walks), Focal=Focal groups (including workshops), Game=Game, Interv=Interviews (including oral history), Map=Maps, Monit=Monitoring, Surv=Surveys.
	What is monitoring?	Bird=Birds, Clim=Climate, Crab=Crabs, Fish=Fishes, Plant=Plants, Sed=Sediment, Water=Water, Moll= Mollusks, Soil=Soil.
	¿Monitoring is participative?	Yes/No.
	Data analysis methods	Author determination, 5 words, coded in relation to categories found (Annex 4b).
	Data analysis methods or techniques	Spat=Spatial analysis (including remote sensing, GIS), Disc=Discourse analysis, Text=Text analysis (including Atlas.ti, narrative analysis, etc.), Model=Modeling (including system dynamic, etc.), Stat=Statistical analysis (including probabilistic analysis), Agent=Agent based, Net=Network analysis), Arch= Archeological.
	Methodological approach	Multi=Multidisciplinary, Inter=Interdisciplinary, Trans=Transdisciplinary.

Source: Self-elaboration, based on:

- Ávila Foucat, V. S., Torres Freyermuth, A., Esqueda Lara, K., Medellín Mayoral, G., Salgado Nieto, U., González Quintero, C., Ramírez León, A., & Reyna Fabián, M. (2020). Trayectoria de los socioecosistemas costeros. In V. S. Ávila Foucat, & I. Espejel (Coords.), *Resiliencia de socioecosistemas costeros* (pp. 134-167). UNAM.
- De Vos, A., Biggs, R., & Preiser, R. (2019). Methods for understanding social-ecological systems: A review of place-based studies. *Ecology and Society*, 24(4), art. 16. <https://doi.org/10.5751/ES-11236-240416>
- Duval, G. (2015). Las fronteras móviles de las disciplinas. In A. Argueta & G. Peimbert (Coords.), *La ruptura de las fronteras imaginarias o de la multi a la transdisciplina* (pp. 28-40).
- Fedele, G., Donatti, C. I., Harvey, C. A., Lee, H., & Hole, D. G. (2020). Limited use of transformative adaptation in response to social-ecological shifts driven by climate change. *Ecology and Society*, 25(1), art. 25. <https://doi.org/10.5751/ES-11381-250125>

- Fischer-Kowalski, M., & Rotmans, J. (2009). Conceptualizing, observing, and influencing social-ecological transitions. *Ecology and Society*, 14(2), art. 3. <https://doi.org/10.5751/ES-02857-140203>
- García-Frapolli, E., & Toledo, V. M. (2008). Evaluación de sistemas socioecológicos en áreas protegidas: un instrumento desde la economía ecológica. *Argumentos*, 21(56), 103-116. <http://scielo.unam.mx/pdf/argu/v21n56/v21n56a6.pdf>
- Gomez-Santiz, F., Perevochtchikova, M., & Ezzine-De-Blas, D. (2021). Behind the scenes: Scientific networks driving the operationalization of the social-ecological system framework. *Science of the Total Environment*, 787, 147473. <https://doi.org/10.1016/j.scitotenv.2021.147473>
- González-Quintero, C., & Ávila-Foucat, V. S. (2019). Operationalization and measurement of social-ecological resilience: A systematic review. *Sustainability*, 11(21), 6073. <https://doi.org/10.3390/su11216073>
- Herrero-Jáuregui, C., Arnaiz-Schmitz, C., Reyes, M. F., Telesnicki, M. C., Agramonte, I., Easdale, M. H., Schmitz, M. F., Aguiar, M. R., Gómez-Sal, A., & Montes, C. (2018). What do we talk about when we talk about social-ecological systems? A literature review. *Sustainability*, 10(8), 2950. <https://doi.org/10.3390/su10082950>
- Holzer, J. M., Carmon, N., & Orenstein, D. E. (2018). A methodology for evaluating transdisciplinary research on coupled socio-ecological systems. *Ecological Indicators*, 85, 808-819. <https://doi.org/10.1016/j.ecolind.2017.10.074>
- Lang, D. J., Wiek, A., Bergmann, M., Stauffacher, M., Martens, P., Moll, P., Swilling, M., & Thomas, C. (2012). Transdisciplinary research in sustainability science: Practice, principles, and challenges. *Sustainability Science*, 7(1), 25-43. <https://doi.org/10.1007/s11625-011-0149-x>
- Leach, M., Scoones, I., & Stirling, A. (2010). Dynamic sustainabilities: Technology, environment, social justice. *Management of Environmental Quality: An International Journal*, 21(5). <https://doi.org/10.1108/MEQ.2010.08321EAE.002>
- Max-Neef, M. (2016). Los cimientos de la transdisciplinariedad. En C. Delgado & S. Rist (Coords.), *Ciencias, diálogo de saberes y transdisciplinariedad: Aportes teórico-metodológicos para la sustentabilidad alimentaria y del desarrollo*. Universidad Mayor de San Simón.
- Ortega, U. T., Mastrangelo, M. E., Torrez, V. D., Piaz, A. G., Vallejos, C. M., Saenz, J. E., Gallego, F., Franquesa, S. M., Calzada, P. L., Espinosa, M. N., Fiestas, F. J., Gil, M. L. R., González, E. Z., Luna, S. B. M., Martínez, P. C. M., Ochoa, O., Pérez, V. L., Sala, J. E., Sánchez, R. I., Weeks, M., ... Maass, M. (2014). Estudios transdisciplinarios en socio-ecosistemas: Reflexiones teóricas y su aplicación en contextos latinoamericanos. *Investigación Ambiental*, 6(2), 123-136.
- Palomo, I., Locatelli, B., Otero, I., Colloff, M. J., Crouzat, E., Cuni-Sanchez, A., Gómez-Baggethun, E., González-García, A. C., Grêt-Regamey, A., Jiménez-Aceituno, A., Martín-López, B., Pascual, U., Zafra-Calvo, N., Bruley, E., Fischborn, M., Metz, R., & Lavorel, S. (2021). Assessing nature-based solutions for transformative change. *One Earth*, 4(5), 730-741. <https://doi.org/10.1016/j.oneear.2021.04.013>
- Perevochtchikova, M., Almeida Leñero, L. O., Flores-Díaz, A. C., González, R., & Luque Argaz, D. (2022). ¿Qué sabemos del monitoreo participativo en México? Propuesta conceptual desde la perspectiva socio-ecosistémica y revisión sistemática de literatura científica. *Revista Gestión y Política Pública*, 31(2), 123-174. <https://doi.org/10.29265/gypv31i2.1259>
- Perevochtchikova, M., Castro-Díaz, R., Langle-Flores, A., & Von Thaden, J. (2021). A systematic review of scientific publications on the effects of payments for ecosystem services in Latin America, 2000-2020. *Ecosystem Services*, 49, 101270. <https://doi.org/10.1016/j.ecoser.2021.101270>
- Perevochtchikova, M., De La Mora, G., Hernandez, J., Marín, W., Langle-Flores, A., Bueno, A. R., & Negrete, I. A. R. (2019). Systematic review of integrated studies on functional and thematic ecosystem services in Latin America, 1992-2017. *Ecosystem Services*, 36, 100900. <https://doi.org/10.1016/j.ecoser.2019.100900>
- Riechers, M., Brunner, B., Dajka, J., Duse, I. A., Lübker, H. M., Manlosa, A. O., Sala, J. E., Schaal, T., & Weidlich, S. (2021c). Leverage points for addressing marine and coastal pollution: A review. *Marine Pollution Bulletin*, 167, 112263. <https://doi.org/10.1016/j.marpolbul.2021.112263>
- Varis, O., Taka, M., & Kumm, M. (2019). The planet's stressed river basins: Too much pressure or too little adaptive capacity? *Earth's Future*, 7(10), 1118-1135. <https://doi.org/10.1029/2019EF001239>

Annex 3

Word frequencies in reviewed publications for word cloud diagram construction

Word	Total	Other	Other	Other	Other	Other	Other
system	487	systems	278	system	209		
change	346	change	236	changes	101	changed	9
social-ecological	237		237				
trajectory	217	trajectories	145	trajectory	72		
management	199	management	199				
ecosystem	186	ecosystem	142	ecosystems	44		
use	166	use	75	used	36	using	55
landscape	161	landscape	120	landscapes	41		
social	145	social	145				
development	138	development	95	developments	2	develop	13
resilience	137	resilience	137			developed	28
approach	128	approach	87	approaching	2	approaches	39
sustainability	126	sustainability	69	sustainable	57		
forest	125	forest	102	forests	20	forestry	3
adaptive	122	adaptation	12	adaptability	12	adaptive	86
governance	122	governance	122			adapt	12
study	121	study	85	studies	36		
ecological	116	ecological	116				
region	116	region	45	regions	28	regional	43
future	109	future	92	futures	17		
services	107	services	92	service	15		
fisheries	99	fisheries	63	fishery	36		
environment	99	environment	28	environmental	71		
dynamic	98	dynamics	70	dynamic	24	dynamical	4
analysis	98	analysis	62	analyzed	14	analyze	11
community	97	communities	55	community	42	analyzing	11
climate	90	climate	88	climates	2		
resource	90	resource	56	resources	34		
human	89	human	83	humans	5	humanity	1
scenarios	86	scenarios	54	scenario	32		
different	82	different	82				
policy	80	policy	54	policies	26		
agricultural	79	agriculture	18	agricultural	61		
process	77	processes	41	process	36		
model	77	model	57	models	20		
driver	76	driver	8	drivers	68		
natural	74	natural	74				
rural	72	rural	72				
impacts	71	impacts	37	impact	34		
level	69	levels	30	level	39		
complex	67	complex	48	complexity	19		
social-ecological	65	social-ecological	65				
provide	65	provide	25	provides	15	providing	12
scale	63	scale	63			provided	13
water	61	water	60	waters	1		
new	61	new	61				
livelihood	61	livelihood	33	livelihoods	28		
cultural	59	cultural	54	culture	5		
framework	57	framework	50	frameworks	7		
areas	57	areas	37	area	20		
knowledge	56	knowledge	56				
outcomes	56	outcomes	49	outcome	7		

(continued)

Annex 3*(continued)*

Word	Total	Other	Other	Other	Other	Other	Other
research	55	research	55				
potential	53	potential	53				
spatial	52	spatial	52				
transformation	52	transformation	39	transformations	13		
strategy	52	strategies	42	strategy	10		
shifts	52	shifts	34	shift	18		
conservation	51	conservation	51				
key	50	key	50				
modeling	50	modeling	27	modelling	23		
results	49	results	49				
interaction	49	interactions	42	interaction	7		
decision	49	decision	32	decisions	17		
traditional	49	traditional	43	traditions	5	tradition	1
explore	47	explore	31	explores	3	explored	7
method	47	methods	33	method	14	exploring	6
historical	46	historical	46				
challenges	46	challenges	33	challenge	9	challenged	4
economic	45	economic	44	economics	1		
transition	45	transition	32	transitions	13		
context	45	context	32	contexts	13		
urban	44	urban	44				
coastal	44	coast	5	coastal	39		
institutional	43	institutional	43				
influence	43	influence	21	influenced	10	influences	10
biodiversity	42	biodiversity	42			influencing	2
vulnerability	42	vulnerability	42				
regime	42	regime	33	regime	9		
conditions	41	conditions	41				
identify	41	identify	41				
relationships	41	relationships	31	relationship	10		
stakeholders	41	stakeholders	27	stakeholders	14		
farming	40	farming	40				
practice	40	practices	30	practices	10		
farmers	39	farmers	39				
multiple	39	multiple	39				
pathway	39	pathways	31	pathway	8		
support	39	support	27	supports	3	supported	5
actions	38	actions	22	action	16	supporting	4
effects	37	effects	31	effect	6		
organization	39	organization	19	organizations	11	organized	5
participatory	36	participatory	27	participation	6	organize	2
integrated	36	integrated	25	integrates	4	participate	2
food	35	food	35			participating	1
associated	35	associated	35			integrating	5
production	35	production	35				
actors	35	actors	32	actor	3		
years	35	years	27	years	8		
risk	35	risk	24	risks	11		
values	35	values	24	value	11		
perspective	35	perspectives	20	perspective	15		
people	34	people	34				

(continued)

Annex 3*(concluded)*

<i>Word</i>	<i>Total</i>	<i>Other</i>	<i>Other</i>	<i>Other</i>	<i>Other</i>	<i>Other</i>
marine	34	marine	34			
assessment	32	assessment	23	assessments	9	
activities	31	activities	22	activity	9	
quality	30	quality	30			
components	30	components	25	component	5	
intervention	30	interventions	20	intervention	10	
government	30	government	18	governmental	7	governments 5
significant	29	significant	29			
fire	29	fire	26	fires	3	
factors	28	factors	25	factor	3	
socioeconomic	27	socioeconomic	27			
history	27	history	17	histories	10	
growth	27	growth	27			
cover	26	cover	26			
information	26	information	26			
population	26	population	26			
diversity	26	diversity	26			
nature	25	nature	25			
recovery	24	recovery	24			
indigenous	24	indigenous	24			
biophysical	22	biophysical	22			
interviews	22	interviews	20	interviews	2	
resilient	21	resilient	21			
alternative	21	alternative	21			
intensification	20	intensification	20			
livestock	20	livestock	20			
flow	19	flows	9	flow	10	
deforestation	18	deforestation	18			
degradation	17	degradation	17			
political	13	political	13			
agroecological	6	agroecological	6			

Source: Self-elaboration.

Annex 4

List of categories applied to determine the problems identified by the authors in 143 reviewed publications

<i>Scale/ thematic</i>	<i>Economic</i>	<i>Ecological</i>	<i>Social-ecological</i>	<i>Political</i>	<i>Infraestructure</i>
Global	Economic crisis, neoliberal economy, international market, industrialization, food security, international tourism, etc.	Climate change, extreme hydroclimatological events, global ecological crisis, global biophysical changes, disasters, such as volcanic eruptions, tsunami, etc.	Pollution, change in hydroclimatological regimes, etc.	International public policy, conservation and restoration instruments, conservation incentives, institutions, etc.	Hydraulic technology, technology for generation and transmission of knowledge
Local	Change in livelihoods, illegal market and illicit activities, local tourism, food security, abandonment of traditional practices, eg. agricultural, etc.	Climate variability, changes in landscape, changes in species regimes, species change, etc.	Change in land use, such as deforestation, over-exploitation of species, introduction of species, health disasters, contamination, erosion, habitat destruction, ecosystem degradation, loss of biodiversity, hydroclimatological events, such as floods, etc.	National and local public policy, national and local management and planning strategies and programs, conservation incentives, counterproductive programs, local and community decisions, capacities, weaknesses and institutional changes, etc.	Technology for protection against disasters, technology for monitoring, technology for generation and transmission of knowledge, etc.

Source: Self-elaboration.

Annex 5

List of categories applied to determine in reviewed publications: a) theoretical and b) methodological approaches

a) Implemented theories, frameworks or concepts

1. *Resilience and Adaptation Approach*
 - 1.1. Resilience Assessment
 - 1.2. Vulnerability and Risk
 - 1.3. Adaptation and Governance
 2. *Ecological Approach*
 - 2.1. Ecological Systems
 - 2.2. Ecological Interactions
 3. *Social-Ecological Systems Approach and Human Ecology*
 - 3.1. Social-ecological Systems
 - 3.2. Behavior, Power and Decision-making
 - 3.3. Livelihood and Strategies
 - 3.4. Governance and Participation
 4. *Landscape, Planning, Management and Territorial Change*
 - 4.1. Territory management and planning
 - 4.2. Landscape and Land Use
 - 4.3. Changes and transformations
 5. *Impact Assessment Approach*
 - 5.1. Impact assessment approaches
-

b) Data analysis methods or techniques

1. *Quantitative*
 - 1.1. Remote Sensing and Spatial Analysis
 - 1.2. Statistical Analysis
 - 1.3. Modeling and Simulation
 - 1.4. Indicator-based Analysis
 - 1.5. Laboratory and Field Measurements
 2. *Qualitative*
 - 2.1. Ethnographic Method
 - 2.2. Perceptions, Narrative and Discourse Analysis
 - 2.3. Documentary Analysis
 - 2.4. Participatory and Interaction Methods
 - 2.5. Conceptual Models
 3. *Mix*
 - 3.1. Combination of quantitative and qualitative methods
-

Source: Self-elaboration.